MENTAL HEALTH ASSESSMENT

INITIAL AND ANNUAL

REVISED 10/19

AGES 11 - 17 YRS

GUIDELINES/PROMPTS:

- 1. A Full MH Assessment may not be required for every new episode of care. Use the one page MH Assessment Update if: importing a full MH Assessment that was done in the past 12 months in your program, or importing a full MH Assessment from a different program conducted in the past 6 months.
- 2. If a full MH Assessment may not be completed by day 60 for clinical reasons, indicate reason and you may continue to claim for
- If a full MH Assessment may not be completed by day 50 for clinical reasons, indicate reason and you may continue to claim for unplanned services (crisis, assessment, plan development, case mgt for linkage, meds for urgent need).
 If a one page Interim MH Assessment is completed by day 30 of EOD, a full MH Assessment is not due until day 60.
 If any information is unable to be collected in the MH Assessment, or inappropriate to collect at this time (due to client's individual circumstances) indicate this and when attempts will be made again.
 Pay special attention to wording such as "when clinically relevant". Examples may be provided, but it is not necessary to inquire into each one—this is determined by the assessor's clinical judgement.
 Any statements beginning with "PROMPT" are instructions and will not be present in the finalized MH Assessment copy.

Demographic Informatio	n					
Episode Opening Dat	e: 01/01/2009	Birthdate:	10/19/2005	Age: 14	Preferred Language: English ▼	
Preferred Last Name:	2 mg 1 to 1000000 register 4 mm to 1		Prefe	erred First Name:	2	
What is your Pronoun:	☐ She/Her	☐ He/Him	☐ They/The	em 🚨 Unk	nown/ Not Reported	
	Other					

Sex Assigned at Birth:	Male	Female	○ Other			
Gender Identity:	Unknown	Male	Eemale	Intersex Gender	Queer Gend	der non-conforming
	Prefer Not to	Answer	Other			
Transgende	r: 🗀 Male to Fema	ale/Transgende	er Female/Trans \	Noman - Female	to Male/Transgender	Male/Trans Man
SEXUAL DRIENTATION:	Unknown		Bisexual	Declined to State	Gay	- Gender Queer
	- Heterosexual	/Straight	Lesbian	Questioning	Queer	
	Other:		L.,			
Emergency Contact	<u> </u>				Relationship:	
Contact address (Str	eet, City, State, Zip):		E	Contact Phone #:	
	A to the second religion designs and the second second	V W W W.				V 41F-1
Release for Emergontact is legal representation.	gency Contact obta sentative and relea	ained for this til se not needed	me period (or):	a A R & Mar No A system of a state of the		
llergies						
Yes	- N. A. SHIRL - M. H. S. A. M.			and the state of t	l C	No
No new altergies	reported					
	ENTRE MEN S		1			
NKA [08/01/20 NKA [08/01/20						
NKA [08/01/20	Jiz: Peterson,	Camme E		a community of the second seco		
ssessment Mental Ae		ing Materials s		Annual Release of Informatio	n Forms signed (ann	aally)
	inform .		igned (annually) ASSESSMEN	Release of Informatio	n Forms signed (anni	ually)
Assessment Sources	Information (C	Check All that A	ASSESSMEN Apply):	☐ Release of Informatio	n Forms signed (anni	ually)
Assessment Sources	inform .		ASSESSMEN Apply):	Release of Informatio	n Forms signed (ann	ally)
Assessment Sources Client REFERRAL SOURCE	s of Information (C Family Guardian	Check All that A	ASSESSMEN Apply):	Release of Information	n Forms signed (ann	ally)
Assessment Sources Client REFERRAL SOURCE	s of Information (C Family Guardian	Check All that A	ASSESSMEN Apply):	Release of Information	n Forms signed (ann	pally)
Assessment Source Client REFERRAL SOURCE	s of Information (C Family Guardian	Check All that A	ASSESSMEN Apply):	Release of Information	n Forms signed (ann	ually)
Assessment Source Client REFERRAL SOURCE Describe precipitating	Information (C Family Guardian E/REASON FOR RE event(s) for Reference	Check All that A Hosp EFERRAL/GLIE ral: sity, duration, o	ASSESSMEN Apply): ital ENT COMPLAINT	Release of Information		
Assessment Source Client REFERRAL SOURCE Describe precipitating Current Symptoms are spisode, onset, precip	Information (C) Family Guardian E/REASON FOR RE givent(s) for Reference and Behaviors (intensitants, duration & F	Check All that A Hosp EFERRAL/GLIE ral: sity, duration, c Rx response; e	ASSESSMEN Apply): Onset, frequency; tc.):	Release of Information	/stressors; for episodi	
Assessment Source Client REFERRAL SOURCE Describe precipitating Current Symptoms are spisode, onset, precip	Information (C) Family Guardian E/REASON FOR RE givent(s) for Reference and Behaviors (intensitants, duration & F	Check All that A Hosp EFERRAL/GLIE ral: sity, duration, c Rx response; e	ASSESSMEN Apply): Onset, frequency; tc.):	T SUMMARY Other: present/new precipitants/	/stressors; for episodi	
Assessment Sources Client REFERRAL SOURCE Describe precipitating Current Symptoms are pisode, onset, precip	Information (C) Family Guardian E/REASON FOR RE givent(s) for Reference and Behaviors (intensitants, duration & F	Check All that A Hosp EFERRAL/GLIE ral: sity, duration, c Rx response; e	ASSESSMEN Apply): Onset, frequency; tc.):	T SUMMARY Other: T: present/new precipitants/	/stressors; for episodi	
Assessment Sources Client REFERRAL SOURCE Describe precipitating Current Symptoms are pisode, onset, precipitating Current Symptoms are	Family Guardian E/REASON FOR RE givent(s) for Refer	Check All that A Hosp EFERRAL/CLIE ral: sity, duration, c Rx response; e	ASSESSMEN Apply): ital (ENT COMPLAINT onset, frequency; tc.):	T SUMMARY Other: T: present/new precipitants. (from perspective of clients)	/stressors; for episodi	
Assessment Source Client REFERRAL SOURCE Describe precipitating Current Symptoms ar spisode, onset, precip mpairments in Life Fu	Information (C) Family Guardian E/REASON FOR RE greent(s) for Reference and Behaviors (intensitants, duration & F) unctioning caused by attions / Outpatient	Check All that A Hosp EFERRAL/GLIE ral: sity, duration, c Rx response; e	ASSESSMEN Apply): olital conset, frequency; tc.): MENTAL HEAL	T SUMMARY Other: T: present/new precipitants. (from perspective of clients)	/stressors; for episodi nt and/or others):	
Assessment Source Client REFERRAL SOURCE Describe precipitating Current Symptoms ar spisode, onset, precip mpairments in Life Fu	Information (C) Family Guardian E/REASON FOR RE greent(s) for Reference and Behaviors (intensitants, duration & F) unctioning caused by attions / Outpatient	Check All that A Hosp EFERRAL/GLIE ral: sity, duration, c Rx response; e	ASSESSMEN Apply): olital conset, frequency; tc.): MENTAL HEAL	Cher:	/stressors; for episodi nt and/or others):	
Assessment Source Client REFERRAL SOURCE Describe precipitating Current Symptoms ar spisode, onset, precip mpairments in Life Fu	Information (C) Family Guardian E/REASON FOR RE greent(s) for Reference and Behaviors (intensitants, duration & F) unctioning caused by attions / Outpatient	Check All that A Hosp EFERRAL/GLIE ral: sity, duration, c Rx response; e	ASSESSMEN Apply): olital conset, frequency; tc.): MENTAL HEAL	Cher:	/stressors; for episodi nt and/or others):	
Assessment Source Client REFERRAL SOURCE Describe precipitating Current Symptoms ar spisode, onset, precip mpairments in Life Fu	Information (C) Family Guardian E/REASON FOR RE greent(s) for Reference and Behaviors (intensitants, duration & F) unctioning caused by attions / Outpatient	Check All that A Hosp EFERRAL/GLIE ral: sity, duration, c Rx response; e	ASSESSMEN Apply): olital conset, frequency; tc.): MENTAL HEAL	Cher:	/stressors; for episodi nt and/or others):	

2/11

History of Trauma or I	Exposure to Trauma	O Yes	O No	O Unable to Assess	
PROMPT: Describe cagainst their will, (3) libeen close to death fr	linically relevant traumas that	may be like: en a combat death or viol	(1) been physic veteran or expe	ally hurt or threatened by	another, (2) been raped or had se m, (5) been in severe accident, or else, or (7) been the victim of cri
Risk factors:	○ Yes	◎ No	O Unable to	Assess	
Danger to Others (DT Arrest history; Probati History of assaultive b others; Psychological any relevant factors th	elaborated the following circu O); Previous inpatient hospita on status; History of alcohol/d behavior; Physical impairment or intellectual vulnerabilities li	lizations for l rug abuse; l s (e.g. limited e.g., intellect lerance, hos	DTS or DTO; Pr distory of trauma division, deaf, w ual disability (lov tility, paranoia, c	ior suicide attempts; Lack or victimization; History of heelchair bound) which mand w IQ), traumatic brain injue command hallucination, ex	or History of Danger to Self (DTS) of family or other support system of self-harm behaviors (e.g., cuttinakes the beneficiary vulnerable to ry, dependent personality]. Descripping the behaviors of the any of treatment.
Please check if oc	curred within the last 30 days)		Date of onset:	
Safety plan will be	completed with Client Plan if	any S/I, H/I,	or other High Ri	sk in past 90 days.	
leports Filed as a res	sult of this Assessment:	□ N/A	CPS	☐ APS ☐ Other	
- 4	puse, duffiestic of critic abuse	e/neglect (ph	ysical, sexual, e	motional, etc.); arrests/co	story of: mental illness and suicide urt proceedings; immigration state
Cultural Formulation: PROMPT: Consider a the clinician. Factors of	ny clinically relevant cultural f may include ethnicity, race, re g environment. Consider how	actors which	may influence r	motional, etc.); arrests/co	urt proceedings; immigration state
Cultural Formulation: PROMPT: Consider a the clinician. Factors of	ny clinically relevant cultural f may include ethnicity, race, re g environment. Consider how	actors which ligion, spiritu special treat	may influence pal practice, sexument issues res	motional, etc.); arrests/co	urt proceedings; immigration state ewed by client/family/caregiver ar
Cultural Formulation: PROMPT: Consider a the clinician. Factors i aconomic status, livin strength for the client.	ny clinically relevant cultural f may include ethnicity, race, re g environment. Consider how	actors which ligion, spiritu special treat	may influence pal practice, sexument issues res	motional, etc.); arrests/co	urt proceedings; immigration state ewed by client/family/caregiver ar
Cultural Formulation: PROMPT: Consider a the clinician. Factors i economic status, living trength for the client.	ny clinically relevant cultural f may include ethnicity, race, re g environment. Consider how This \$	actors which ligion, spiritu special treat	may influence pal practice, sexument issues res	presenting problems as vivial orientation, gender ide util from the client's/family	ewed by client/family/caregiver ar nitiy, caregiver or client socio diversity AND how it may be a
Cultural Formulation: PROMPT: Consider a the clinician. Factors i economic status, living trength for the client.	ny clinically relevant cultural f may include ethnicity, race, re g environment. Consider how This ₹	actors which ligion, spiritu special treat	may influence pal practice, sexument issues res	presenting problems as vivial orientation, gender ide util from the client's/family	ewed by client/family/caregiver ar intity, caregiver or client socio or diversity AND how it may be a
Cultural Formulation: PROMPT: Consider a the clinician. Factors i economic status, living trength for the client.	ny clinically relevant cultural f may include ethnicity, race, re g environment. Consider how This ₹	actors which ligion, spiritu special treat	may influence pal practice, sexument issues res	presenting problems as vivial orientation, gender ide util from the client's/family	ewed by client/family/caregiver ar intity, caregiver or client socio or diversity AND how it may be a
Cultural Formulation: PROMPT: Consider a the clinician. Factors i economic status, living trength for the client.	ny clinically relevant cultural f may include ethnicity, race, re g environment. Consider how This ₹	actors which ligion, spiritu special treat	may influence pal practice, sexument issues res	presenting problems as vivial orientation, gender ide util from the client's/family	ewed by client/family/caregiver ar intity, caregiver or client socio or diversity AND how it may be a
Cultural Formulation: PROMPT: Consider a the clinician. Factors i economic status, living trength for the client.	ny clinically relevant cultural f may include ethnicity, race, re g environment. Consider how This ₹	actors which ligion, spiritu special treat	may influence pal practice, sexument issues res	presenting problems as vivial orientation, gender ide util from the client's/family	ewed by client/family/caregiver ar intity, caregiver or client socio or diversity AND how it may be a
Cultural Formulation: PROMPT: Consider a the clinician. Factors i teconomic status, living trength for the client.	ny clinically relevant cultural f may include ethnicity, race, re g environment. Consider how This ₹	actors which ligion, spiritu special treat	may influence pal practice, sexument issues res	presenting problems as vivial orientation, gender ide util from the client's/family	ewed by client/family/caregiver ar intity, caregiver or client socio or diversity AND how it may be a
Cultural Formulation: PROMPT: Consider a the clinician. Factors i economic status, living trength for the client.	ny clinically relevant cultural f may include ethnicity, race, re g environment. Consider how This ₹	actors which ligion, spiritu special treat	may influence pal practice, sexument issues res	presenting problems as vivial orientation, gender ide util from the client's/family	ewed by client/family/caregiver ar intity, caregiver or client socio or diversity AND how it may be a
Cultural Formulation: PROMPT: Consider a the clinician. Factors i economic status, living strength for the client.	ny clinically relevant cultural f may include ethnicity, race, re g environment. Consider how This ₹	actors which ligion, spiritu special treat	may influence pal practice, sexument issues res	presenting problems as vivial orientation, gender ide util from the client's/family	ewed by client/family/caregiver ar intity, caregiver or client socio or diversity AND how it may be a
Cultural Formulation: PROMPT: Consider a the clinician. Factors i economic status, living strength for the client.	ny clinically relevant cultural f may include ethnicity, race, re g environment. Consider how This ₹	actors which ligion, spiritu special treat	may influence pal practice, sexument issues res	presenting problems as vivial orientation, gender ide util from the client's/family	ewed by client/family/caregiver ar intity, caregiver or client socio or diversity AND how it may be a

EDUCATION Optional Not	es:		Special Ed:	O Yes O No	
Grade:			Optional Co	ntact/Teacher Ph#:	Additional Address of the State
ctive IEP/Special Assessmen	nt/Services (Describe)	:		LD @ DD/ID @	SED
ast School Attended:		areate e	- 10.1 Ma-Mar		
ocational Activities (Optional):				
Vould client like assistance w	ith accessing any voca	ational activities such	as education, vocation	nal training, job suppo	rts, etc.?
Yes No					
Developmental History (for e Prenatal/birth/childhood 0 – 6 PROMPT: As clinically relevar events.	угз.		-		
Latency 7 – 11 yrs.: N/A PROMPT: As clinically relevant of other significant events).	nt describe events suc	h as: peer/sibling rela	ations, extracurricular a	activities, delinquency,	environmental stressol
Adolescence 12-17 yrs. Solve No. 12-17 yrs. Action of PROMPT: As clinically relevant nvolvement, environmental states of the solve number of the s	nt describe events suc			ies, teen parenthood,	delinquency, gang
PROMPT: Describe any <i>clinice</i> mmigration, etc.	ally relevant legal enco	ounters for client or fa	imily such as: landlord	rtenancy; employment	; tamily; criminal;
		MEDICAL H	HISTORY		
	Name (or indicate No	one)	Address (if known)	Phone # (if known)	Last Date of Servi
. Primary Physician:	\5. #\&\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		ç. menny	(ii iaiomi)	(ii tatomity
. Other medical provider(s):					
Date records requested: From whom, if applicable:					
	Relevant Medical eported Weight (lbs): escribe:		check only those that ported Height (in):		ight/Weight WNL
ardiovascular/Respiratory:	Chest Pain	Hypertension	Hypotension	Palpitation	Smoking
Genital/Urinary/Bladder:	Incontinence Urgency	Nocturia Nocturia	Urinary Tract In	fection	Retention
Sastrointestinal/Bowel:	Heartburn Ulcers	Diarrhea Laxative Use	Constipation Incontinence	Nausea	Vomiting
Nervous System:	Headaches	Dizziness	Seizures	Memory	Concentration

Musculoskeletal:	Back Pain	Stiffness		Arthritis	Mobility/Amb	ulation
Gynecology:	Pregnant	Pelvic Inf	iam. Diseas	e	☐ Menopause	Breast Feeding
Skin:	☐ Scar	Lesion	C	Lice	Dermatitis	☐ Cancer
Endocrine:	☐ Diabetes	☐ Thyroid	(Other:		
Respiratory:	☐ Bronchitis	☐ Asthma	C	COPD		
	Other:					
Optional Comments		AAAAAAAAAA				
!						
Other: (check if	relevant and describe)					
Signific	ant Accident/Injuries/Surge	eries:				
Hospita	alizations:					
Physica	al Disabilities:					
	: Iliness:					
		la contraction				
HIV dis						
_	Menarche and Birth Contro	ol Method:				
History	of Head Injury:					
Liver D	isease:					
O None of the Abo	ve					
Alternative healing	oractice/date (e.g., acupun	cture, hypnosis, herl	os, supplem	ents, etc.) if appli	cable	****
Date if known	Provider / Type if k	nown Re	ason for Tre	atment if known	Outcome (was it helpful and why) if
	-				_	known
			DICATION			
	(include all non-abused pr	CURREN escribed, over the c	IT MEDICA ounter, and	ATIONS holistic/complime	entary/alternative ren	nedies):
	Medication Name	Effectiveness	s/Side	Dosage	Date Started	Prescriber if known
		Effects if kn	own	if known	if known	
Psychotropic						
						appropriate the self-order part representation and the self-order part of the self-order pa
Non-						
Psychotropic						
			- 8			
		npelas:	IC MEDIC	ATIONS	· · · · · · · · · · · · · · · · · · ·	
	(include all non-abused pr	PREVIOU rescribed, over the c	JS MEDIC ounter, and	holistic/complime	entary/alternative rer	nedies):
	Medication Name	Effectiveness Effects if kn		Dosage if known	Date Started if known	Prescriber if known
Psychotropic						
Non-						
/ YU! !"	T I					

Psychotropic										_	
				m							
					_						
											- Mark
											1,000,000
Data of laid also		->-				Do	to of last	dontal av	cam (if know	ma).	
Date of last phy	ysical exam (if know	ny:				ρa	ite or iast (uentai ex	Carri (II Kilo	W11).	-
Referral made t	to primary care or sp	ecialty:	0	No 🥯	Yes	lf y	es, list:				
Providers, inclu	uding Address, Phor	ne, E-mail	(if known	ı):							
Additional Med	lical Information: If n	eeded, de	escribe an	ny relevan	t medic	al cond	itions.				
			ell	BSTANC	EHEE	ecde	ENING				
Dan						JUNE	ENING.				
	willing to discuss at the					emu to c	nore seek	aubataa -	o in the fell	owing sast!	0.0
	FRUCTIONS. Ask the AST YEAR, on how n	_			_					_	оп.
	AST YEAR, on how n										hol?
	AST YEAR, on how n				ana (we	ed; blun	ts)?				
	AST YEAR, have you				e 11 1	= 41 \ 11	Laurice Communication				
	If no—proceed to #5 of If yes—ask which, and				-						
D. 1	i. May specifical					11 (101 6	acii.				
	1. Amphetamine					tion):					
	2. Cocaine or cra	ack:									
	3. Heroin:	lo a mosi	o muchro	.ma 6D	oto):						
	Hallucinogen (Inhalants (e.g.)					e. etc.):					
	6. Others?:	1	9	3		-,,.					
	AST YEAR, have you	used any	medication	ons or ove	r-the-co	unter m	edications	that wer	e not presc	ribed for yo	u (if yes, ask each
below)?	If no-proceed to #6 (or if appro	nriate indu	uires sneci	ificallv b	elow					
	If yes—ask which, an			-	_		ach indica	ted.			
	i. May specifical	ly inquire	if deemed	appropria	ıte:						
	1. Prescription pa			-			-	tin, diulau	udid, metha	done, bupre	enorphine, etc.):
	Prescription so Prescription so		_				n, etc.):				
	4. Over-the-coun		_				h medicine	e, sleepir	ng pills):		
	5. Others?:			-							
	AST YEAR, have you ask each below)?	ı used any	prescribe	ed or over-	the-cou	nter me	dications v	vhich you	took more	of that you	were supposed to
	If no—STOP or if app	ropriate in	auires sp	ecifically a	s below						
	If yes—ask which, an	•		-			ach;				
	i. May specifical										
	Prescription page Prescription se			•			-	tin, diulaı	udid, metha	done, bupre	enorphine, etc.):
	Prescription st Prescription st		-				ırı, etc.).				
	4. Over-the-cour						h medicine	e, sleepir	ng pills):		
	5. Others?:										
Scores:											
	No Reported Use Lower Risk										
•	(alcohol/drugs) – Hig	her Risk									
-	s (tobacco) – Higher I										
		SUBSTA	NCE US	E/EXPO	SURE	& DISC	RDERS	- REQU	IRED		
			sure	Past			CURREN	T SUBSI	TANCE USE	& PROBL	EMS
Category		(Cnil	dren)	Age at			D-				Client-Perceived
(indicate if ever	r used)	Prenatal	Current	first use (if known)	None/ Denies	Current	Days use in Past Yr	Lower Risk	Higher Risk	In Recovery	Problem? Yes No

ALCOHOL

0

0

AMPHETAMINES (SPEED/UPPERS, CRANK, ETC)				•	0		0	0	I		0	0
COCAINE/CRACK	0	10.		•	0		0	0	- (0	0
OPIATES (HEROIN, OPIUM, METHADONE)				•	0		0	0	i		0	0
HALLUCINOGENS (LSD, MUSHROOMS, PEYOTE, ECSTASY)	Ø	а		•	0		0	0	(0	0
SLEEPING PILLS, PAIN KILLERS,	(3)	0		(9)	0		0	0	1	9.	0	6
VALIUM, OR SIMILAR PCP (PHENCYCLIDINE) OR				(a)	0		0	0	(0	0
DESIGNER DRUGS (GHB) INHALANTS		0		O	0		0	0	1	3	0	0
(PAINT, GAS, GLUE, AEROSOLS) MARIJUANA/ HASHISH	(1)			(9)	0		0	0):			0	0
TOBACCO/NICOTINE				(a)	0		0	0	-		0	0
CAFFEINE (ENGERY DRINKS,	0				0		0	0	-		0	0
SODAS, COFFEE, ETC.)				(a)					-			
OVER THE COUNTER RX MEDS - NOT PRESCRIBED OR				•	0		0	-			0	0
TAKEN PER RX		9		•	0		0	0			0	0
COMPLIMENTARY/ALTERNATIVE MEDICATION NOT PER RX				•	0		0	0	- 1		0	0
OTHER SUBSTANCE		9		•	0		0	0	į.	3	0	0
Is beneficiary receiving alcohol and drug services?	0 Y	es, from th	nis provide	r	O Y	es, from	a differer	nt provider			No	
If yes, type of alcohol and drug services:		Residentia	al	Out	patient			Communit	y/ Sup	port Gr	oup	
SUSBSTA	ANCE RIS	SKS, USE,	& ATTITU	JDES/E	XPOSU	JRE (Req	uired if	"Higher Ris	k") ·			
									NO	YES		ABLE ASSESS
											107	
Were any risk factors identified based	on clinica	al judgment	t?						0	0		0
Were any risk factors identified based Does the client currently appear to be				or drug	gs?				0	0		0
	under the	e influence or his/her u	of alcoholuse of alco	hol or o	drugs?	an on do	ing so ir	the future	0	0	procee	0
Does the client currently appear to be Has the client ever received profession Comments on alcohol/drug use (indi	under the nal help fo cate if ur substance	e influence or his/her u nable to as	of alcoholuse of alco	hol or d	drugs?				as tre	o o atment		ds):
Does the client currently appear to be Has the client ever received profession Comments on alcohol/drug use (indi	under the nal help fo cate if ur substanc Managen	e influence or his/her u nable to as	of alcoholuse of alco isess at the	hol or one of the control of the con	drugs? but pl	st be con	opleted ii		as tre	o o atment		ds):
Does the client currently appear to be Has the client ever received profession Comments on alcohol/drug use (indi	under the nal help fo cate if ur substanc Managen	e influence or his/her u nable to as ne use (clini ment.	of alcoholuse of alco isess at the	hol or one of the control of the con	drugs? but pl	st be con	opleted ii		as tre	o o atment		ds):
Does the client currently appear to be Has the client ever received profession Comments on alcohol/drug use (indi How is the mental health impacted by substance Use/Abuse, such as Case II	under the	e influence or his/her u nable to as ne use (clini nent.	of alcoholuse of alcoholuse of alcoholuse of alcoholuses at the ician's per	ehol or one is time. Spective	drugs? but pl e)? Mu	st be con	opleted ii		as tre	o o atment		ds):
Does the client currently appear to be Has the client ever received profession Comments on alcohol/drug use (indi How is the mental health impacted by substance Use/Abuse, such as Case II A. Beneficiary self-assessment:	under the	e influence or his/her u nable to as ne use (clini nent.	of alcoholuse of alcoholuse of alcoholuse of alcoholuses at the ician's per	ehol or one is time. Spective	drugs? but pl e)? Mu	st be con	opleted ii		as tre	o o atment		ds):
Does the client currently appear to be Has the client ever received profession Comments on alcohol/drug use (indi How is the mental health impacted by substance Use/Abuse, such as Case II A. Beneficiary self-assessment: Unable to assess at this time but pi	under the	e influence or his/her u nable to as the use (clinical) the nent. SUBSTAN	of alcoholuse of alcoholuse of alcoholuse of alcoholuses at the ician's per	ehol or one is time. Spective	drugs? but pl e)? Mu	st be con	opleted ii		as tre	o o atment		ds):
Does the client currently appear to be Has the client ever received profession Comments on alcohol/drug use (indicated by substance Use/Abuse, such as Case In Comments on alcohol or drug use	under the nal help for cate if ur substance Managem lan on do	e influence or his/her u nable to as ne use (clini nent. SUBSTAN	of alcoholuse of alcoholuse of alcoholuse of alcoholuses at the ician's per	ehol or one is time. Spective	drugs? but pl e)? Mu	st be con	opleted ii		as tre	o o atment		ds):
Does the client currently appear to be Has the client ever received profession Comments on alcohol/drug use (indicated by the substance Use/Abuse, such as Case Market Case Ma	under the nal help for cate if ur substance Managerr lan on do problems	e influence or his/her u nable to as e use (clini nent. SUBSTAN oing so in the	of alcoholuse of alcohol	spectiv	e but pl	st be con	opleted ii		as tre	o o atment		ds):
Does the client currently appear to be Has the client ever received profession Comments on alcohol/drug use (indicated by substance Use/Abuse, such as Case Market Substance Use/Abuse, such as Case Market Substance Use/Abuse Substance Use/Abuse Substance Use/Abuse Such as Case Market Substance Use/Abuse Su	under the nal help for cate if ur substance Manager lan on do problem boblems	e influence or his/her u nable to as e use (clini nent. SUBSTAN bing so in the	of alcoholuse of alcohol	spectiv	e but pl	st be con	opleted ii		as tre	o o atment		ds):
Does the client currently appear to be Has the client ever received profession Comments on alcohol/drug use (indicated by substance Use/Abuse, such as Case III) A. Beneficiary self-assessment: Unable to assess at this time but picture of the comments of the client of the comments of the client of the comments of the client o	under the nal help for cate if ur substance Managerre dan on do problems blems lan on do relation	e influence or his/her u nable to as the use (clinical) substant sing so in the	of alcoholuse of alcoholuse of alcoholuse of alcoholuses at the ician's per CE ABUS	spective E/SEVI	e)? Mu	assessi roceeds.	ppleted i		as tre	o o atment		ds):
Does the client currently appear to be Has the client ever received profession Comments on alcohol/drug use (indicated by the substance Use/Abuse, such as Case Market States of the substance Use/Abuse, such as Case Market States of the substance Use/Abuse of the substance Use/Abuse of the substance Use/Abuse of the substance Use/Abuse of the substance of the su	under the nal help for cate if ur substance Managerr dan on do problem oblems lan on do relation periodic	e influence or his/her u nable to as the use (clining so in the service) sing so in the service in the problems) use associ	of alcoholuse of	spective E/SEVI	e)? Mu ERITY A	ASSESSIOCCEEDS.	npleted in	any service	as tre	o o atment		ds):
Does the client currently appear to be Has the client ever received profession Comments on alcohol/drug use (indicated by substance Use/Abuse, such as Case Market Substance Use/Abuse, such as Case Market Substance Use/Abuse Substance Use/Abuse Substance Use/Abuse Substance Use/Abuse Substance Use/Abuse Substance Use/Abuse Substance With Impacted by substance of Use With Impacted by Substance abuse (frequent and/or Substance abuse (frequent recovery)	under the nal help for cate if ur substance Manager lan on do problem beliems lan on do relation periodic or y (prior si	e influence or his/her u nable to as e use (clini nent. SUBSTAN bing so in the s bing so in the problems) use associ ignificant, bing influence in the problems in the prob	of alcoholuse of	ehol or chis time spective E/SEVI	e)? Mu ERITY A	ASSESSIOCCEEDS.	npleted in	any service	as tre	o o atment		ds):
Does the client currently appear to be Has the client ever received profession Comments on alcohol/drug use (indicated by the substance Use/Abuse, such as Case Market States of the substance Use/Abuse, such as Case Market States of the substance Use/Abuse of the substance Use/Abuse of the substance Use/Abuse of the substance Use/Abuse of the substance of the su	under the nal help for cate if ur substance Managem lan on do problem oblems lan on do relation periodic y (prior si overy (under	e influence or his/her u nable to as the use (clinicent. SUBSTAN thing so in the soling so in the problems) use associationificant, the controlled to	of alcoholuse with suse with sus	ehol or one time spective E/SEVI	e)? Mu ERITY A ment pr or drug or no su nt alcoh	ASSESSIN roceeds.	npleted in	any service	as tre	o o atment		ds):
Does the client currently appear to be Has the client ever received profession Comments on alcohol/drug use (indicated by substance Use/Abuse, such as Case Management) A. Beneficiary self-assessment: Unable to assess at this time but property of the comment o	under the nal help for cate if ur substance Managerr dan on do problems blan on do relation periodic y (prior si every (und	e influence or his/her u nable to as the use (clining so in the problems) use association in the problems of t	of alcoholuse of alcoholuse of alcoholuse of alcoholuse of alcoholuse of alcoholuse actions. CE ABUS The future allowed the future allowed with some future allowed with second to the future allowed with second	ehol or one time spective E/SEVI as treate alcohol inimal of	e but pl e)? Mu ERITY / ment pr or drug or no su nt alcoh- ired if	ASSESSION COCCEDENT. TOCCEDOR. TOCCEDOR.	s) felated p related r r Risk"	any service	as tre	o o atment		ds):
Does the client currently appear to be Has the client ever received profession Comments on alcohol/drug use (indicated by substance Use/Abuse, such as Case Market Substance Use/Abuse, such as Case Market Substance Use/Abuse Substance Use/Abuse Substance Use/Abuse Substance Use/Abuse Substance Use/Abuse Substance With Impacted by Substance Indicated Substance Indicated Indicate Substance abuse (frequent and/or Substance dependence in recovery Substance dependence not in record Check below, for any referral made to Check below.	under the nal help fe cate if ur substance Manager lan on do problems lan on do relation periodic y (prior si very (und substance Si passed on	e influence or his/her u nable to as e use (clini nent. SUBSTAN bing so in the problems) use associ ignificant, b controlled to JD REFEI nabuse ass	of alcoholuse with situated with sut now muse with situated with situate	ehol or one time spective E/SEVI as treate alcohol inimal of inimal of gnifican Requ List s	e)? Mu ERITY A ment pr or drug or no su nt alcoh ired if pecific	ASSESSI roceeds. roceeds. g problem abstance not or drug "Highe referral i	s) felated p grelated r Risk"	any service	as tre	o o atment		ds):
Does the client currently appear to be Has the client ever received profession Comments on alcohol/drug use (indicated by substance Use/Abuse, such as Case Management) A. Beneficiary self-assessment: Unable to assess at this time but property of the comment o	under the nal help fe cate if ur substance Manager lan on do problems lan on do relation periodic y (prior si every (une substance substance Manager in the periodic y (prior si every (une substance substance in the periodic y (prior si every (une substance substance in the periodic y (prior si every (une substance substance in the periodic y (prior si every (une substance substance in the periodic y (prior si every (une substance substance in the periodic y (prior si every (une substance substance in the periodic y (prior si every (une substance substance in the periodic y (prior si every (une substance substance in the periodic y (prior si every (une substance substance relation y (prior si every (une substance substance substance relation y (prior si every (une substance substance substance substance substance substance substance relation y (prior si every (une substance substance	e influence or his/her u nable to as e use (clini nent. SUBSTAN bing so in the problems) use associ gnificant, b controlled to JD REFE abuse ass Services) ner's intere	of alcoholuse of alcoholuse of alcoholuse of alcoholuse of alcoholuse of alcoholuses at the control of alcoholuses at the future alcoholuse with significant alcoholuses with significant alcoholuses at the control of	ehol or one time spective E/SEVI as treate alcohol inimal or one time gnifican Requ List soline #1	e)? Mu ERITY / ment pr or drug or no su nt alcoh ired if pecific -800-48 f sobrie	ASSESSION OCCERCIANT OCC	s) related p g related r Risk" relow.	roblems)	as tre	atment be direct	cted tow	ds):
Does the client currently appear to be Has the client ever received profession Comments on alcohol/drug use (india How is the mental health impacted by substance Use/Abuse, such as Case Manual Substance Use/Abuse, such as Case Manual Substance Use/Abuse as this time but plow No alcohol or drug use with no related Alcohol or drug use with related probable to assess at this time but plow Alcohol or drug use with related probable to assess at this time but plow Use (minimal or no alcohol or drug Substance abuse (frequent and/or Substance dependence in recovery Substance dependence not in recovery Substance Self-help groups- groups fo should ideally be to a group kn	substance Managem lan on do problem periodic lan y (prior si periodic lan y (prior si possed on Disorder r consumo on to si	e influence or his/her u nable to as e use (clini nent. SUBSTAN bing so in the problems) use associ gnificant, b controlled to JD REFE abuse ass Services) ner's intere	of alcoholuse of alcoholuse of alcoholuse of alcoholuse of alcoholuse of alcoholuse at the future at	ehol or one time spective E/SEVI as treate alcohol inimal of the time Requ. List soline #1 pport of chiatric	e)? Mu ERITY / ment pr or drug or no su nt alcoh ired if pecific -800-48 f sobrie	ASSESSION OCCERCIANT OCC	s) related p g related r Risk" relow.	roblems)	as tre	atment be direct	cted tow	ds):
Does the client currently appear to be Has the client ever received profession Comments on alcohol/drug use (indicated by substance Use/Abuse, such as Case Management) A. Beneficiary self-assessment: Unable to assess at this time but provider assessment: Alcohol or drug use with no related provider assessment: Unable to assess at this time but provider assessment: Unable to assess at this time but provider assessment: Unable to assess at this time but provider assessment: Use (minimal or no alcohol or drug Substance abuse (frequent and/or Substance dependence in recovery Substance dependence not in recovery Substance dependence not in recovery Substance dependence not in recovery Substance Self-help groups- groups for should ideally be to a group known all all self-help groups- groups for should ideally be to a group known all self-help groups- groups for should ideally be to a group known all self-help groups- groups for should ideally be to a group known all self-help groups- groups for should ideally be to a group known all self-help groups- groups for should ideally be to a group known all self-help groups- groups for should ideally be to a group known all self-help groups- groups for should ideally be to a group known all self-help groups- groups for should ideally be to a group known all self-help groups- groups for should ideally be to a group known all self-help groups- groups for should ideally be to a group known all self-help groups- groups for should ideally be to a group known all self-help groups- groups for should ideally be to a group known all self-help groups- groups for should ideally self-help gr	an on do problems lan on do problems lan on do relation periodic y (prior si overy (uno sased on Disorder r consum own to si coholic Ar	e influence or his/her u hable to as e use (clini- nent. SUBSTAN bing so in the problems) use associ- ignificant, bi- controlled u JD REFE abuse ass Services) her's intere- upport clier nonymous	of alcoholuse of alcoholuse of alcoholuse of alcoholuse of alcoholuse of alcoholuse at the future at	ehol or one time spective E/SEVI as treate alcohol inimal or i	e but pl e)? Mu ERITY / ment pr or drug or no su nt alcoh ired if pecific 800-48 f sobrie recover	ASSESSI roceeds. roceeds. g problem abstance and or drug "Highe referral in a1-9099 fi	s) related prelated r Risk" relow. or:	roblems)	as tre	atment be direct	cted tow	ds):

Nicotine Anonymous (www.nicotine-anonymous.org)

Nicotine Quit Line (www.nobutts.org and 1-800-NO-BUTTS)

SMART Recovery (www.SMARTrecovery.org)

Outpatient counseling- for consumer's assessed at abuse level, and who have an environment supportive of recovery.

Residential treatment- for chemically dependent consumer's with a low level of function, requiring an intense level of support to

nt Referral Guide, yo take with them to	ww.acb follow-u	hcs.org/prov p with referr	iders/SUD/resources.htm, indica al ADDRESS	te the spe		rrais prov	
-			ADDRESS		TELEP	HONE N	JMBER
							-
MEDI	CAL N	FCFSSITY	– MENTAL STATUS				
nremarkable	□ R	Remarkable	or				
npulsive		_				uarded	
nremarkable	□ R	Remarkable	or				
nremarkable	□ A	nxious	Depressed	□ Elate	ed/Expar	sive	
abile	□ Ir	ritable/Angr	Other				
dd/Idiosyncratic	□ B	Blocking Obsessive	☐ Distorted☐ Circumstantial☐ Flight of Ideas☐	Pau	city of Co	ntent	
nremarkable			B Delusions	Idea	s of Refe	erence	
lashbacks		epersonaliz		-		erence	
nremarkable	□ F	Remarkable	or				
nremarkable	ÜF	Remarkable	or				
nremarkable	(i) 1 ₁	mpaired	v-terms				
nremarkable	□ F	Remarkable	or				
nremarkable	₩ F	Remarkable	or				
	MENTAL STA	MENTAL STATUS (Inremarkable Inremarkable Inr	MENTAL STATUS (Check and de Inremarkable Remarkable finemarkable Motor Agitate Motor Retarde Motor Remarkable Motor Rema	Inremarkable	MENTAL STATUS (Check and describe if abnormal or impaired) Inremarkable Remarkable for Inremarkable Motor Agitated Inattentive Avoi Inpulsive Motor Retarded Hostile Suspensive Anxious Depressed Elaterabile Irritable/Angry Other Inremarkable Concrete Distorted Disconsing Circumstantial Pauri Concentration Obsessive Flight of Ideas Raccioosening of Assoc Other Inremarkable Hallucinations Delusions Ideas Inremarkable Hallucinations Depressed Disconsing Ideas Inremarkable Remarkable Depressed Disconsing of Assoc Other Inremarkable Hallucinations Delusions Ideas Inremarkable Hallucinations Derealization Disconsing Ideas Inremarkable Remarkable for Inremarkable Remarkable for	MENTAL STATUS (Check and describe if abnormal or impaired) Inremarkable Remarkable for Inremarkable Motor Agitated Inattentive Avoidant Impulsive Motor Retarded Hostile Suspicious/G Inremarkable Remarkable for Inremarkable Inritable/Angry Other Inremarkable Concrete Distorted Disorganized Indiductionsyncratic Blocking Circumstantial Paucity of Coloremarkable Other Inremarkable Hallucinations Delusions Ideas of Reference Inremarkable Hallucinations Derealization Dissociation Inremarkable Remarkable for Inremarkable Remarkable for	MENTAL STATUS (Check and describe if abnormal or impaired) Inremarkable Remarkable for Inremarkable Motor Agitated Inattentive Avoidant Inpulsive Motor Retarded Hostile Suspicious/Guarded Intermarkable Remarkable for Inremarkable Anxious Depressed Elated/Expansive Inremarkable Concrete Distorted Disorganized Independent Disorganized Circumstantial Paucity of Content Inangential Obsessive Flight of Ideas Racing Thoughts Inremarkable Hallucinations Delusions Ideas of Reference Intermarkable Hallucinations Dependent Depende

Food/Shelter	•	0	0	0	exten	ded duration				
Social/Peer Relations	•	0	0	0	Other	(Describe):	(®)	0		0
Physical Health	•	0	0	0						9
<u>EQUIRED,</u> describe Impairme	nts checke	d above	<i>:</i>							
			TAI	RGETED S	RVMDT/	OMS				
	None	Mild	Mod	Severe	J 1 Wil 1	JIIIO	None	Mild	Mod	Sever
Cognition/Memory/Thought	•	0	O	0	Perce	eptual Disturbance	•	0	0	0
attention/Impulsivity	<u> </u>	0	(6)	0		sitional/Conduct	•	0	0	0
Socialization/Communication	O	0	0	0		uctive/Assaultive	•	0	0	0
Depressive Symptoms	•	0	0	0	Agitat	tion/Lability	•	0	0	0
Anxiety/phobia/Panic Attack	O	0	0	0	_	itic Disturbance	•	0	0	0
affect Regulation	•	0	0	0	Other	(Describe):	•	0	0	0
omments (if any)										
				RIERS / IN	MPAIRN	IENTS	appropriate Advantage			
npairment Criteria (must have select A, B, and C as they apply		followir	ig):		AND:	Intervention Criteria (proposed I	NTERVE	NTION V	vill):
A. Significant impairment	in an impor	tant are	a of life f	unction.	AND	Significantly diminish in	mpairment			
B. Probability of significar functioning.	nt deteriorat	ion in ar	importa	int area of	AND	Prevent significant det functioning.	erioration in	an impo	ortant are	a of life
C. (Under 21) Without treated					AND	(Under 21) Probably a developmentally as inc				
D. None of the above					AND	None of the above				
bservations/descriptions, sympt ustification for diagnosis)	on on pain			Diagnostic I			,g			
SM-5: Mental Health										
DSM-5 Descriptor		ICD-1	0	ICD-10 E	Descripto	or				
(Select)	(Sele	ct)	(Sele	ct)		PRIMARY				
Signs & Symptoms that Support Add Additional Diagnosis										
	K HAS CHA					YST FOR CORRECT C her clinicians	LAIMING.			
SM-5: Substance Use		ICD 4	^	ICD 40 !	lacarint.	or .				
DSM-5 Descriptor	/e _n !-	ICD-1		ICD-10 I	-cscript(Rule Out				
(Select)	(Sele	ct)	(Sele	iul)						
Signs & Symptoms that Support	Diagnosis (or Per H	istory:							
Add Additional Diagnosis										

IF DX HAS CHANGED, YOU MUST CORRECT INSYST FOR CORRECT CLAIMING.
Coordinate Diagnoses with other clinicians

General Medical Codes	
(Select c (Select diagnosis descript	tion) Rule Out
Signs & Symptoms that Support Diagnosis or	Per History:
Add Additional Diagnosis	
IF DX HAS CHAN	IGED, YOU MUST CORRECT INSYST FOR CORRECT CLAIMING. Coordinate Diagnoses with other clinicians
DSM-5: Psycho Social	Coordinate Diagnoses with other clinicians
DSM-5 Descriptor	ICD-10 ICD-10 Descriptor
(Select) (Select	t) (Select) Rule Out
Signs & Symptoms that Support Diagnosis or	Per History:
Add Additional Diagnosis	
Optional Disability Measures (WHODAS, etc.)	
Disposition / Recommendations/ Plan (Option	al)
	Popponsible Stoff: License (prefensional suffix)
Date: F	Responsible Staff: License (professional suffix)
Date: Staff ▼	Responsible Staff: License (professional suffix) Select One provide licensed supervisor's name and licensure.
Date: Staff ▼	Select One ▼ provide licensed supervisor's name and licensure.
Date: Staff If established by waivered clinician, also p	Select One ▼ provide licensed supervisor's name and licensure.
Date: Staff If established by waivered clinician, also publicated LPHA Co-Signer Of Waivered Staff member waivered Staff member waivered Select One	Select One provide licensed supervisor's name and licensure. Staff Above License (professional suffix)
Date: Staff If established by waivered clinician, also publicensed LPHA Co-Signer Of Waivered Staff member waivered Staff member waivered List A (Check all that apply)	Select One provide licensed supervisor's name and licensure. Staff Above License (professional suffix) d-Moderate vs Moderate-Severe Level Determination List B (Check all that apply) List C
Date: Staff If established by waivered clinician, also publicated LPHA Co-Signer Of Waivered Staff member waivered Staff member waivered List A (Check all that apply)	Select One provide licensed supervisor's name and licensure. Staff Above License (professional suffix) d-Moderate vs Moderate-Severe Level Determination List B (Check all that apply) List C 1 or more psychiatric hospitalization(s) in past year
Date: Staff If established by waivered clinician, also publicated LPHA Co-Signer Of Waivered Select One Staff member waivered Select One Mile List A (Check all that apply)	Select One provide licensed supervisor's name and licensure. Staff Above License (professional suffix) d-Moderate vs Moderate-Severe Level Determination List B (Check all that apply) List C
Date: Staff If established by waivered clinician, also publicated LPHA Co-Signer Of Waivered Select One Mile List A (Check all that apply) Impulsivity/Hyperactivity Trauma/recent loss	Select One provide licensed supervisor's name and licensure. Staff Above License (professional suffix) d-Moderate vs Moderate-Severe Level Determination List B (Check all that apply) List C Substance abuse Suicidal/homicidal preoccupations or behaviors in
Date: Staff If established by waivered clinician, also publicated LPHA Co-Signer Of Waivered Select One Staff member waivered Select One Mile List A (Check all that apply) Impulsivity/Hyperactivity Trauma/recent loss Withdrawn/Isolative	Select One provide licensed supervisor's name and licensure. Staff Above License (professional suffix) d-Moderate vs Moderate-Severe Level Determination List B (Check all that apply) List C Substance abuse Suicidal/homicidal preoccupations or behaviors in past year
Date: Staff If established by waivered clinician, also publicensed LPHA Co-Signer Of Waivered Select One Staff member waivered Select One Milk List A (Check all that apply) Impulsivity/Hyperactivity Trauma/recent loss Withdrawn/Isolative Mild-moderate depression/anxiety Behavior problems (aggressive/self-	Select One provide licensed supervisor's name and licensure. Staff Above License (professional suffix) d-Moderate vs Moderate-Severe Level Determination List B (Check all that apply) List C 1 or more psychiatric hospitalization(s) in past year Suicidal/homicidal preoccupations or behaviors in past year Self-injurious behaviors
Date: Staff If established by waivered clinician, also publicated LPHA Co-Signer Of Waivered Select One Staff member waivered Select One Mile List A (Check all that apply) Impulsivity/Hyperactivity Trauma/recent loss Withdrawn/Isolative Mild-moderate depression/anxiety Behavior problems (aggressive/self-destructive/assaultive/bullying/oppositional)	Select One provide licensed supervisor's name and licensure. Staff Above License (professional suffix) d-Moderate vs Moderate-Severe Level Determination List B (Check all that apply) List C Suicidal/homicidal preoccupations or behaviors in past year Self-injurious behaviors Paranoia, delusions, hallucinations Currently in out-of-home foster care placement Juvenile probation supervision with current
If established by waivered clinician, also publicated LPHA Co-Signer Of Waivered Select One Staff member waivered Select One Mill List A (Check all that apply) Impulsivity/Hyperactivity Trauma/recent loss Withdrawn/Isolative Mild-moderate depression/anxiety Behavior problems (aggressive/self-lestructive/assaultive/bullying/oppositional) Significant family stressors *	Select One provide licensed supervisor's name and licensure. Staff Above License (professional suffix) d-Moderate vs Moderate-Severe Level Determination List B (Check all that apply) List C 1 or more psychiatric hospitalization(s) in past year Suicidal/homicidal preoccupations or behaviors in past year Self-injurious behaviors Paranoia, delusions, hallucinations Currently in out-of-home foster care placement Juvenile probation supervision with current placement order
Date: Staff If established by waivered clinician, also publicated LPHA Co-Signer Of Waivered Select One Mile List A (Check all that apply) Impulsivity/Hyperactivity Trauma/recent loss Withdrawn/Isolative Mild-moderate depression/anxiety Behavior problems (aggressive/self-destructive/assaultive/bullying/oppositional) Significant family stressors * CPS report in the last 6 months	Select One provide licensed supervisor's name and licensure. Staff Above License (professional suffix) d-Moderate vs Moderate-Severe Level Determination List B (Check all that apply) List C Suicidal/homicidal preoccupations or behaviors in past year Self-injurious behaviors Paranoia, delusions, hallucinations Currently in out-of-home foster care placement Juvenile probation supervision with current
If established by waivered clinician, also publicated LPHA Co-Signer Of Waivered Select One Staff member waivered Select One Mill List A (Check all that apply) Impulsivity/Hyperactivity Trauma/recent loss Withdrawn/Isolative Mild-moderate depression/anxiety Behavior problems (aggressive/self-lestructive/assaultive/bullying/oppositional) Significant family stressors * CPS report in the last 6 months Excessive truancy or failing school	Select One provide licensed supervisor's name and licensure. Staff Above License (professional suffix) d-Moderate vs Moderate-Severe Level Determination List B (Check all that apply) List C 1 or more psychiatric hospitalization(s) in past year Suicidal/homicidal preoccupations or behaviors in past year Self-injurious behaviors Paranoia, delusions, hallucinations Currently in out-of-home foster care placement Juvenile probation supervision with current placement order Functionally significant depression/anxiety Eating disorder with medical complications At risk of losing home or school placement due to
If established by waivered clinician, also publicates and LPHA Co-Signer Of Waivered Select One Staff member waivered Select One Mile List A (Check all that apply) Impulsivity/Hyperactivity Trauma/recent loss Withdrawn/Isolative Mild-moderate depression/anxiety Behavior problems (aggressive/self-destructive/assaultive/bullying/oppositional) Significant family stressors * CPS report in the last 6 months Excessive truancy or failing school Difficulty developing and sustaining peer re-	Select One provide licensed supervisor's name and licensure. Staff Above License (professional suffix) d-Moderate vs Moderate-Severe Level Determination List B (Check all that apply) List C 1 or more psychiatric hospitalization(s) in past year Suicidal/homicidal preoccupations or behaviors in past year Self-injurious behaviors Paranoia, delusions, hallucinations Currently in out-of-home foster care placement Juvenile probation supervision with current placement order Functionally significant depression/anxiety Eating disorder with medical complications At risk of losing home or school placement due to mental health issues
If established by waivered clinician, also publicated LPHA Co-Signer Of Waivered Select One Staff member waivered Select One Mill List A (Check all that apply) Impulsivity/Hyperactivity Trauma/recent loss Withdrawn/Isolative Mild-moderate depression/anxiety Behavior problems (aggressive/self-destructive/assaultive/bullying/oppositional) Significant family stressors * CPS report in the last 6 months Excessive truancy or failing school Difficulty developing and sustaining peer reliable to the problems of the pr	Select One provide licensed supervisor's name and licensure. Staff Above License (professional suffix) d-Moderate vs Moderate-Severe Level Determination List B (Check all that apply) List C 1 or more psychiatric hospitalization(s) in past year Suicidal/homicidal preoccupations or behaviors in past year Self-injurious behaviors Paranoia, delusions, hallucinations Currently in out-of-home foster care placement Juvenile probation supervision with current placement order Functionally significant depression/anxiety Eating disorder with medical complications At risk of losing home or school placement due to mental health issues
If established by waivered clinician, also publicated LPHA Co-Signer Of Waivered Select One Mill List A (Check all that apply) Impulsivity/Hyperactivity Trauma/recent loss Withdrawn/Isolative Mild-moderate depression/anxiety Behavior problems (aggressive/self-destructive/assaultive/bullying/oppositional) Significant family stressors * CPS report in the last 6 months Excessive truancy or failing school Difficulty developing and sustaining peer relating disorder without medical complication Court dependent or ward of court May not progress developmentally as individuals.	Select One provide licensed supervisor's name and licensure. Staff Above License (professional suffix) d-Moderate vs Moderate-Severe Level Determination List B (Check all that apply) 1 or more psychiatric hospitalization(s) in past year Suicidal/homicidal preoccupations or behaviors in past year Self-injurious behaviors Paranoia, delusions, hallucinations Currently in out-of-home foster care placement Juvenile probation supervision with current placement order Functionally significant depression/anxiety Eating disorder with medical complications At risk of losing home or school placement due to mental health issues
If established by waivered clinician, also publicated LPHA Co-Signer Of Waivered Select One Staff member waivered Select One Mill List A (Check all that apply) Impulsivity/Hyperactivity Trauma/recent loss Withdrawn/Isolative Mild-moderate depression/anxiety Behavior problems (aggressive/self-destructive/assaultive/bullying/oppositional) Significant family stressors * CPS report in the last 6 months Excessive truancy or failing school Difficulty developing and sustaining peer relating disorder without medical complication Court dependent or ward of court May not progress developmentally as indivappropriate without mental health intervention	Select One provide licensed supervisor's name and licensure. License (professional suffix) d-Moderate vs Moderate-Severe Level Determination List B (Check all that apply) 1 or more psychiatric hospitalization(s) in past year Suicidal/homicidal preoccupations or behaviors in past year Self-injurious behaviors Paranoia, delusions, hallucinations Currently in out-of-home foster care placement Juvenile probation supervision with current placement order Functionally significant depression/anxiety Eating disorder with medical complications At risk of losing home or school placement due to mental health issues Significant depression or school placement due to mental health issues
If established by waivered clinician, also publicated LPHA Co-Signer Of Waivered Select One Staff member waivered Select One Mill List A (Check all that apply) Impulsivity/Hyperactivity Trauma/recent loss Withdrawn/Isolative Mild-moderate depression/anxiety Behavior problems (aggressive/self-destructive/assaultive/bullying/oppositional) Significant family stressors * CPS report in the last 6 months Excessive truancy or failing school Difficulty developing and sustaining peer relating disorder without medical complication Court dependent or ward of court May not progress developmentally as indivappropriate without mental health intervention *Significant family stressors: Caretaker(s) with serion bousing or homelessness.	Select One provide licensed supervisor's name and licensure. Staff Above License (professional suffix) d-Moderate vs Moderate-Severe Level Determination List B (Check all that apply) 1 or more psychiatric hospitalization(s) in past year Suicidal/homicidal preoccupations or behaviors in past year Self-injurious behaviors Paranoia, delusions, hallucinations Currently in out-of-home foster care placement Juvenile probation supervision with current placement order Functionally significant depression/anxiety Eating disorder with medical complications At risk of losing home or school placement due to mental health issues
If established by waivered clinician, also publicated LPHA Co-Signer Of Waivered Select One Staff member waivered Select One Mile List A (Check all that apply) Impulsivity/Hyperactivity Trauma/recent loss Withdrawn/Isolative Mild-moderate depression/anxiety Behavior problems (aggressive/self-destructive/assaultive/bullying/oppositional) Significant family stressors * CPS report in the last 6 months Excessive truancy or failing school Difficulty developing and sustaining peer relating disorder without medical complication Court dependent or ward of court May not progress developmentally as indivappropriate without mental health intervention *Significant family stressors: Caretaker(s) with serior housing or homelessness. Referral Algorithm	Select One provide licensed supervisor's name and licensure. License (professional suffix) d-Moderate vs Moderate-Severe Level Determination List B (Check all that apply) List C 1 or more psychiatric hospitalization(s) in past year Suicidal/homicidal preoccupations or behaviors in past year Self-injurious behaviors Paranoia, delusions, hallucinations Currently in out-of-home foster care placement Juvenile probation supervision with current placement order Functionally significant depression/anxiety Eating disorder with medical complications At risk of losing home or school placement due to mental health issues purioually sus physical, mental health, substance use disorders or developmental disabilities, domestic violence, unstable
If established by waivered clinician, also publicansed LPHA Co-Signer Of Waivered Signer	Select One provide licensed supervisor's name and licensure. License (professional suffix) d-Moderate vs Moderate-Severe Level Determination List B (Check all that apply) List C Substance abuse Suicidal/homicidal preoccupations or behaviors in past year Suicidal/homicidal preoccupations or behaviors in past year Self-injurious behaviors Paranoia, delusions, hallucinations Currently in out-of-home foster care placement Juvenile probation supervision with current placement order Functionally significant depression/anxiety Eating disorder with medical complications At risk of losing home or school placement due to mental health issues At risk of losing home or school placement due to mental health, substance use disorders or developmental disabilities, domestic violence, unstable insult or therapy only

3	Kaiser Permanente Pl Anthem Blue Cross Pl Refer to County Mental Hea (Phone: 1-800-491-9099 Fax	none: 1-888 I th Pian for	-831-2246 assessment		3 or more in Lis				
4	Refer to County Program of	community	resources		1 in list C				
Refer	ring Provider Name:					Phor	e:		
Refer	ring/Treating Provider Type	PCP	MFT/LCSW		☐ Psychiatrist	Other			
Reque	ested service Outpatient	therapy	Medication ma	nagement	Assessment for	r Specialty I	Mental Health Servic	es	
Cano	pel lec			Spe	II Check Save and	I Continue	Save as Pending	Save as Draft	Finalize
Caric	,ei			Оре	ouvo uno	Continuo	Cave as remaining	outo do Diait	r manzo

PERSONAL INFO | SECURITY (PASSWORD) |

Clinician's Gateway version 3.6.0 Built: 11/18/2018 (9:48 AM)