

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List - Alpha by ICD-10 Name
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

Instructions: Crossed out diagnoses are not allowed for ACBHCS Medi-Cal claiming. The left column is the complete 10/1/2018-9/30/2019 DHCS Outpatient Included List (with a few additional Dx indicated by "superscript ²"), however, not all ICD-10 codes on the DHCS list are authorized by Alameda County BHCS. **Providers shall use the ACBHCS list on the right.** Included diagnoses in the DSM-5 must be used first (as indicated). For included DHCS ICD-10 diagnoses where there are no viable DSM-5 diagnoses to provide criteria, the indicated DSM-IV-TR criteria may be used. For these diagnoses, always use the ICD-10 code and name in the medical record; do not use DSM-IV-TR names or codes. Diagnoses are repeated when there are multiple potential crosswalked diagnoses or different diagnoses with the same code and indicated by {brackets}. Nothing in this crosswalk supersedes DSM diagnostic criteria.

Specifiers: DSM diagnoses have uncoded specifiers that refine diagnoses. Clients' medical record must include the ICD-10 code, DSM-5 (or if using DSM-IV-TR criteria, the ICD-10 name), and all relevant specifiers. A few specifiers are included below to indicate accurate crosswalked diagnoses; however this is not an exhaustive list. Also, see color coded key on the last page.

DHCS Outpatient Included List (except as noted ²)		ACBHCS Outpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold
F40.241	Acrophobia	F40.248	Specific Phobia, Situational
F43.0	Acute Stress Reaction	F43.0	Acute Stress Disorder
F43.22	Adjustment Disorder With Anxiety	F43.22	Adjustment Disorders, With Anxiety
F43.21	Adjustment Disorder With Depressed Mood	F43.21	Adjustment Disorders, With Depressed Mood
F43.24	Adjustment Disorder with Disturbance of Conduct	F43.24	Adjustment Disorders, With Disturbance Of Conduct
F43.23	Adjustment Disorder With Mixed Anxiety and Depressed Mood	F43.23	Adjustment Disorders, With Mixed Anxiety and Depressed Mood
F43.25	Adjustment Disorder With Mixed Disturbance of Emotions and Conduct	F43.25	Adjustment Disorders, With Mixed Disturbance Of Emotions and Conduct
F43.29	Adjustment Disorder With Other Symptoms	F43.20	Adjustment Disorders, Unspecified; OR
F43.29	Adjustment Disorder With Other Symptoms	F43.10	Posttraumatic Stress Disorder
F43.20	Adjustment Disorder, Unspecified	F43.20	Adjustment Disorders, Unspecified
F40.01	Agoraphobia With Panic Disorder	F40.00 + F41.0	Agoraphobia (F40.00) and Panic Disorder (F41.0) - Use both diagnoses
F40.02	Agoraphobia Without Panic Disorder	F40.00	Agoraphobia
F40.00	Agoraphobia, Unspecified	F40.00	Agoraphobia
F40.290	Androphobia	F41.8	Other Specified Anxiety Disorder
F50.02	Anorexia Nervosa, Binge Eating/Purging Type	F50.02	Anorexia Nervosa, Binge-Eating/Purging Type
F50.01	Anorexia Nervosa, Restricting Type	F50.01	Anorexia Nervosa, Restricting Type
F50.00	Anorexia Nervosa, Unspecified	F50.9	Unspecified Feeding or Eating Disorder
F41.9	Anxiety Disorder, Unspecified	F41.9	Unspecified Anxiety Disorder
F40.210	Arachnophobia	F40.218	Specific Phobia, Animal
F84.5	Asperger's Syndrome	F84.5	Asperger's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 80, for Asperger's Disorder. Do not use DSM-IV-TR code/name.) ¹

¹Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List - Alpha by ICD-10 Name
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Outpatient Included List (except as noted ²)		ACBHCS Outpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold
F90.8	Attention Deficit/Hyperactivity Disorder, Other Type	F90.8	Other Specified Attention-Deficit/Hyperactivity Disorder
F90.2	Attention-Deficit/Hyperactivity Disorder, Combined Type	F90.2	Attention-Deficit/Hyperactivity Disorder, Combined Presentation
F90.1	Attention-Deficit/Hyperactivity Disorder, Predominantly Hyperactive Type	F90.1	Attention-Deficit/Hyperactivity Disorder, Predominately Hyperactive/Impulsive Presentation
F90.0	Attention-Deficit/Hyperactivity Disorder, Predominantly Inattentive Type	F90.0	Attention-Deficit/Hyperactivity Disorder, Predominately Inattentive Presentation
F90.9	Attention-deficit/hyperactivity Disorder, Unspecified Type	F90.9	Unspecified Attention-Deficit/Hyperactivity Disorder
F60.6	Avoidant Personality Disorder	F60.6	Avoidant Personality Disorder
F50.82	Avoidant/Restrictive Food Intake Disorder	F50.9	Unspecified Feeding or Eating Disorder
F50.81	Binge Eating Disorder	F50.81	Binge Eating Disorder
F31.31	Bipolar Disorder, Current Episode Depressed, Mild	F31.31	Bipolar I Disorder, Current or Most Recent Episode Depressed, Mild
F31.30	Bipolar Disorder, Current Episode Depressed, Mild or Moderate Severity, Unspecified	F31.9	Unspecified Bipolar and Related Disorder
F31.32	Bipolar Disorder, Current Episode Depressed, Moderate	F31.32	Bipolar I Disorder, Current or Most Recent Episode Depressed, Moderate
F31.5	Bipolar Disorder, Current Episode Depressed, Severe, With Psychotic Features	F31.5	Bipolar I Disorder, Current or Most Recent Episode Depressed, With Psychotic Features + Severe specifier
F31.4	Bipolar Disorder, Current Episode Depressed, Severe, Without Psychotic Features	F31.4	Bipolar I Disorder, Current or Most Recent Episode Depressed, Severe
F31.0	Bipolar Disorder, Current Episode Hypomanic	F31.0	Bipolar I Disorder, Current or Most Recent Episode Hypomanic
F31.2	Bipolar Disorder, Current Episode Manic, Severe, With Psychotic Features	F31.2	Bipolar I Disorder, Current or Most Recent Episode Manic, With Psychotic Features + Severe specifier
F31.11	Bipolar Disorder, Current Episode Manic, Without Psychotic Features, Mild	F31.11	Bipolar I Disorder, Current or Most Recent Episode Manic, Mild
F31.12	Bipolar Disorder, Current Episode Manic, Without Psychotic Features, Moderate	F31.12	Bipolar I Disorder, Current or Most Recent Episode Manic, Moderate
F31.13	Bipolar Disorder, Current Episode Manic, Without Psychotic Features, Severe	F31.13	Bipolar I Disorder, Current or Most Recent Episode Manic, Severe
F31.10	Bipolar Disorder, Current Episode Manic, Without Psychotic features, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Manic, Unspecified

¹Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List - Alpha by ICD-10 Name
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Outpatient Included List (except as noted ²)		ACBHCS Outpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold
F31.61	Bipolar Disorder, Current Episode Mixed, Mild		Bipolar Disorder, Mixed Episode is not in DSM-5. Instead, DSM-5 has a <i>With Mixed Features</i> specifier for the Bipolar I diagnosis. For these diagnoses, consider an Included Bipolar Disorder Dx + <i>With mixed features</i> specifier; <u>OR</u> F31.89 - Other Specified Bipolar and Related Disorder + <i>With mixed features</i> specifier; <u>OR</u> F31.9 - Unspecified Bipolar and Related Disorder + <i>With mixed features</i> specifier
F31.62	Bipolar Disorder, Current Episode Mixed, Moderate		
F31.63	Bipolar Disorder, Current Episode Mixed, Severe, Without Psychotic Features		
F31.64	Bipolar Disorder, Current Episode Mixed, Severe, With Psychotic Features		
F31.70	Bipolar Disorder, Currently in Remission, Most Recent Episode Unspecified		
F31.60	Bipolar Disorder, Current Episode Mixed, Unspecified	F31.9	Unspecified Bipolar and Related Disorder + <i>With mixed features</i> specifier
F31.76	Bipolar Disorder, in Full Remission, Most Recent Episode Depressed	F31.76	Bipolar I Disorder, Current or Most Recent Episode Depressed, In Full Remission
F31.72	Bipolar Disorder, in Full Remission, Most Recent Episode Hypomanic	F31.72	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, In Full Remission
F31.74	Bipolar Disorder, in Full Remission, Most Recent Episode Manic	F31.74	Bipolar I Disorder, Current or Most Recent Episode Manic, In Full Remission
F31.75	Bipolar Disorder, in Partial Remission, Most Recent Episode Depressed	F31.75	Bipolar I Disorder, Current or Most Recent Episode Depressed, In Partial Remission
F31.71	Bipolar Disorder, in Partial Remission, Most Recent Episode Hypomanic	F31.71	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, In Partial Remission
F31.73	Bipolar Disorder, in Partial Remission, Most Recent Episode Manic	F31.73	Bipolar I Disorder, Current or Most Recent Episode Manic, In Partial Remission
F31.77	Bipolar Disorder, in Partial Remission, Most Recent Episode Mixed		Bipolar Disorder, Mixed Episode is not in DSM-5. For these diagnoses, consider an Included Bipolar Disorder Dx + <i>With mixed features</i> and <i>In partial remission / In full remission</i> specifiers; <u>OR</u> F31.89 - Other Specified Bipolar and Related Disorder + <i>With mixed features</i> and <i>In partial remission / In full remission</i> specifiers; <u>OR</u> F31.9 - Unspecified Bipolar and Related Disorder + <i>With mixed features</i> and <i>In partial remission / In full remission</i> specifiers
F31.78	Bipolar Disorder, in Full Remission, Most Recent Episode Mixed		

¹Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List - Alpha by ICD-10 Name
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Outpatient Included List (except as noted ²)		ACBHCS Outpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold
F31.9	Bipolar Disorder, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Depressed, Unspecified; <u>OR</u>
F31.9	Bipolar Disorder, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, Unspecified; <u>OR</u>
F31.9	Bipolar Disorder, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Manic, Unspecified; <u>OR</u>
F31.9	Bipolar Disorder, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Unspecified; <u>OR</u>
F31.9	Bipolar Disorder, Unspecified	F31.9	Unspecified Bipolar and Related Disorder
F31.81	Bipolar II Disorder	F31.81	Bipolar II Disorder
F45.22	Body Dysmorphic Disorder	F45.22	Body Dysmorphic Disorder
F60.3	Borderline Personality Disorder	F60.3	Borderline Personality Disorder
F23	Brief Psychotic Disorder	F23	Brief Psychotic Disorder
F50.2	Bulimia Nervosa	F50.2	Bulimia Nervosa
F20.2	Catatonic Schizophrenia	F20.9	Schizophrenia
F93.9	Childhood Emotional Disorder, Unspecified	F93.9	Childhood Emotional Disorder, Unspecified (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR code/name.) ¹
F95.1	Chronic Motor or Vocal Tic Disorder	F95.1	Persistent (Chronic) Motor or Vocal Tic Disorder
F40.240	Claustrophobia	F40.248	Specific Phobia, Situational
F91.2	Conduct Disorder, Adolescent-Onset Type	F91.2	Conduct Disorder, Adolescent-Onset Type
F91.1	Conduct Disorder, Childhood-Onset Type	F91.1	Conduct Disorder, Childhood-Onset Type
F91.0	Conduct Disorder Confined to Family Context	F91.8	Other Specified Disruptive, Impulse-Control, and Conduct Disorder
F91.9	Conduct Disorder, Unspecified	F91.9	Conduct Disorder, Unspecified Onset; <u>OR</u>
F91.9	Conduct Disorder, Unspecified	F91.9	Unspecified Disruptive, Impulse-Control, and Conduct Disorder
F44.7	Conversion Disorder With Mixed Symptom Presentation	F44.7	Conversion Disorder (Functional Neurological Symptom Disorder), With Mixed Symptoms
F44.4	Conversion Disorder With Motor Symptom or Deficit	F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Abnormal Movement; <u>OR</u>
F44.4	Conversion Disorder With Motor Symptom or Deficit	F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Speech Symptoms; <u>OR</u>
F44.4	Conversion Disorder With Motor Symptom or Deficit	F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Swallowing Symptoms; <u>OR</u>

¹Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List - Alpha by ICD-10 Name
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Outpatient Included List (except as noted ²)		ACBHCS Outpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold
F44.4	Conversion Disorder With Motor Symptom or Deficit	F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Weakness/Paralysis
F44.5	Conversion Disorder With Seizures or Convulsions	F44.5	Conversion Disorder (Functional Neurological Symptom Disorder), With Attacks or Seizures
F44.6	Conversion Disorder With Sensory Symptom or Deficit	F44.6	Conversion Disorder (Functional Neurological Symptom Disorder), With Anesthesia or Sensory Loss; OR
F44.6	Conversion Disorder With Sensory Symptom or Deficit	F44.6	Conversion Disorder (Functional Neurological Symptom Disorder), With Special Sensory Symptoms
F34.0	Cyclothymic Disorder	F34.0	Cyclothymic Disorder
F22	Delusional Disorder	F22	Delusional Disorder
F60.7	Dependent Personality Disorder	F60.7	Dependent Personality Disorder
F48.1	Depersonalization-Derealization Syndrome	F48.1	Depersonalization/Derealization Disorder
F80.9	Developmental Disorder of Speech and Language, Unspecified	F80.9	Unspecified Communication Disorder
R69	Diagnosis Deferred	R69	Diagnosis Deferred (A beneficiary may be given Diagnosis Deferred at intake, however once the assessment is completed, no claiming can be made with this diagnosis.)
F94.2	Disinhibited Social Engagement Disorder	F94.2	Disinhibited Social Engagement Disorder
F20.1	Disorganized Schizophrenia	F20.9	Schizophrenia
F34.81	Disruptive Mood Dysregulation Disorder	F34.81	Disruptive Mood Dysregulation Disorder
F44.0	Dissociative Amnesia	F44.0	Dissociative Amnesia
F44.9	Dissociative and Conversion Disorder, Unspecified	F44.9	Unspecified Dissociative Disorder
F44.1	Dissociative Fugue	F44.1	Dissociative Amnesia, With Dissociative Fugue
F44.81	Dissociative Identity Disorder	F44.81	Dissociative Identity Disorder
F44.2	Dissociative Stupor	F44.89	Other Specified Dissociative Disorder
G25.70	Drug-Induced Movement Disorder, Unspecified ³	G25.70	Drug-Induced Movement Disorder, Unspecified (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 736, for Medication-Induced Movement Disorder NOS. Do not use DSM-IV-TR code/name.) ⁴
G25.70	Drug-Induced Movement Disorder, Unspecified ³	G25.70	Drug-Induced Movement Disorder, Unspecified (Use ICD-10 Bluebook Criteria) ³ ; OR
G25.1	Drug-Induced Tremor	G25.1	Medication-Induced Postural Tremor ³
F34.1	Dysthymic Disorder	F34.1	Persistent Depressive Disorder (Dysthymia)
F50.9	Eating Disorder, Unspecified	F50.9	Unspecified Feeding or Eating Disorder

¹Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List - Alpha by ICD-10 Name
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Outpatient Included List (except as noted ²)		ACBHCS Outpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold
F98.1	Encopresis Not Due to a Substance or Known Physiological Condition	F98.1	Encopresis, With constipation and overflow incontinence
F98.1	Encopresis Not Due to a Substance or Known Physiological Condition	F98.1	Encopresis, Without constipation and overflow incontinence
F98.0	Enuresis Not Due to a Substance or Known Physiological Condition	F98.0	Enuresis
F42.4	Excoriation Disorder	F42.4	Excoriation (Skin-Picking) Disorder
F65.2	Exhibitionism	F65.2	Exhibitionistic Disorder
G25.9	Extrapyramidal and Movement Disorder, Unspecified ³	G25.9	Extrapyramidal and Movement Disorder, Unspecified ³
G25.9	Extrapyramidal and Movement Disorder, Unspecified ³	G25.9	Extrapyramidal and Movement Disorder, Unspecified (In medical-record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 736, for Medication Induced Movement Disorder NOS. Do not use DSM-IV-TR code/name.) ¹
F68.A	Factitious Disorder Imposed on Another	F68.A	Factitious Disorder Imposed on Another
F68.13	Factitious Disorder Imposed on Self, With Combined Psychological and Physical Signs and Symptoms	F68.10	Factitious Disorder Imposed on Self
F68.11	Factitious Disorder Imposed on Self, With Predominantly Psychological Signs and Symptoms	F68.10	Factitious Disorder Imposed on Self
F68.12	Factitious Disorder Imposed on Self, With Predominantly Physical Signs and Symptoms	F68.10	Factitious Disorder Imposed on Self
F68.10	Factitious Disorder Imposed on Self, Unspecified	F68.10	Factitious Disorder Imposed on Self
F40.230	Fear of Blood	F40.230	Specific Phobia, Fear Of Blood
F40.242	Fear of Bridges	F40.248	Specific Phobia, Situational
F40.243	Fear of Flying	F40.248	Specific Phobia, Situational
F40.231	Fear of Injections and Transfusions	F40.231	Specific Phobia, Fear Of Injections and Transfusions
F40.233	Fear of Injury	F40.233	Specific Phobia, Fear Of Injury
F40.232	Fear of Other Medical Care	F40.232	Specific Phobia, Fear Of Other Medical Care
F40.220	Fear of Thunderstorms	F40.228	Specific Phobia, Natural Environment
F65.0	Fetishism	F65.0	Fetishistic Disorder
F65.81	Frotteurism	F65.81	Frotteuristic Disorder
R15.9	Full incontinence of feces ³	R15.9	Other Specified Elimination Disorder, With Fecal Symptoms ³
R15.9	Full incontinence of feces ³	R15.9	Unspecified Elimination Disorder, With Fecal Symptoms ³
F64.2	Gender Identity Disorder of Childhood	F64.2	Gender Dysphoria In Children
F64.9	Gender Identity Disorder, Unspecified	F64.9	Unspecified Gender Dysphoria
F41.1	Generalized Anxiety Disorder	F41.1	Generalized Anxiety Disorder

¹Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List - Alpha by ICD-10 Name
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Outpatient Included List (except as noted ²)		ACBHCS Outpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold
F40.294	Gynophobia	F41.8	Other Specified Anxiety Disorder
F60.4	Histrionic Personality Disorder	F60.4	Histrionic Personality Disorder
F42.3	Hoarding Disorder	F42.3	Hoarding Disorder
F45.20	Hypochondriacal Disorder, Unspecified	F45.9	Unspecified Somatic Symptom and Related Disorder
F45.21	Hypochondriasis	F45.21	Illness Anxiety Disorder
G24.4	Idiopathic Orofacial Dystonia ³	G24.4	Idiopathic Orofacial Dystonia (Use ICD-10 Bluebook Criteria) ³ ; OR
G24.4	Idiopathic Orofacial Dystonia ³	G24.4	Idiopathic Orofacial Dystonia (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 736, for Neuroleptic-Induced/Tardive Dyskinesia. Do not use DSM-IV-TR code/name.) ⁴
F63.9	Impulse Disorder, Unspecified	F91.8	Other Specified Disruptive, Impulse-Control, and Conduct Disorder
R15.0	Incomplete Defecation³	R15.0	Incomplete Defecation (Use ICD-10 Bluebook Criteria)³
F63.81	Intermittent Explosive Disorder	F63.81	Intermittent Explosive Disorder
F63.2	Kleptomania	F63.2	Kleptomania
F33.42	Major Depressive Disorder, Recurrent, in Full Remission	F33.42	Major Depressive Disorder, Recurrent Episode, In Full Remission
F33.41	Major Depressive Disorder, Recurrent, in Partial Remission	F33.41	Major Depressive Disorder, Recurrent Episode, In Partial Remission
F33.40	Major Depressive Disorder, Recurrent, in Remission, Unspecified	F33.9	Major Depressive Disorder, Recurrent Episode, Unspecified + <i>In full remission / In partial remission</i> specifiers
F33.0	Major Depressive Disorder, Recurrent, Mild	F33.0	Major Depressive Disorder, Recurrent Episode, Mild
F33.1	Major Depressive Disorder, Recurrent, Moderate	F33.1	Major Depressive Disorder, Recurrent Episode, Moderate
F33.3	Major Depressive Disorder, Recurrent, Severe, With Psychotic Symptoms	F33.3	Major Depressive Disorder, Recurrent Episode, With Psychotic Features + <i>Severe</i> specifier
F33.2	Major Depressive Disorder, Recurrent, Severe, Without Psychotic Features	F33.2	Major Depressive Disorder, Recurrent Episode, Severe
F33.9	Major Depressive Disorder, Recurrent, Unspecified	F33.9	Major Depressive Disorder, Recurrent Episode, Unspecified
F32.5	Major Depressive Disorder, Single Episode, in Full Remission	F32.5	Major Depressive Disorder, Single Episode, In Full Remission
F32.4	Major Depressive Disorder, Single Episode, in Partial Remission	F32.4	Major Depressive Disorder, Single Episode, In Partial Remission
F32.0	Major Depressive Disorder, Single Episode, Mild	F32.0	Major Depressive Disorder, Single Episode, Mild
F32.1	Major Depressive Disorder, Single Episode, Moderate	F32.1	Major Depressive Disorder, Single Episode, Moderate

¹Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List - Alpha by ICD-10 Name
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Outpatient Included List (except as noted ²)		ACBHCS Outpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold
F32.3	Major Depressive Disorder, Single Episode, Severe, With Psychotic Features	F32.3	Major Depressive Disorder, Single Episode, With Psychotic Features + <i>Severe</i> specifier
F32.2	Major Depressive Disorder, Single Episode, Severe, Without Psychotic Features	F32.2	Major Depressive Disorder, Single Episode, Severe
F32.9	Major Depressive Disorder, Single Episode, Unspecified	F32.9	Major Depressive Disorder, Single Episode, Unspecified; <u>OR</u>
F32.9	Major Depressive Disorder, Single Episode, Unspecified	F32.9	Unspecified Depressive Disorder
F30.4	Manic Episode in Full Remission	F31.74	Bipolar I Disorder, Current or Most Recent Episode Manic, In Full Remission
F30.3	Manic Episode in Partial Remission	F31.73	Bipolar I Disorder, Current or Most Recent Episode Manic, In Partial Remission
F30.11	Manic Episode Without Psychotic Symptoms, Mild	F31.11	Bipolar I Disorder, Current or Most Recent Episode Manic, Mild
F30.12	Manic Episode Without Psychotic Symptoms, Moderate	F31.12	Bipolar I Disorder, Current or Most Recent Episode Manic, Moderate
F30.10	Manic Episode Without Psychotic Symptoms, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Unspecified
F30.2	Manic Episode, Severe, With Psychotic Symptoms	F31.2	Bipolar I Disorder, Current or Most Recent Episode Manic, With Psychotic Features + <i>Severe</i> specifier
F30.13	Manic Episode, Severe, Without Psychotic Symptoms	F31.13	Bipolar I Disorder, Current or Most Recent Episode Manic, Severe
F30.9	Manic Episode, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Unspecified
G25.71	Medication-Induced Acute Akathisia³	G25.71	Medication-Induced Acute Akathisia³
G25.71	Medication-Induced Acute Akathisia³	G25.71	Tardive Akathisia³
F42.2	Mixed Obsessional Thoughts and Acts	F42.2	Obsessive-Compulsive Disorder
F60.81	Narcissistic Personality Disorder	F60.81	Narcissistic Personality Disorder
G21.11	Neuroleptic-Induced Parkinsonism ³	G21.11	Neuroleptic-Induced Parkinsonism ³
G21.0	Neuroleptic Malignant Syndrome ³	G21.0	Neuroleptic Malignant Syndrome ³
Z03.89	No Diagnosis	Z03.89	No Diagnosis (A beneficiary may be given No Diagnosis at intake, however once the assessment is completed, no claiming can be made with this diagnosis.)
F42.9	Obsessive-Compulsive Disorder, Unspecified	F42.9	Unspecified Obsessive-Compulsive and Related Disorder
F60.5	Obsessive-Compulsive Personality Disorder	F60.5	Obsessive-Compulsive Personality Disorder
F91.3	Oppositional Defiant Disorder	F91.3	Oppositional Defiant Disorder
F40.218	Other Animal Type Phobia	F40.218	Specific Phobia, Animal
F31.89	Other Bipolar Disorder	F31.89	Other Specified Bipolar and Related Disorder; <u>OR</u>
F31.89	Other Bipolar Disorder	F31.89	Other Specified Bipolar and Related Disorder + With mixed features specifier

¹Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List - Alpha by ICD-10 Name
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Outpatient Included List (except as noted ²)		ACBHCS Outpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold
F84.3	Other Childhood Disintegrative Disorder	F84.3	Other Childhood Disintegrative Disorder (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 77, for Child Disintegrative Disorder. Do not use DSM-IV-TR code/name.) ¹
F94.8	Other Childhood Disorders of Social Functioning	F43.8	Other Specified Trauma- and Stressor-Related Disorder
F93.8	Other Childhood Emotional Disorders	F93.8	Other Childhood Emotional Disorders (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR code/name.) ¹
F91.8	Other Conduct Disorder	F91.8	Other Specified Disruptive, Impulse-Control, and Conduct Disorder
F44.89	Other Dissociative and Conversion Disorders	F44.89	Other Specified Dissociative Disorder
F50.8	Other Eating Disorders	F50.89	Other Specified Feeding or Eating Disorder
F98.29	Other Feeding Disorders of Infancy and Early Childhood	F50.9	Unspecified Feeding or Eating Disorder; OR
F98.29	Other Feeding Disorders of Infancy and Early Childhood	F98.29	Other Feeding Disorders of Infancy and Early Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 107, for Feeding Disorder of Infancy or Early Childhood. Do not use DSM-IV-TR code/name.) ¹
F64.8	Other Gender Identity Disorders	F64.8	Other Specified Gender Dysphoria
F45.29	Other Hypochondriacal Disorders	F45.8	Other Specified Somatic Symptom and Related Disorder
F63.89	Other Impulse Disorders	F91.8	Other Specified Disruptive, Impulse-Control, and Conduct Disorder
F30.8	Other Manic Episodes	F31.89	Other Specified Bipolar and Related Disorder
F41.3	Other Mixed Anxiety Disorders	F41.8	Other Specified Anxiety Disorder
F40.228	Other Natural Environment Type Phobia	F40.228	Specific Phobia, Natural Environment
F42.8	Other Obsessive-Compulsive Disorder	F42.8	Other Specified Obsessive-Compulsive and Related Disorder
F65.89	Other Paraphilias	F65.89	Other Specified Paraphilic Disorder
F84.8	Other Pervasive Developmental Disorders	F84.8	Other Pervasive Developmental Disorders (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 84, for Pervasive Developmental Disorder NOS. Do not use DSM-IV-TR code/name.) ¹
F40.8	Other Phobic Anxiety Disorders	F41.8	Other Specified Anxiety Disorder
F28	Other Psychotic Disorder Not Due to a Substance or Known Physiological Condition	F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder
F43.8	Other Reactions to Severe Stress	F43.8	Other Specified Trauma- and Stressor-Related Disorder

¹Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List - Alpha by ICD-10 Name
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Outpatient Included List (except as noted ²)		ACBHCS Outpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold
F33.8	Other Recurrent Depressive Disorders	F32.89	Other Specified Depressive Disorder
F25.8	Other Schizoaffective Disorders	F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder
F20.89	Other Schizophrenia	F20.9	Schizophrenia: <u>OR</u>
F20.89	Other Schizophrenia	F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder: <u>OR</u>
F20.89	Other Schizophrenia	F29	Unspecified Schizophrenia Spectrum and Other Psychotic Disorder; <u>OR</u>
F40.248	Other Situational Type Phobia	F40.248	Specific Phobia, Situational
F45.8	Other Somatoform Disorders	F45.8	Other Specified Somatic Symptom and Related Disorder
F41.8	Other Specified Anxiety Disorders	F41.8	Other Specified Anxiety Disorder
F98.8	Other Specified Behavioral and Emotional Disorders With Onset Usually Occurring in Childhood and Adolescence	F43.8	Other Specified Trauma- and Stressor-Related Disorder; <u>OR</u>
F98.8	Other Specified Behavioral and Emotional Disorders With Onset Usually Occurring in Childhood and Adolescence	F93.8	Other Childhood Emotional Disorders (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR code/name.) ¹
F32.89	Other Specified Depressive Episodes	F32.89	Other Specified Depressive Disorder
F50.89	Other Specified Feeding or Eating Disorder	F50.89	Other Specified Feeding or Eating Disorder
F50.89	Other Specified Eating Disorder	F50.89	Pica, In Adults
F88	Other Specified Neurodevelopmental Disorder ²	F93.8	Other Childhood Emotional Disorders (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR code/name.) ¹
F65.89	Other Specified Paraphilic Disorder	F65.9	Unspecified Paraphilic Disorder
F34.89	Other Specified Persistent Mood Disorder	-	Use any Mood Disorder diagnosis allowed by ACBHCS; <u>OR</u>
F34.89	Other Specified Persistent Mood Disorder	F31.89	Other Specified Bipolar and Related Disorder; <u>OR</u>
F34.89	Other Specified Persistent Mood Disorder	F32.89	Other Specified Depressive Disorder
F40.298	Other Specified Phobia	F41.8	Other Specified Anxiety Disorder
F95.8	Other Tic Disorders	F95.8	Other Specified Tic Disorder
F45.41	Pain Disorder Exclusively Related to Psychological Factors	F45.1	Somatic Symptom Disorder + <i>Predominant pain</i> specifier; <u>OR</u>

¹Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List - Alpha by ICD-10 Name
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Outpatient Included List (except as noted ²)		ACBHCS Outpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold
F45.41	Pain Disorder Exclusively Related to Psychological Factors	F45.41	Pain Disorder Exclusively Related to Psychological Factors (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 499, for Pain Disorder Associated With Psychological Factors. Do not use DSM-IV-TR code/name.) ¹
F45.42	Pain Disorder With Related Psychological Factors	F45.42	Consider DSM-5: F45.1 - Somatic Symptom Disorder + <i>Predominant Pain</i> specifier; <u>OR</u>
F45.42	Pain Disorder With Related Psychological Factors	F45.42	Pain Disorder With Related Psychological Factors (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 499, for Pain Disorder Associated With Psychological Factors. Do not use DSM-IV-TR code/name.) ¹
F41.0	Panic Disorder Without Agoraphobia	F41.0	Panic Disorder
F60.0	Paranoid Personality Disorder	F60.0	Paranoid Personality Disorder
F20.0	Paranoid Schizophrenia	F20.9	Schizophrenia
F65.9	Paraphilia, Unspecified	F65.9	Unspecified Paraphilic Disorder
F63.0	Pathological Gambling	F63.0	Gambling Disorder
F65.4	Pedophilia	F65.4	Pedophilic Disorder
F34.9	Persistent Mood [Affective] Disorder, Unspecified	-	Use any Mood Disorder diagnosis allowed by ACBHCS; <u>OR</u>
F34.9	Persistent Mood [Affective] Disorder, Unspecified	F31.9	See F31.9; <u>OR</u>
F34.9	Persistent Mood [Affective] Disorder, Unspecified	F32.9	See F32.9
F60.9	Personality Disorder, Unspecified	F60.9	Unspecified Personality Disorder
F84.9	Pervasive Developmental Disorder, Unspecified	F84.9	Pervasive Developmental Disorder, Unspecified (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 84, for Pervasive Developmental Disorder NOS. Do not use DSM-IV-TR code/name.) ¹
F40.9	Phobic Anxiety Disorder, Unspecified	F41.9	Unspecified Anxiety Disorder
F98.3	Pica of Infancy and Childhood	F98.3	Pica, In Children
F53.0	Postpartum Depression	-	A depressive disorder, <i>With peripartum onset</i> specifier
F53.0	Postpartum Depression	-	A bipolar disorder, <i>With peripartum onset</i> specifier
F43.11	Post-Traumatic Stress Disorder, Acute	F43.10	Posttraumatic Stress Disorder
F43.12	Post-Traumatic Stress Disorder, Chronic	F43.10	Posttraumatic Stress Disorder
F43.10	Post-Traumatic Stress Disorder, Unspecified	F43.9	Unspecified Trauma- and Stressor-Related Disorder
F53.1	Puerperal Psychosis	F23	Brief Psychotic Disorder, With peripartum onset

¹Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List - Alpha by ICD-10 Name
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Outpatient Included List (except as noted ²)		ACBHCS Outpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold
F63.1	Pyromania	F63.1	Pyromania
F43.9	Reaction to Severe Stress, Unspecified	F43.9	Unspecified Trauma- and Stressor-Related Disorder
F94.1	Reactive Attachment Disorder of Childhood	F94.1	Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use F94.2
F20.5	Residual Schizophrenia	F20.9	Schizophrenia
F84.2	Rett's Syndrome	F84.2	Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹
F98.21	Rumination Disorder of Infancy	F98.21	Rumination Disorder
F65.50	Sadomasochism, Unspecified	F65.9	Unspecified Paraphilic Disorder
F25.0	Schizoaffective Disorder, Bipolar Type	F25.0	Schizoaffective Disorder, Bipolar Type
F25.1	Schizoaffective Disorder, Depressive Type	F25.1	Schizoaffective Disorder, Depressive Type
F25.9	Schizoaffective Disorder, Unspecified	F29	Unspecified Schizophrenia Spectrum and Other Psychotic Disorder
F60.1	Schizoid Personality Disorder	F60.1	Schizoid Personality Disorder
F20.9	Schizophrenia, Unspecified	F20.9	Schizophrenia
F20.81	Schizophreniform Disorder	F20.81	Schizophreniform Disorder
F21	Schizotypal Disorder	F21	Schizotypal Personality Disorder
F94.0	Selective Mutism	F94.0	Selective Mutism
F93.0	Separation Anxiety Disorder of Childhood	F93.0	Separation Anxiety Disorder
F65.51	Sexual Masochism	F65.51	Sexual Masochism Disorder
F65.52	Sexual Sadism	F65.52	Sexual Sadism Disorder
F24	Shared Psychotic Disorder	F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder
F80.82	Social (Pragmatic) Communication Disorder	F80.82	Social (Pragmatic) Communication Disorder
F40.11	Social Phobia, Generalized	F40.10	Social Anxiety Disorder (Social Phobia)
F40.10	Social Phobia, Unspecified	F40.10	Social Anxiety Disorder (Social Phobia)
F45.0	Somatization Disorder	F44.81	Dissociative Identity Disorder: <u>OR</u>
F45.0	Somatization Disorder	F44.9	Unspecified Dissociative Disorder; <u>OR</u>
F45.0	Somatization Disorder	F45.0	Somatization Disorder (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 486, for Somatization Disorder. Do not use DSM-IV-TR code/name.) ¹
F45.9	Somatoform Disorder, Unspecified	F45.9	Unspecified Somatic Symptom and Related Disorder
F98.4	Stereotyped Movement Disorders	F98.4	Stereotypic Movement Disorder

¹Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List - Alpha by ICD-10 Name
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Outpatient Included List (except as noted ²)		ACBHCS Outpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold
G24.09	Tardive Dystonia ²	G24.4	Idiopathic Orofacial Dystonia (Use ICD-10 Bluebook Criteria) ³ ; OR
G24.09	Tardive Dystonia ²	G24.4	Idiopathic Orofacial Dystonia (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 736, for Neuroleptic-Induced Tardive Dyskinesia. Do not use DSM-IV-TR code/name.) ¹
F95.9	Tic Disorder, Unspecified	F95.9	Unspecified Tic Disorder
F95.2	Tourette's Disorder	F95.2	Tourette's Disorder
F95.0	Transient Tic Disorder	F95.0	Provisional Tic Disorder
F64.0	Transsexualism	F64.0	Gender Dysphoria In Adolescents and Adults
F65.1	Transvestic Fetishism	F65.1	Transvestic Disorder
F63.3	Trichotillomania	F63.3	Trichotillomania (Hair-Pulling Disorder)
F20.3	Undifferentiated Schizophrenia	F20.9	Schizophrenia
F45.1	Undifferentiated Somatoform Disorder	F45.1	Somatic Symptom Disorder
F98.9	Unspecified Behavioral and Emotional Disorders With Onset Usually Occurring in Childhood and Adolescence	F43.9	Unspecified Trauma- and Stressor-Related Disorder; OR
F98.9	Unspecified Behavioral and Emotional Disorders With Onset Usually Occurring in Childhood and Adolescence	F93.9	Childhood Emotional Disorder, Unspecified (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR code/name.) ¹
F39	Unspecified Mood [Affective] Disorder	-	Use any Mood Disorder diagnosis allowed by ACBHCS; <u>OR</u>
F39	Unspecified Mood [Affective] Disorder	F31.9	See F31.9; OR
F39	Unspecified Mood [Affective] Disorder	F32.9	See F32.9
F88	Unspecified Neurodevelopmental Disorder ²	F93.8	Other Childhood Emotional Disorders (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR code/name.) ¹
F29	Unspecified Psychosis Not Due to a Substance or Known Physiological Condition	F29	Unspecified Schizophrenia Spectrum and Other Psychotic Disorder
F65.3	Voyeurism	F65.3	Voyeuristic Disorder

¹Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.