

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis List by ICD-10 Code - Changes Highlighted

Effective for dates of service on and after October 1, 2019

Crossed out diagnoses are not allowed. Always use the ICD-10 code

Instructions: It is highly recommended that inpatient providers use the ACBH list. Included diagnoses in the DSM-5 must be used first. For included DHCS ICD-10 diagnoses where there are no viable DSM-5 diagnoses to provide criteria, the indicated DSM-IV-TR criteria may be used. For these diagnoses, shaded in green, always use the ICD-10 code and name in the medical record. Do not use DSM-IV-TR names or codes. ICD-10 codes are repeated when there are different diagnoses with the same code.

Specifiers: Both DSM-IV-TR and DSM-5 diagnoses have uncoded specifiers to refine diagnoses. Medical records must include the ICD-10 code and ICD-10 name (with DSM-IV/DSM-5 name preferred), and all relevant specifiers. A few specifiers are included below to indicate accurate cross walked diagnoses; however this is not an exhaustive list.

ACBH Inpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F01.51	Probable Major Vascular Neurocognitive Disorder, With Behavioral Disturbance
F10.14	Alcohol-Induced Bipolar and Related Disorder, With Mild Use Disorder
F10.14	Alcohol-Induced Depressive Disorder, With Mild Use Disorder
F10.159	Alcohol-Induced Psychotic Disorder, With Mild Use Disorder
F10.180	Alcohol-Induced Anxiety Disorder, With Mild Use Disorder
F10.24	Alcohol-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F10.24	Alcohol-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F10.259	Alcohol-Induced Psychotic Disorder, With Moderate or Severe Use Disorder
F10.280	Alcohol-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F10.94	Alcohol-Induced Bipolar and Related Disorder, Without Use Disorder
F10.94	Alcohol-Induced Depressive Disorder, Without Use Disorder
F10.959	Alcohol-Induced Psychotic Disorder, Without Use Disorder
F10.980	Alcohol-Induced Anxiety Disorder, Without Use Disorder
F11.14	Opioid-Induced Depressive Disorder, With Mild Use Disorder
F11.150	Opioid Abuse With Opioid-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Abuse, pg. 271 & Opioid-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.151	Opioid Abuse With Opioid-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Abuse, pg. 271 & Opioid-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.24	Opioid-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F11.250	Opioid Dependence With Opioid-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Dependence, pg. 270 & Opioid-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.251	Opioid Dependence With Opioid-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Dependence, pg. 270 & Opioid-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.94	Opioid-Induced Depressive Disorder, Without Use Disorder
F11.988	Opioid-Induced Anxiety Disorder, Without Use Disorder
F12.159	Cannabis-Induced Psychotic Disorder, With Mild Use Disorder
F12.180	Cannabis-Induced Anxiety Disorder, With Mild Use Disorder
F12.259	Cannabis-Induced Psychotic Disorder, With Moderate or Severe Use Disorder
F12.280	Cannabis-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F12.959	Cannabis-Induced psychotic disorder, Without Use Disorder
F12.980	Cannabis-Induced Anxiety Disorder, Without Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis List by ICD-10 Code - Changes Highlighted

Effective for dates of service on and after October 1, 2019

Crossed out diagnoses are not allowed. Always use the ICD-10 code

ACBH Inpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F13.14	Sedative-, Hypnotic-, or Anxiolytic-Induced Bipolar and Related Disorder, With Mild Use Disorder
F13.14	Sedative-, Hypnotic-, or Anxiolytic-Induced Depressive Disorder, With Mild Use Disorder
F13.159	Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder, With Mild Use Disorder
F13.180	Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder, With Mild Use Disorder
F13.24	Sedative-, Hypnotic, or Anxiolytic-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F13.24	Sedative-, Hypnotic-, or Anxiolytic-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F13.259	Sedative-, Hypnotic-, or Anxiolytic-Induced psychotic disorder, with Moderate or Severe Use Disorder
F13.280	Sedative-, Hypnotic, or Anxiolytic-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F13.94	Sedative-, Hypnotic-, or Anxiolytic-Induced Bipolar and Related Disorder, Without Use Disorder
F13.94	Sedative-, Hypnotic-, or Anxiolytic-Induced Depressive Disorder, Without Use Disorder
F13.959	Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder, Without Use Disorder
F13.980	Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder, Without Use Disorder
F14.14	Cocaine-Induced Bipolar and Related Disorder, With Mild Use Disorder
F14.14	Cocaine-Induced Depressive Disorder, With Mild Use Disorder
F14.159	Cocaine-Induced Psychotic Disorder, With Mild Use Disorder
F14.180	Cocaine-Induced Anxiety Disorder, With Mild Use Disorder
F14.24	Cocaine-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F14.24	Cocaine-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F14.259	Cocaine-Induced Psychotic Disorder, With Moderate or Severe Use Disorder
F14.280	Cocaine-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F14.94	Cocaine-Induced Bipolar and Related Disorder, Without Use Disorder
F14.94	Cocaine-Induced Depressive Disorder, Without Use Disorder
F14.959	Cocaine-Induced Psychotic Disorder, Without Use Disorder
F14.980	Cocaine-Induced Anxiety Disorder, Without Use Disorder
F15.14	Amphetamine (or Other Stimulant)- Induced Depressive Disorder, With Mild Use Disorder
F15.14	Amphetamine (or Other Stimulant)-Induced Bipolar and Related Disorder, With Mild Use Disorder
F15.159	Amphetamine (or other stimulant)-Induced psychotic disorder, with mild use disorder
F15.180	Amphetamine (or Other Stimulant)- Induced Anxiety Disorder, With Mild Use Disorder
F15.24	Amphetamine (or Other Stimulant)-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F15.24	Amphetamine (or Other-Stimulant)-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F15.259	Amphetamine (or Other Stimulant)-Induced Psychotic Disorder, With Moderate or Severe Use Disorder
F15.280	Amphetamine (or Other Stimulant)-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F15.94	Amphetamine (or Other Stimulant)-Induced Bipolar and Related Disorder, Without Use Disorder
F15.94	Amphetamine (or Other Stimulant)-Induced Depressive Disorder, Without Use Disorder
F15.959	Amphetamine (or Other Stimulant)-Induced Psychotic Disorder, Without Use Disorder
F15.980	Amphetamine (or Other Stimulant)-Induced Anxiety Disorder, Without Use Disorder
F16.14	Other Hallucinogen-Induced Bipolar and Related Disorder, With Mild Use Disorder
F16.14	Other Hallucinogen-Induced Depressive Disorder, With Mild Use Disorder
F16.14	Phencyclidine-Induced Bipolar and Related Disorder, With Mild Use Disorder
F16.14	Phencyclidine-Induced Depressive Disorder, With Mild Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis List by ICD-10 Code - Changes Highlighted

Effective for dates of service on and after October 1, 2019

Crossed out diagnoses are not allowed. Always use the ICD-10 code

ACBH Inpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F16.159	Other Hallucinogen-Induced Psychotic Disorder, With Mild Use Disorder
F16.159	Phencyclidine-Induced Psychotic Disorder, With Mild Use Disorder
F16.180	Other Hallucinogen-Induced Anxiety Disorder, With Mild Use Disorder
F16.180	Phencyclidine-Induced Anxiety Disorder, With Mild Use Disorder
F16.183	Hallucinogen Abuse With Hallucinogen Persisting Perception Disorder (Flashbacks) (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Hallucinogen Abuse, pg. 252 & Hallucinogen Persisting Perception Disorder (Flashbacks), pg. 253. Do not use DSM-IV-TR Code/Name.) ¹
F16.24	Other Hallucinogen-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F16.24	Other Hallucinogen-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F16.24	Phencyclidine-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F16.24	Phencyclidine-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F16.259	Other Hallucinogen-Induced Psychotic Disorder, With Moderate or Severe Use Disorder
F16.259	Phencyclidine-Induced Psychotic Disorder, With Moderate or Severe Use Disorder
F16.280	Other Hallucinogen-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F16.280	Phencyclidine-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F16.283	Hallucinogen Dependence With Hallucinogen Persisting Perception Disorder (Flashbacks) (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Hallucinogen Dependence, pg. 251 & Hallucinogen Persisting Perception Disorder (Flashbacks), pg. 253. Do not use DSM-IV-TR Code/Name.) ¹
F16.94	Other Hallucinogen-Induced Bipolar and Related Disorder, Without Use Disorder
F16.94	Other Hallucinogen-Induced Depressive Disorder, Without Use Disorder
F16.94	Phencyclidine-Induced Bipolar and Related Disorder, Without Use Disorder
F16.94	Phencyclidine-Induced Depressive Disorder, Without Use Disorder
F16.959	Other Hallucinogen-Induced Psychotic Disorder, Without Use Disorder
F16.959	Phencyclidine-Induced Psychotic Disorder, Without Use Disorder
F16.980	Other Hallucinogen-Induced Anxiety Disorder, Without Use Disorder
F16.980	Phencyclidine-Induced Anxiety Disorder, Without Use Disorder
F16.983	Hallucinogen Persisting Perception Disorder
F18.14	Inhalant-Induced Depressive Disorder, With Mild Use Disorder
F18.159	Inhalant-Induced Psychotic Disorder, With Mild Use Disorder
F18.180	Inhalant-Induced Anxiety Disorder, With Mild Use Disorder
F18.24	Inhalant-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F18.259	Inhalant-induced Psychotic Disorder, With Moderate or Severe Use Disorder
F18.280	Inhalant-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F18.288	Inhalant-Induced Mild Neurocognitive Disorder, With Moderate or Severe Use Disorder
F18.94	Inhalant-Induced Depressive Disorder, Without Use Disorder
F18.959	Inhalant-Induced Psychotic Disorder, Without Use Disorder
F18.980	Inhalant-Induced Anxiety Disorder, Without Use Disorder
F19.14	Other (or Unknown) Substance-Induced Bipolar and Related Disorder, With Mild Use Disorder
F19.14	Other (or Unknown) Substance-Induced Depressive Disorder, With Mild Use Disorder
F19.159	Other (or Unknown) Substance-Induced Psychotic Disorder, With Mild Use Disorder
F19.180	Other (or Unknown) Substance-Induced Anxiety Disorder, With Mild Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis List by ICD-10 Code - Changes Highlighted

Effective for dates of service on and after October 1, 2019

Crossed out diagnoses are not allowed. Always use the ICD-10 code

ACBH Inpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F19.24	Other (or Unknown) Substance-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F19.24	Other (or Unknown) Substance-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F19.259	Other (or Unknown) Substance-Induced Psychotic Disorder, With Moderate or Severe Use Disorder
F19.280	Other (or Unknown) Substance-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F19.94	Other (or Unknown) Substance-Induced Bipolar and Related Disorder, Without Use Disorder
F19.94	Other (or Unknown) Substance-Induced Depressive Disorder, Without Use Disorder
F19.959	Other (or unknown) Substance-Induced Psychotic Disorder, Without Use Disorder
F19.980	Other (or Unknown) Substance-Induced Anxiety Disorder, Without Use Disorder
F20.81	Schizophreniform Disorder
F20.9	Schizophrenia
F21	Schizotypal Personality Disorder
F22	Delusional Disorder
F23	Brief Psychotic Disorder
F23	Brief Psychotic Disorder, With peripartum onset
F25.0	Schizoaffective Disorder, Bipolar Type
F25.1	Schizoaffective Disorder, Depressive Type
F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder
F29	Unspecified Schizophrenia Spectrum and Other Psychotic Disorder
F31.0	Bipolar I Disorder, Current or Most Recent Episode Hypomanic
F31.11	Bipolar I Disorder, Current or Most Recent Episode Manic, Mild
F31.12	Bipolar I Disorder, Current or Most Recent Episode Manic, Moderate
F31.13	Bipolar I Disorder, Current or Most Recent Episode Manic, Severe
F31.2	Bipolar I Disorder, Current or Most Recent Episode Manic, With Psychotic Features + <i>Severe</i> specifier
F31.31	Bipolar I Disorder, Current or Most Recent Episode Depressed, Mild
F31.32	Bipolar I Disorder, Current or Most Recent Episode Depressed, Moderate
F31.4	Bipolar I Disorder, Current or Most Recent Episode Depressed, Severe
F31.5	Bipolar I Disorder, Current or Most Recent Episode Depressed, With Psychotic Features + <i>Severe</i> specifier
F31.71	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, In Partial Remission
F31.73	Bipolar I Disorder, Current or Most Recent Episode Manic, In Partial Remission
F31.75	Bipolar I Disorder, Current or Most Recent Episode Depressed, In Partial Remission
F31.81	Bipolar II Disorder
F31.89	Other Specified Bipolar and Related Disorders
F31.9	Bipolar I Disorder, Current or Most Recent Episode Depressed, Unspecified
F31.9	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, Unspecified
F31.9	Bipolar I Disorder, Current or Most Recent Episode Manic, Unspecified
F31.9	Bipolar I Disorder, Current or Most Recent Episode Unspecified
F31.9	Unspecified Bipolar and Related Disorder
F31.9	Unspecified Bipolar and Related Disorder + <i>With mixed features</i> specifier
F32.0	Major Depressive Disorder, Single Episode, Mild
F32.1	Major Depressive Disorder, Single Episode, Moderate
F32.2	Major Depressive Disorder, Single Episode, Severe
F32.3	Major Depressive Disorder, Single Episode, With Psychotic Features + <i>Severe</i> specifier

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis List by ICD-10 Code - Changes Highlighted

Effective for dates of service on and after October 1, 2019

Crossed out diagnoses are not allowed. Always use the ICD-10 code

ACBH Inpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F32.4	Major Depressive Disorder, Single Episode, In Partial Remission
F32.9	Major Depressive Disorder, Single Episode, Unspecified
F32.9	Unspecified Depressive Disorder
F33.0	Major Depressive Disorder, Recurrent Episode, Mild
F33.1	Major Depressive Disorder, Recurrent Episode, Moderate
F33.2	Major Depressive Disorder, Recurrent Episode, Severe
F33.3	Major Depressive Disorder, Recurrent Episode, With Psychotic Features with <i>Severe</i> specifier
F33.41	Major Depressive Disorder, Recurrent Episode, In Partial Remission
F33.9	Major Depressive Disorder, Recurrent Episode, Unspecified
F34.0	Cyclothymic Disorder
F34.1	Persistent Depressive Disorder (Dysthymia)
F34.81	Disruptive Mood Dysregulation Disorder
F40.00	Agoraphobia
F40.10	Social Anxiety Disorder (Social Phobia)
F40.218	Specific Phobia, Animal
F40.228	Specific Phobia, Natural Environment
F40.230	Specific Phobia, Fear Of Blood
F40.231	Specific Phobia, Fear Of Injections and Transfusions
F40.232	Specific Phobia, Fear Of Other Medical Care
F40.233	Specific Phobia, Fear Of Injury
F40.248	Specific Phobia, Situational
F40.298	Specific Phobia, Other
F41.0	Panic Disorder
F41.1	Generalized Anxiety Disorder
F41.8	Other Specified Anxiety Disorder
F41.8	Other Specified Anxiety Disorder
F41.9	Unspecified Anxiety Disorder
F42.2	Obsessive-Compulsive Disorder
F42.3	Hoarding Disorder
F42.4	Excoriation (Skin Picking) Disorder
F42.8	Other Specified Obsessive-Compulsive and Related Disorder
F42.9	Unspecified Obsessive-Compulsive and Related Disorder
F43.0	Acute Stress Disorder
F43.10	Posttraumatic Stress Disorder
F43.20	Adjustment Disorders, Unspecified
F43.20	Adjustment Disorders, Unspecified
F43.21	Adjustment Disorders, With Depressed Mood
F43.22	Adjustment Disorders, With Anxiety
F43.23	Adjustment Disorders, With Mixed Anxiety and Depressed Mood
F43.24	Adjustment Disorders, With Disturbance Of Conduct
F43.25	Adjustment Disorders, With Mixed Disturbance Of Emotions and Conduct
F43.8	Other Specified Trauma- and Stressor-Related Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis List by ICD-10 Code - Changes Highlighted

Effective for dates of service on and after October 1, 2019

Crossed out diagnoses are not allowed. Always use the ICD-10 code

ACBH Inpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F43.9	Unspecified Trauma-and Stressor-Related Disorder
F44.0	Dissociative Amnesia
F44.1	Dissociative Amnesia, With Dissociative Fugue
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Abnormal Movement
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Speech Symptoms
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Swallowing Symptoms
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Weakness/Paralysis
F44.5	Conversion Disorder (Functional Neurological Symptom Disorder), With Attacks or Seizures
F44.6	Conversion Disorder (Functional Neurological Symptom Disorder), With Anesthesia or Sensory Loss
F44.6	Conversion Disorder (Functional Neurological Symptom Disorder), With Special Sensory Symptoms
F44.7	Conversion Disorder (Functional Neurological Symptom Disorder), With Mixed Symptoms
F44.81	Dissociative Identity Disorder
F44.89	Other Specified Dissociative Disorder
F44.9	Unspecified Dissociative Disorder
F45.1	Somatic Symptom Disorder
F45.21	Illness Anxiety Disorder
F45.22	Body Dysmorphic Disorder
F45.8	Other Specified Somatic Symptom and Related Disorder
F45.9	Unspecified Somatic Symptom and Related Disorder
F48.1	Depersonalization/Derealization Disorder
F50.01	Anorexia Nervosa, Restricting Type
F50.02	Anorexia Nervosa, Binge-Eating/Purging Type
F50.2	Bulimia Nervosa
F50.81	Binge Eating Disorder
F50.82	Avoidant/Restrictive Food Intake Disorder
F50.89	Other Specified Feeding or Eating Disorder
F50.89	Pica, In Adults
F50.9	Unspecified Feeding or Eating Disorder
F60.0	Paranoid Personality Disorder
F60.1	Schizoid Personality Disorder
F60.2	Antisocial Personality Disorder
F60.3	Borderline Personality Disorder
F60.4	Histrionic Personality Disorder
F60.5	Obsessive-Compulsive Personality Disorder
F60.6	Avoidant Personality Disorder
F60.7	Dependent Personality Disorder
F60.81	Narcissistic Personality Disorder
F60.9	Unspecified Personality Disorder
F63.1	Pyromania
F63.81	Intermittent Explosive Disorder
F84.0	Autism Spectrum Disorder
F90.0	Attention-Deficit/Hyperactivity Disorder, Predominately Inattentive Presentation

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis List by ICD-10 Code - Changes Highlighted

Effective for dates of service on and after October 1, 2019

Crossed out diagnoses are not allowed. Always use the ICD-10 code

ACBH Inpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F90.1	Attention-Deficit/Hyperactivity Disorder, Predominately Hyperactive/Impulsive Presentation
F90.2	Attention-Deficit/Hyperactivity Disorder, Combined Presentation
F90.8	Other Specified Attention-Deficit/Hyperactivity Disorder
F90.9	Unspecified Attention-Deficit/Hyperactivity Disorder
F91.1	Conduct Disorder, Childhood-Onset Type
F91.2	Conduct Disorder, Adolescent-Onset Type
F91.3	Oppositional Defiant Disorder
F91.8	Other Specified Disruptive, Impulse-Control, and Conduct Disorder
F91.9	Conduct Disorder, Unspecified Onset
F91.9	Unspecified Disruptive, Impulse-Control, and Conduct Disorder
F93.0	Separation Anxiety Disorder
F93.8	Other Childhood Emotional Disorders (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR Code/Name.) ¹
F93.9	Childhood Emotional Disorder, Unspecified (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 134, for both Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR Code/Name.) ¹
F94.0	Selective Mutism
F94.1	Reactive Attachment Disorder (Inhibited Type) - For Disinhibited Type see Disinhibited Social Engagement Disorder (F94.2)
F94.2	Disinhibited Social Engagement Disorder
F95.0	Provisional Tic Disorder
F95.1	Persistent (chronic) Motor or Vocal Tic Disorder
F95.2	Tourette's Disorder
F95.8	Other Specified Tic Disorder
F95.9	Unspecified Tic Disorder
F98.0	Enuresis
F98.1	Encopresis
F98.21	Rumination Disorder
F98.29	Other Feeding Disorders of Infancy and Early Childhood (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 107, for Feeding Disorder of Infancy or Early Childhood. Do not use DSM-IV-TR Code/Name.) ¹
F98.3	Pica, In Children
F98.4	Stereotypic Movement Disorder
G21.0	Neuroleptic Malignant Syndrome
G21.11	Neuroleptic Induced Syndrome
R15.0	Incomplete Defecation (Use ICD-10 Bluebook Criteria) ³
R15.9	Other Specified Elimination Disorder, With Fecal Symptoms ³
R15.9	Other Specified Elimination Disorder, With Fecal Symptoms ³

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis List by ICD-10 Code - Changes Highlighted

Effective for dates of service on and after October 1, 2019

Crossed out diagnoses are not allowed. Always use the ICD-10 code

ACBH Inpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
R69	Diagnosis Deferred (A beneficiary may be given Diagnosis Deferred at intake, however once the assessment is completed, no claiming can be made with this diagnosis.)
Z03.89	No Diagnosis or Condition (A beneficiary may be given this diagnosis at intake, however once the assessment is completed, no claiming can be made with this diagnosis.)

- Red and strikethrough = removed from DHCS included list
- Name Change for already included dx
- Use ICD-10 code and name with criteria from DSM-IV
- Diagnosis added
- ACBH Included diagnosis
- DHCS ICD-10 Included diagnosis

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.