

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

Instructions: Crossed out diagnoses are not allowed for ACBHCS Medi-Cal claiming. The left column is the complete 10/1/2018-9/30/2019 DHCS Outpatient Included List (with a few additional Dx indicated by "superscript ²"), however, not all ICD-10 codes on the DHCS list are authorized by Alameda County BHCS. **Providers shall use the ACBHCS list on the right.** Included diagnoses in the DSM-5 must be used first (as indicated). For included DHCS ICD-10 diagnoses where there are no viable DSM-5 diagnoses to provide criteria, the indicated DSM-IV-TR criteria may be used. For these diagnoses, always use the ICD-10 code and name in the medical record; do not use DSM-IV-TR names or codes. Diagnoses are repeated when there are multiple potential crosswalked diagnoses or different diagnoses with the same code and indicated by {brackets}. Nothing in this crosswalk supersedes DSM diagnostic criteria.

Specifiers: DSM diagnoses have uncoded specifiers that refine diagnoses. Clients' medical record must include the ICD-10 code, DSM-5 (or if using DSM-IV-TR criteria, the ICD-10 name), and all relevant specifiers. A few specifiers are included below to indicate accurate crosswalked diagnoses; however this is not an exhaustive list.

| DHCS Outpatient Included List (except as noted ²) | | ACBHCS Outpatient Included List | |
|---|--|---------------------------------|--|
| DHCS ICD-10 | DHCS ICD-10 Name | ICD-10 | DSM-5 Name or ICD-10 Name (in bold) |
| F20.0 | Paranoid Schizophrenia | F20.9 | Schizophrenia |
| F20.1 | Disorganized Schizophrenia | F20.9 | Schizophrenia |
| F20.2 | Catatonic Schizophrenia | F20.9 | Schizophrenia |
| F20.3 | Undifferentiated Schizophrenia | F20.9 | Schizophrenia |
| F20.5 | Residual Schizophrenia | F20.9 | Schizophrenia |
| F20.81 | Schizophreniform Disorder | F20.81 | Schizophreniform Disorder |
| F20.89 | Other Schizophrenia | F20.9 | Schizophrenia: <u>OR</u> |
| F20.89 | Other Schizophrenia | F28 | Other Specified Schizophrenia Spectrum and Other Psychotic Disorder: <u>OR</u> |
| F20.89 | Other Schizophrenia | F29 | Unspecified Schizophrenia Spectrum and Other Psychotic Disorder |
| F20.9 | Schizophrenia, Unspecified | F20.9 | Schizophrenia |
| F21 | Schizotypal Disorder | F21 | Schizotypal Personality Disorder |
| F22 | Delusional Disorder | F22 | Delusional Disorder |
| F23 | Brief Psychotic Disorder | F23 | Brief Psychotic Disorder |
| F24 | Shared Psychotic Disorder | F28 | Other Specified Schizophrenia Spectrum and Other Psychotic Disorder |
| F25.0 | Schizoaffective Disorder, Bipolar Type | F25.0 | Schizoaffective Disorder, Bipolar Type |
| F25.1 | Schizoaffective Disorder, Depressive Type | F25.1 | Schizoaffective Disorder, Depressive Type |
| F25.8 | Other Schizoaffective Disorders | F28 | Other Specified Schizophrenia Spectrum and Other Psychotic Disorder |
| F25.9 | Schizoaffective Disorder, Unspecified | F29 | Unspecified Schizophrenia Spectrum and Other Psychotic Disorder |
| F28 | Other Psychotic Disorder Not Due to a Substance or Known Physiological Condition | F28 | Other Specified Schizophrenia Spectrum and Other Psychotic Disorder |

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

| DHCS Outpatient Included List (except as noted ²) | | ACBHCS Outpatient Included List | |
|---|---|---------------------------------|---|
| DHCS ICD-10 | DHCS ICD-10 Name | ICD-10 | DSM-5 Name or ICD-10 Name (in bold) |
| F29 | Unspecified Psychosis Not Due to a Substance or Known Physiological Condition | F29 | Unspecified Schizophrenia Spectrum and Other Psychotic Disorder |
| F30.10 | Manic Episode Without Psychotic Symptoms, Unspecified | F31.9 | Bipolar I Disorder, Current or Most Recent Episode Unspecified |
| F30.11 | Manic Episode Without Psychotic Symptoms, Mild | F31.11 | Bipolar I Disorder, Current or Most Recent Episode Manic, Mild |
| F30.12 | Manic Episode Without Psychotic Symptoms, Moderate | F31.12 | Bipolar I Disorder, Current or Most Recent Episode Manic, Moderate |
| F30.13 | Manic Episode, Severe, Without Psychotic Symptoms | F31.13 | Bipolar I Disorder, Current or Most Recent Episode Manic, Severe |
| F30.2 | Manic Episode, Severe, With Psychotic Symptoms | F31.2 | Bipolar I Disorder, Current or Most Recent Episode Manic, With Psychotic Features + <i>Severe</i> specifier |
| F30.3 | Manic Episode in Partial Remission | F31.73 | Bipolar I Disorder, Current or Most Recent Episode Manic, In Partial Remission |
| F30.4 | Manic Episode in Full Remission | F31.74 | Bipolar I Disorder, Current or Most Recent Episode Manic, In Full Remission |
| F30.8 | Other Manic Episodes | F31.89 | Other Specified Bipolar and Related Disorder |
| F30.9 | Manic Episode, Unspecified | F31.9 | Bipolar I Disorder, Current or Most Recent Episode Unspecified |
| F31.0 | Bipolar Disorder, Current Episode Hypomanic | F31.0 | Bipolar I Disorder, Current or Most Recent Episode Hypomanic |
| F31.10 | Bipolar Disorder, Current Episode Manic, Without Psychotic features, Unspecified | F31.9 | Bipolar I Disorder, Current or Most Recent Episode Manic, Unspecified |
| F31.11 | Bipolar Disorder, Current Episode Manic, Without Psychotic Features, Mild | F31.11 | Bipolar I Disorder, Current or Most Recent Episode Manic, Mild |
| F31.12 | Bipolar Disorder, Current Episode Manic, Without Psychotic Features, Moderate | F31.12 | Bipolar I Disorder, Current or Most Recent Episode Manic, Moderate |
| F31.13 | Bipolar Disorder, Current Episode Manic, Without Psychotic Features, Severe | F31.13 | Bipolar I Disorder, Current or Most Recent Episode Manic, Severe |
| F31.2 | Bipolar Disorder, Current Episode Manic, Severe, With Psychotic Features | F31.2 | Bipolar I Disorder, Current or Most Recent Episode Manic, With Psychotic Features + <i>Severe</i> specifier |
| F31.30 | Bipolar Disorder, Current Episode Depressed, Mild or Moderate Severity, Unspecified | F31.9 | Unspecified Bipolar and Related Disorder |
| F31.31 | Bipolar Disorder, Current Episode Depressed, Mild | F31.31 | Bipolar I Disorder, Current or Most Recent Episode Depressed, Mild |
| F31.32 | Bipolar Disorder, Current Episode Depressed, Moderate | F31.32 | Bipolar I Disorder, Current or Most Recent Episode Depressed, Moderate |
| F31.4 | Bipolar Disorder, Current Episode Depressed, Severe, Without Psychotic Features | F31.4 | Bipolar I Disorder, Current or Most Recent Episode Depressed, Severe |

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

| DHCS Outpatient Included List (except as noted ²) | | ACBHCS Outpatient Included List | |
|---|--|---------------------------------|---|
| DHCS ICD-10 | DHCS ICD-10 Name | ICD-10 | DSM-5 Name or ICD-10 Name (in bold) |
| F31.5 | Bipolar Disorder, Current Episode Depressed, Severe, With Psychotic Features | F31.5 | Bipolar I Disorder, Current or Most Recent Episode Depressed, With Psychotic Features + <i>Severe</i> specifier |
| F31.60 | Bipolar Disorder, Current Episode Mixed, Unspecified | F31.9 | Unspecified Bipolar and Related Disorder + <i>With mixed features</i> specifier |
| F31.61 | Bipolar Disorder, Current Episode Mixed, Mild | | Bipolar Disorder, Mixed Episode is not in DSM-5. Instead, DSM-5 has a <i>With Mixed Features</i> specifier for the Bipolar I diagnosis. For these diagnoses, consider an Included Bipolar Disorder Dx + <i>With mixed features</i> specifier; <u>OR</u> F31.89 - Other Specified Bipolar and Related Disorder + <i>With mixed features</i> specifier; <u>OR</u> F31.9 - Unspecified Bipolar and Related Disorder + <i>With mixed features</i> specifier |
| F31.62 | Bipolar Disorder, Current Episode Mixed, Moderate | | |
| F31.63 | Bipolar Disorder, Current Episode Mixed, Severe, Without Psychotic Features | | |
| F31.64 | Bipolar Disorder, Current Episode Mixed, Severe, With Psychotic Features | | |
| F31.70 | Bipolar Disorder, Currently in Remission, Most Recent Episode Unspecified | | |
| F31.71 | Bipolar Disorder, in Partial Remission, Most Recent Episode Hypomanic | | |
| F31.72 | Bipolar Disorder, in Full Remission, Most Recent Episode Hypomanic | F31.72 | Bipolar I Disorder, Current or Most Recent Episode Hypomanic, In Full Remission |
| F31.73 | Bipolar Disorder, in Partial Remission, Most Recent Episode Manic | F31.73 | Bipolar I Disorder, Current or Most Recent Episode Manic, In Partial Remission |
| F31.74 | Bipolar Disorder, in Full Remission, Most Recent Episode Manic | F31.74 | Bipolar I Disorder, Current or Most Recent Episode Manic, In Full Remission |
| F31.75 | Bipolar Disorder, in Partial Remission, Most Recent Episode Depressed | F31.75 | Bipolar I Disorder, Current or Most Recent Episode Depressed, In Partial Remission |
| F31.76 | Bipolar Disorder, in Full Remission, Most Recent Episode Depressed | F31.76 | Bipolar I Disorder, Current or Most Recent Episode Depressed, In Full Remission |

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

| DHCS Outpatient Included List (except as noted ²) | | ACBHCS Outpatient Included List | |
|---|---|---------------------------------|---|
| DHCS ICD-10 | DHCS ICD-10 Name | ICD-10 | DSM-5 Name or ICD-10 Name (in bold) |
| F31.77 | Bipolar Disorder, in Partial Remission, Most Recent Episode Mixed | | Bipolar Disorder, Mixed Episode is not in DSM-5. For these diagnoses, consider an Included Bipolar Disorder Dx + <i>With mixed features</i> and <i>In partial remission / In full remission</i> specifiers; <u>OR</u> F31.89 - Other Specified Bipolar and Related Disorder + <i>With mixed features</i> and <i>In partial remission / In full remission</i> specifiers; <u>OR</u> F31.9 - Unspecified Bipolar and Related Disorder + <i>With mixed features</i> and <i>In partial remission / In full remission</i> specifiers |
| F31.78 | Bipolar Disorder, in Full Remission, Most Recent Episode Mixed | | |
| F31.81 | Bipolar II Disorder | F31.81 | Bipolar II Disorder |
| F31.89 | Other Bipolar Disorder | F31.89 | Other Specified Bipolar and Related Disorder |
| F31.9 | Bipolar Disorder, Unspecified | F31.9 | Bipolar I Disorder, Current or Most Recent Episode Depressed, Unspecified; <u>OR</u> |
| F31.9 | Bipolar Disorder, Unspecified | F31.9 | Bipolar I Disorder, Current or Most Recent Episode Hypomanic, Unspecified; <u>OR</u> |
| F31.9 | Bipolar Disorder, Unspecified | F31.9 | Bipolar I Disorder, Current or Most Recent Episode Manic, Unspecified; <u>OR</u> |
| F31.9 | Bipolar Disorder, Unspecified | F31.9 | Bipolar I Disorder, Current or Most Recent Episode Unspecified; <u>OR</u> |
| F31.9 | Bipolar Disorder, Unspecified | F31.9 | Unspecified Bipolar and Related Disorder |
| F32.0 | Major Depressive Disorder, Single Episode, Mild | F32.0 | Major Depressive Disorder, Single Episode, Mild |
| F32.1 | Major Depressive Disorder, Single Episode, Moderate | F32.1 | Major Depressive Disorder, Single Episode, Moderate |
| F32.2 | Major Depressive Disorder, Single Episode, Severe, Without Psychotic Features | F32.2 | Major Depressive Disorder, Single Episode, Severe |
| F32.3 | Major Depressive Disorder, Single Episode, Severe, With Psychotic Features | F32.3 | Major Depressive Disorder, Single Episode, With Psychotic Features + <i>Severe</i> specifier |
| F32.4 | Major Depressive Disorder, Single Episode, in Partial Remission | F32.4 | Major Depressive Disorder, Single Episode, In Partial Remission |
| F32.5 | Major Depressive Disorder, Single Episode, in Full Remission | F32.5 | Major Depressive Disorder, Single Episode, In Full Remission |
| F32.89 | Other Specified Depressive Episodes | F32.89 | Other Specified Depressive Disorder |
| F32.9 | Major Depressive Disorder, Single Episode, Unspecified | F32.9 | Major Depressive Disorder, Single Episode, Unspecified; <u>OR</u> |
| F32.9 | Major Depressive Disorder, Single Episode, Unspecified | F32.9 | Unspecified Depressive Disorder |
| F33.0 | Major Depressive Disorder, Recurrent, Mild | F33.0 | Major Depressive Disorder, Recurrent Episode, Mild |
| F33.1 | Major Depressive Disorder, Recurrent, Moderate | F33.1 | Major Depressive Disorder, Recurrent Episode, Moderate |

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

| DHCS Outpatient Included List (except as noted ²) | | ACBHCS Outpatient Included List | |
|---|--|---------------------------------|--|
| DHCS ICD-10 | DHCS ICD-10 Name | ICD-10 | DSM-5 Name or ICD-10 Name (in bold) |
| F33.2 | Major Depressive Disorder, Recurrent, Severe, Without Psychotic Features | F33.2 | Major Depressive Disorder, Recurrent Episode, Severe |
| F33.3 | Major Depressive Disorder, Recurrent, Severe, With Psychotic Symptoms | F33.3 | Major Depressive Disorder, Recurrent Episode, With Psychotic Features + <i>Severe</i> specifier |
| F33.40 | Major Depressive Disorder, Recurrent, in Remission, Unspecified | F33.9 | Major Depressive Disorder, Recurrent Episode, Unspecified + <i>In full remission / In partial remission</i> specifiers |
| F33.41 | Major Depressive Disorder, Recurrent, in Partial Remission | F33.41 | Major Depressive Disorder, Recurrent Episode, In Partial Remission |
| F33.42 | Major Depressive Disorder, Recurrent, in Full Remission | F33.42 | Major Depressive Disorder, Recurrent Episode, In Full Remission |
| F33.8 | Other Recurrent Depressive Disorders | F32.89 | Other Specified Depressive Disorder |
| F33.9 | Major Depressive Disorder, Recurrent, Unspecified | F33.9 | Major Depressive Disorder, Recurrent Episode, Unspecified |
| F34.0 | Cyclothymic Disorder | F34.0 | Cyclothymic Disorder |
| F34.1 | Dysthymic Disorder | F34.1 | Persistent Depressive Disorder (Dysthymia) |
| F34.81 | Disruptive Mood Dysregulation Disorder | F34.81 | Disruptive Mood Dysregulation Disorder |
| F34.89 | Other Specified Persistent Mood Disorder | | Use a Mood Disorder diagnosis allowed by ACBHCS; <u>OR</u> |
| F34.89 | Other Specified Persistent Mood Disorder | F31.89 | Other Specified Bipolar and Related Disorder; <u>OR</u> |
| F34.89 | Other Specified Persistent Mood Disorder | F32.89 | Other Specified Depressive Disorder |
| F34.9 | Persistent Mood [Affective] Disorder, Unspecified | | Use a Mood Disorder diagnosis allowed by ACBHCS; <u>OR</u> |
| F34.9 | Persistent Mood [Affective] Disorder, Unspecified | F31.9 | See F31.9; <u>OR</u> |
| F34.9 | Persistent Mood [Affective] Disorder, Unspecified | F32.9 | See F32.9 |
| F39 | Unspecified Mood [Affective] Disorder | | Use a Mood Disorder diagnosis allowed by ACBHCS; <u>OR</u> |
| F39 | Unspecified Mood [Affective] Disorder | F31.9 | See F31.9; <u>OR</u> |
| F39 | Unspecified Mood [Affective] Disorder | F32.9 | See F32.9 |
| F40.00 | Agoraphobia, Unspecified | F40.00 | Agoraphobia |
| F40.01 | Agoraphobia With Panic Disorder | F40.00 + F41.0 | Agoraphobia (F40.00) and Panic Disorder (F41.0) - Use both diagnoses |
| F40.02 | Agoraphobia Without Panic Disorder | F40.00 | Agoraphobia |
| F40.10 | Social Phobia, Unspecified | F40.10 | Social Anxiety Disorder (Social Phobia) |
| F40.11 | Social Phobia, Generalized | F40.10 | Social Anxiety Disorder (Social Phobia) |
| F40.210 | Arachnophobia | F40.218 | Specific Phobia, Animal |
| F40.218 | Other Animal Type Phobia | F40.218 | Specific Phobia, Animal |
| F40.220 | Fear of Thunderstorms | F40.228 | Specific Phobia, Natural Environment |
| F40.228 | Other Natural Environment Type Phobia | F40.228 | Specific Phobia, Natural Environment |
| F40.230 | Fear of Blood | F40.230 | Specific Phobia, Fear Of Blood |

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

| DHCS Outpatient Included List (except as noted ²) | | ACBHCS Outpatient Included List | |
|---|---|---------------------------------|---|
| DHCS ICD-10 | DHCS ICD-10 Name | ICD-10 | DSM-5 Name or ICD-10 Name (in bold) |
| F40.231 | Fear of Injections and Transfusions | F40.231 | Specific Phobia, Fear Of Injections and Transfusions |
| F40.232 | Fear of Other Medical Care | F40.232 | Specific Phobia, Fear Of Other Medical Care |
| F40.233 | Fear of Injury | F40.233 | Specific Phobia, Fear Of Injury |
| F40.240 | Claustrophobia | F40.248 | Specific Phobia, Situational |
| F40.241 | Acrophobia | F40.248 | Specific Phobia, Situational |
| F40.242 | Fear of Bridges | F40.248 | Specific Phobia, Situational |
| F40.243 | Fear of Flying | F40.248 | Specific Phobia, Situational |
| F40.248 | Other Situational Type Phobia | F40.248 | Specific Phobia, Situational |
| F40.290 | Androphobia | F41.8 | Other Specified Anxiety Disorder |
| F40.291 | Gynophobia | F41.8 | Other Specified Anxiety Disorder |
| F40.298 | Other Specified Phobia | F41.8 | Other Specified Anxiety Disorder |
| F40.8 | Other Phobic Anxiety Disorders | F41.8 | Other Specified Anxiety Disorder |
| F40.9 | Phobic Anxiety Disorder, Unspecified | F41.9 | Unspecified Anxiety Disorder |
| F41.0 | Panic Disorder Without Agoraphobia | F41.0 | Panic Disorder |
| F41.1 | Generalized Anxiety Disorder | F41.1 | Generalized Anxiety Disorder |
| F41.3 | Other Mixed Anxiety Disorders | F41.8 | Other Specified Anxiety Disorder |
| F41.8 | Other Specified Anxiety Disorders | F41.8 | Other Specified Anxiety Disorder |
| F41.9 | Anxiety Disorder, Unspecified | F41.9 | Unspecified Anxiety Disorder |
| F42.2 | Mixed Obsessional Thoughts and Acts | F42.2 | Obsessive-Compulsive Disorder |
| F42.3 | Hoarding Disorder | F42.3 | Hoarding Disorder |
| F42.4 | Excoriation Disorder | F42.4 | Excoriation (Skin-Picking) Disorder |
| F42.8 | Other Obsessive-Compulsive Disorder | F42.8 | Other Specified Obsessive-Compulsive and Related Disorder |
| F42.9 | Obsessive-Compulsive Disorder, Unspecified | F42.9 | Unspecified Obsessive-Compulsive and Related Disorder |
| F43.0 | Acute Stress Reaction | F43.0 | Acute Stress Disorder |
| F43.10 | Post-Traumatic Stress Disorder, Unspecified | F43.10 | Posttraumatic Stress Disorder; OR |
| F43.10 | Post-Traumatic Stress Disorder, Unspecified | F43.9 | Unspecified Trauma- and Stressor-Related Disorder |
| F43.11 | Post-Traumatic Stress Disorder, Acute | F43.10 | Posttraumatic Stress Disorder |
| F43.12 | Post-Traumatic Stress Disorder, Chronic | F43.10 | Posttraumatic Stress Disorder |
| F43.20 | Adjustment Disorder, Unspecified | F43.20 | Adjustment Disorders, Unspecified |
| F43.21 | Adjustment Disorder With Depressed Mood | F43.21 | Adjustment Disorders, With Depressed Mood |
| F43.22 | Adjustment Disorder With Anxiety | F43.22 | Adjustment Disorders, With Anxiety |
| F43.23 | Adjustment Disorder With Mixed Anxiety and Depressed Mood | F43.23 | Adjustment Disorders, With Mixed Anxiety and Depressed Mood |
| F43.24 | Adjustment Disorder with Disturbance of Conduct | F43.24 | Adjustment Disorders, With Disturbance Of Conduct |

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

| DHCS Outpatient Included List (except as noted ²) | | ACBHCS Outpatient Included List | |
|---|--|---------------------------------|--|
| DHCS ICD-10 | DHCS ICD-10 Name | ICD-10 | DSM-5 Name or ICD-10 Name (in bold) |
| F43.25 | Adjustment Disorder With Mixed Disturbance of Emotions and Conduct | F43.25 | Adjustment Disorders, With Mixed Disturbance Of Emotions and Conduct |
| F43.29 | Adjustment Disorder With Other Symptoms | F43.20 | Adjustment Disorders, Unspecified; OR |
| F43.29 | Adjustment Disorder With Other Symptoms | F43.10 | Posttraumatic Stress Disorder |
| F43.8 | Other Reactions to Severe Stress | F43.8 | Other Specified Trauma- and Stressor-Related Disorder |
| F43.9 | Reaction to Severe Stress, Unspecified | F43.9 | Unspecified Trauma- and Stressor-Related Disorder |
| F44.0 | Dissociative Amnesia | F44.0 | Dissociative Amnesia |
| F44.1 | Dissociative Fugue | F44.1 | Dissociative Amnesia, With Dissociative Fugue |
| F44.2 | Dissociative Stupor | F44.89 | Other Specified Dissociative Disorder |
| F44.4 | Conversion Disorder With Motor Symptom or Deficit | F44.4 | Conversion Disorder (Functional Neurological Symptom Disorder), With Abnormal Movement; OR |
| F44.4 | Conversion Disorder With Motor Symptom or Deficit | F44.4 | Conversion Disorder (Functional Neurological Symptom Disorder), With Speech Symptoms; OR |
| F44.4 | Conversion Disorder With Motor Symptom or Deficit | F44.4 | Conversion Disorder (Functional Neurological Symptom Disorder), With Swallowing Symptoms; OR |
| F44.4 | Conversion Disorder With Motor Symptom or Deficit | F44.4 | Conversion Disorder (Functional Neurological Symptom Disorder), With Weakness/Paralysis |
| F44.5 | Conversion Disorder With Seizures or Convulsions | F44.5 | Conversion Disorder (Functional Neurological Symptom Disorder), With Attacks or Seizures |
| F44.6 | Conversion Disorder With Sensory Symptom or Deficit | F44.6 | Conversion Disorder (Functional Neurological Symptom Disorder), With Anesthesia or Sensory Loss; OR |
| F44.6 | Conversion Disorder With Sensory Symptom or Deficit | F44.6 | Conversion Disorder (Functional Neurological Symptom Disorder), With Special Sensory Symptoms |
| F44.7 | Conversion Disorder With Mixed Symptom Presentation | F44.7 | Conversion Disorder (Functional Neurological Symptom Disorder), With Mixed Symptoms |
| F44.81 | Dissociative Identity Disorder | F44.81 | Dissociative Identity Disorder |
| F44.89 | Other Dissociative and Conversion Disorders | F44.89 | Other Specified Dissociative Disorder |
| F44.9 | Dissociative and Conversion Disorder, Unspecified | F44.9 | Unspecified Dissociative Disorder |
| F45.0 | Somatization Disorder | F44.81 | Dissociative Identity Disorder: OR |
| F45.0 | Somatization Disorder | F44.9 | Unspecified Dissociative Disorder; OR |
| F45.0 | Somatization Disorder | F45.0 | Somatization Disorder (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 486, for Somatization Disorder. Do not use DSM-IV-TR code/name.) ¹ |
| F45.1 | Undifferentiated Somatoform Disorder | F45.1 | Somatic Symptom Disorder |
| F45.20 | Hypochondriacal Disorder, Unspecified | F45.9 | Unspecified Somatic Symptom and Related Disorder |

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

| DHCS Outpatient Included List (except as noted ²) | | ACBHCS Outpatient Included List | |
|---|--|---------------------------------|---|
| DHCS ICD-10 | DHCS ICD-10 Name | ICD-10 | DSM-5 Name or ICD-10 Name (in bold) |
| F45.21 | Hypochondriasis | F45.21 | Illness Anxiety Disorder |
| F45.22 | Body Dysmorphic Disorder | F45.22 | Body Dysmorphic Disorder |
| F45.29 | Other Hypochondriacal Disorders | F45.8 | Other Specified Somatic Symptom and Related Disorder |
| F45.41 | Pain Disorder Exclusively Related to Psychological Factors | F45.1 | Somatic Symptom Disorder + <i>Predominant pain</i> specifier; <u>OR</u> |
| F45.41 | Pain Disorder Exclusively Related to Psychological Factors | F45.41 | Pain Disorder Exclusively Related to Psychological Factors (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 499, for Pain Disorder Associated With Psychological Factors. Do not use DSM-IV-TR code/name.) ¹ |
| F45.42 | Pain Disorder With Related Psychological Factors | F45.42 | Consider DSM-5: F45.1 - Somatic Symptom Disorder + <i>Predominant Pain</i> specifier; <u>OR</u> |
| F45.42 | Pain Disorder With Related Psychological Factors | F45.42 | Pain Disorder With Related Psychological Factors (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 499, for Pain Disorder Associated With Psychological Factors. Do not use DSM-IV-TR code/name.) ¹ |
| F45.8 | Other Somatoform Disorders | F45.8 | Other Specified Somatic Symptom and Related Disorder |
| F45.9 | Somatoform Disorder, Unspecified | F45.9 | Unspecified Somatic Symptom and Related Disorder |
| F48.1 | Depersonalization-Derealization Syndrome | F48.1 | Depersonalization/Derealization Disorder |
| F50.00 | Anorexia Nervosa, Unspecified | F50.9 | Unspecified Feeding or Eating Disorder |
| F50.01 | Anorexia Nervosa, Restricting Type | F50.01 | Anorexia Nervosa, Restricting Type |
| F50.02 | Anorexia Nervosa, Binge Eating/Purging Type | F50.02 | Anorexia Nervosa, Binge-Eating/Purging Type |
| F50.2 | Bulimia Nervosa | F50.2 | Bulimia Nervosa |
| F50.8 | Other Eating Disorders | F50.89 | Other Specified Feeding or Eating Disorder |
| F50.81 | Binge Eating Disorder | F50.81 | Binge Eating Disorder |
| F50.82 | Avoidant/Restrictive Food Intake Disorder | F50.82 | Avoidant/Restrictive Food Intake Disorder |
| F50.89 | Other Specified Eating Disorder | F50.89 | Pica, In Adults |
| F50.89 | Other Specified Eating Disorder | F50.89 | Other Specified Feeding or Eating Disorder |
| F50.9 | Eating Disorder, Unspecified | F50.9 | Unspecified Feeding or Eating Disorder |
| F53.0 | Postpartum Depression | - | A depressive disorder, <i>With peripartum onset</i> specifier |
| F53.0 | Postpartum Depression | - | A bipolar disorder, <i>With peripartum onset</i> specifier |
| F53.1 | Puerperal Psychosis | F23 | Brief Psychotic Disorder, With peripartum onset |
| F60.0 | Paranoid Personality Disorder | F60.0 | Paranoid Personality Disorder |
| F60.1 | Schizoid Personality Disorder | F60.1 | Schizoid Personality Disorder |
| F60.3 | Borderline Personality Disorder | F60.3 | Borderline Personality Disorder |
| F60.4 | Histrionic Personality Disorder | F60.4 | Histrionic Personality Disorder |

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

| DHCS Outpatient Included List (except as noted ²) | | ACBHCS Outpatient Included List | |
|---|--|---------------------------------|---|
| DHCS ICD-10 | DHCS ICD-10 Name | ICD-10 | DSM-5 Name or ICD-10 Name (in bold) |
| F60.5 | Obsessive-Compulsive Personality Disorder | F60.5 | Obsessive-Compulsive Personality Disorder |
| F60.6 | Avoidant Personality Disorder | F60.6 | Avoidant Personality Disorder |
| F60.7 | Dependent Personality Disorder | F60.7 | Dependent Personality Disorder |
| F60.81 | Narcissistic Personality Disorder | F60.81 | Narcissistic Personality Disorder |
| F60.9 | Personality Disorder, Unspecified | F60.9 | Unspecified Personality Disorder |
| F63.0 | Pathological Gambling | F63.0 | Gambling Disorder |
| F63.1 | Pyromania | F63.1 | Pyromania |
| F63.2 | Kleptomania | F63.2 | Kleptomania |
| F63.3 | Trichotillomania | F63.3 | Trichotillomania (Hair-Pulling Disorder) |
| F63.81 | Intermittent Explosive Disorder | F63.81 | Intermittent Explosive Disorder |
| F63.89 | Other Impulse Disorders | F91.8 | Other Specified Disruptive, Impulse-Control, and Conduct Disorder |
| F63.9 | Impulse Disorder, Unspecified | F91.8 | Other Specified Disruptive, Impulse-Control, and Conduct Disorder |
| F64.0 | Transsexualism | F64.0 | Gender Dysphoria In Adolescents and Adults |
| F64.2 | Gender Identity Disorder of Childhood | F64.2 | Gender Dysphoria In Children |
| F64.8 | Other Gender Identify Disorders | F64.8 | Other Specified Gender Dysphoria |
| F64.9 | Gender Identity Disorder, Unspecified | F64.9 | Unspecified Gender Dysphoria |
| F65.0 | Fetishism | F65.0 | Fetishistic Disorder |
| F65.1 | Transvestic Fetishism | F65.1 | Transvestic Disorder |
| F65.2 | Exhibitionism | F65.2 | Exhibitionistic Disorder |
| F65.3 | Voyeurism | F65.3 | Voyeuristic Disorder |
| F65.4 | Pedophilia | F65.4 | Pedophilic Disorder |
| F65.50 | Sadomasochism, Unspecified | F65.9 | Unspecified Paraphilic Disorder |
| F65.51 | Sexual Masochism | F65.51 | Sexual Masochism Disorder |
| F65.52 | Sexual Sadism | F65.52 | Sexual Sadism Disorder |
| F65.81 | Frotteurism | F65.81 | Frotteuristic Disorder |
| F65.89 | Other Paraphilias | F65.89 | Other Specified Paraphilic Disorder |
| F65.9 | Paraphilia, Unspecified | F65.9 | Unspecified Paraphilic Disorder |
| F68.A | Factitious Disorder Imposed on Another | F68.A | Factitious Disorder Imposed on Another |
| F68.10 | Factitious Disorder Imposed on Self, Unspecified | F68.10 | Factitious Disorder Imposed on Self |
| F68.11 | Factitious Disorder Imposed on Self, With Predominantly Psychological Signs and Symptoms | F68.10 | Factitious Disorder Imposed on Self |
| F68.12 | Factitious Disorder Imposed on Self, With Predominantly Physical Signs and Symptoms | F68.10 | Factitious Disorder Imposed on Self |

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

| DHCS Outpatient Included List (except as noted ²) | | ACBHCS Outpatient Included List | |
|---|--|---------------------------------|---|
| DHCS ICD-10 | DHCS ICD-10 Name | ICD-10 | DSM-5 Name or ICD-10 Name (in bold) |
| F68.13 | Factitious Disorder Imposed on Self, With Combined Psychological and Physical Signs and Symptoms | F68.10 | Factitious Disorder Imposed on Self |
| F80.82 | Social (Pragmatic) Communication Disorder | F80.82 | Social (Pragmatic) Communication Disorder |
| F80.9 | Developmental Disorder of Speech and Language, Unspecified | F80.9 | Unspecified Communication Disorder |
| F84.2 | Rett's Syndrome | F84.2 | Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹ |
| F84.3 | Other Childhood Disintegrative Disorder | F84.3 | Other Childhood Disintegrative Disorder (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 77, for Child Disintegrative Disorder. Do not use DSM-IV-TR code/name.) ¹ |
| F84.5 | Asperger's Syndrome | F84.5 | Asperger's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 80, for Asperger's Disorder. Do not use DSM-IV-TR code/name.) ¹ |
| F84.8 | Other Pervasive Developmental Disorders | F84.8 | Other Pervasive Developmental Disorders (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 84, for Pervasive Developmental Disorder NOS. Do not use DSM-IV-TR code/name.) ¹ |
| F84.9 | Pervasive Developmental Disorder, Unspecified | F84.9 | Pervasive Developmental Disorder, Unspecified (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 84, for Pervasive Developmental Disorder NOS. Do not use DSM-IV-TR code/name.) ¹ |
| F88 | Other Specified Neurodevelopmental Disorder ² | F93.8 | Other Childhood Emotional Disorders (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR code/name.) ¹ |
| F88 | Unspecified Neurodevelopmental Disorder ² | F93.8 | Other Childhood Emotional Disorders (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR code/name.) ¹ |
| F90.0 | Attention-Deficit/Hyperactivity Disorder, Predominantly Inattentive Type | F90.0 | Attention-Deficit/Hyperactivity Disorder, Predominately Inattentive Presentation |

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

| DHCS Outpatient Included List (except as noted ²) | | ACBHCS Outpatient Included List | |
|---|--|---------------------------------|---|
| DHCS ICD-10 | DHCS ICD-10 Name | ICD-10 | DSM-5 Name or ICD-10 Name (in bold) |
| F90.1 | Attention-Deficit/Hyperactivity Disorder, Predominantly Hyperactive Type | F90.1 | Attention-Deficit/Hyperactivity Disorder, Predominately Hyperactive/Impulsive Presentation |
| F90.2 | Attention-Deficit/Hyperactivity Disorder, Combined Type | F90.2 | Attention-Deficit/Hyperactivity Disorder, Combined Presentation |
| F90.8 | Attention Deficit/Hyperactivity Disorder, Other Type | F90.8 | Other Specified Attention-Deficit/Hyperactivity Disorder |
| F90.9 | Attention-deficit/hyperactivity Disorder, Unspecified Type | F90.9 | Unspecified Attention-Deficit/Hyperactivity Disorder |
| F91.0 | Conduct Disorder Confined to Family Context | F91.8 | Other Specified Disruptive, Impulse-Control, and Conduct Disorder |
| F91.1 | Conduct Disorder, Childhood-Onset Type | F91.1 | Conduct Disorder, Childhood-Onset Type |
| F91.2 | Conduct Disorder, Adolescent-Onset Type | F91.2 | Conduct Disorder, Adolescent-Onset Type |
| F91.3 | Oppositional Defiant Disorder | F91.3 | Oppositional Defiant Disorder |
| F91.8 | Other Conduct Disorder | F91.8 | Other Specified Disruptive, Impulse-Control, and Conduct Disorder |
| F91.9 | Conduct Disorder, Unspecified | F91.9 | Conduct Disorder, Unspecified Onset; OR |
| F91.9 | Conduct Disorder, Unspecified | F91.9 | Unspecified Disruptive, Impulse-Control, and Conduct Disorder |
| F93.0 | Separation Anxiety Disorder of Childhood | F93.0 | Separation Anxiety Disorder |
| F93.8 | Other Childhood Emotional Disorders | F93.8 | Other Childhood Emotional Disorders (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR code/name.) ¹ |
| F93.9 | Childhood Emotional Disorder, Unspecified | F93.9 | Childhood Emotional Disorder, Unspecified (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR code/name.) ¹ |
| F94.0 | Selective Mutism | F94.0 | Selective Mutism |
| F94.1 | Reactive Attachment Disorder of Childhood | F94.1 | Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type see below: |
| F94.2 | Disinhibited Social Engagement Disorder | F94.2 | Disinhibited Social Engagement Disorder |
| F94.8 | Other Childhood Disorders of Social Functioning | F43.8 | Other Specified Trauma- and Stressor-Related Disorder |
| F95.0 | Transient Tic Disorder | F95.0 | Provisional Tic Disorder |
| F95.1 | Chronic Motor or Vocal Tic Disorder | F95.1 | Persistent (Chronic) Motor or Vocal Tic Disorder |
| F95.2 | Tourette's Disorder | F95.2 | Tourette's Disorder |
| F95.8 | Other Tic Disorders | F95.8 | Other Specified Tic Disorder |
| F95.9 | Tic Disorder, Unspecified | F95.9 | Unspecified Tic Disorder |

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

| DHCS Outpatient Included List (except as noted ²) | | ACBHCS Outpatient Included List | |
|---|---|---------------------------------|--|
| DHCS ICD-10 | DHCS ICD-10 Name | ICD-10 | DSM-5 Name or ICD-10 Name (in bold) |
| F98.0 | Enuresis Not Due to a Substance or Known Physiological Condition | F98.0 | Enuresis |
| F98.1 | Encopresis Not Due to a Substance or Known Physiological Condition | F98.1 | Encopresis, With constipation and overflow incontinence |
| F98.1 | Encopresis Not Due to a Substance or Known Physiological Condition | F98.1 | Encopresis, Without constipation and overflow incontinence |
| F98.21 | Rumination Disorder of Infancy | F98.21 | Rumination Disorder |
| F98.29 | Other Feeding Disorders of Infancy and Early Childhood | F50.9 | Unspecified Feeding or Eating Disorder; OR |
| F98.29 | Other Feeding Disorders of Infancy and Early Childhood | F98.29 | Other Feeding Disorders of Infancy and Early Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 107, for Feeding Disorder of Infancy or Early Childhood. Do not use DSM-IV-TR code/name.) ¹ |
| F98.3 | Pica of Infancy and Childhood | F98.3 | Pica, In Children |
| F98.4 | Stereotyped Movement Disorders | F98.4 | Stereotypic Movement Disorder |
| F98.8 | Other Specified Behavioral and Emotional Disorders With Onset Usually Occurring in Childhood and Adolescence - Not in DSM-5 | F43.8 | Other Specified Trauma- and Stressor-Related Disorder; OR |
| F98.8 | Other Specified Behavioral and Emotional Disorders With Onset Usually Occurring in Childhood and Adolescence - Not in DSM-5 | F93.8 | Other Childhood Emotional Disorders (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR code/name.) ¹ |
| F98.9 | Unspecified Behavioral and Emotional Disorders With Onset Usually Occurring in Childhood and Adolescence - Not in DSM-5 | F43.9 | Unspecified Trauma- and Stressor-Related Disorder; OR |
| F98.9 | Unspecified Behavioral and Emotional Disorders With Onset Usually Occurring in Childhood and Adolescence - Not in DSM-5 | F93.9 | Childhood Emotional Disorder, Unspecified (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR code/name.) ¹ |
| G21.0 | Neuroleptic Malignant Syndrome ³ | G21.0 | Neuroleptic Malignant Syndrome ³ |
| G21.11 | Neuroleptic Induced Parkinsonism ³ | G21.11 | Neuroleptic Induced Parkinsonism ³ |
| G24.09 | Tardive Dystonia ² | G24.4 | Idiopathic Orofacial Dystonia (Use ICD-10 Bluebook Criteria) ³ ; OR |

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Outpatient (includes PES/CSU) Crosswalk and Medi-Cal Included Dx List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

| DHCS Outpatient Included List (except as noted ²) | | ACBHCS Outpatient Included List | |
|---|--|---------------------------------|---|
| DHCS ICD-10 | DHCS ICD-10 Name | ICD-10 | DSM-5 Name or ICD-10 Name (in bold) |
| G24.09 | Tardive Dystonia ² | G24.4 | Idiopathic Orofacial Dystonia (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 736, for Neuroleptic-Induced Tardive Dyskinesia. Do not use DSM-IV-TR code/name.) ⁴ |
| G24.4 | Idiopathic Orofacial Dystonia ³ | G24.4 | Idiopathic Orofacial Dystonia (Use ICD-10 Bluebook Criteria) ³ ; OR |
| G24.4 | Idiopathic Orofacial Dystonia ³ | G24.4 | Idiopathic Orofacial Dystonia (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 736, for Neuroleptic-Induced Tardive Dyskinesia. Do not use DSM-IV-TR code/name.) ⁴ |
| G25.1 | Drug-Induced Tremor | G25.1 | Medication-Induced Postural Tremor ³ |
| G25.70 | Drug-Induced Movement Disorder, Unspecified ³ | G25.70 | Drug-Induced Movement Disorder, Unspecified (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 736, for Medication Induced Movement Disorder NOS. Do not use DSM-IV-TR code/name.) ⁴ |
| G25.70 | Drug-Induced Movement Disorder, Unspecified ³ | G25.70 | Drug Induced Movement Disorder, Unspecified (Use ICD-10 Bluebook Criteria) ³ ; OR |
| G25.71 | Medication-Induced Acute Akathisia ³ | G25.71 | Medication-Induced Acute Akathisia ³ |
| G25.71 | Medication-Induced Acute Akathisia ³ | G25.71 | Tardive Akathisia ³ |
| G25.9 | Extrapyramidal and Movement Disorder, Unspecified ³ | G25.9 | Extrapyramidal and Movement Disorder, Unspecified ³ |
| G25.9 | Extrapyramidal and Movement Disorder, Unspecified ³ | G25.9 | Extrapyramidal and Movement Disorder, Unspecified (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 736, for Medication Induced Movement Disorder NOS. Do not use DSM-IV-TR code/name.) ⁴ |
| R15.0 | Incomplete Defecation ³ | R15.0 | Incomplete Defecation (Use ICD-10 Bluebook Criteria) ³ |
| R15.9 | Full incontinence of feces ³ | R15.9 | Other Specified Elimination Disorder, With Fecal Symptoms ³ |
| R15.9 | Full incontinence of feces ³ | R15.9 | Unspecified Elimination Disorder, With Fecal Symptoms ³ |
| R69 | Diagnosis Deferred | R69 | Diagnosis Deferred (A beneficiary may be given Diagnosis Deferred at intake, however once the assessment is completed, no claiming can be made with this diagnosis.) |
| Z03.89 | No Diagnosis | Z03.89 | No Diagnosis (A beneficiary may be given No Diagnosis at intake, however once the assessment is completed, no claiming can be made with this diagnosis.) |

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.