Instructions: DHCS publishes the list of diagnoses covered by Medi-Cal in ICD-10 format. The DSM is used because ICD-10 does not provide specific diagnostic criteria. Providers must always use DSM-5 first and whenever possible. A few allowable diagnoses do not have a better or equivalent DSM-5 diagnosis and DSM-IV-TR criteria may be used for these ICD-10 diagnoses. For these diagnoses, shaded in green, providers must use the ICD-10 code and name in the medical record; **Do not use the DSM-IV-TR name or code**. Crossed out diagnoses may not be used at this time. Z03.89, No Diagnosis may be used during the assessment period, but once an assessment determines that the client does not have a diagnosis, or has a non-included diagnosis, no additional claiming can be made until medical necessity is established for that client. ICD-10 codes are repeated when there are different diagnoses that use the same code. Nothing in this list supersedes DSM diagnostic criteria.

Specifiers: DSM-5 diagnoses have uncoded specifiers to refine diagnoses. The clients' medical record must include the ICD-10 code, DSM-5 name (or ICD-10 name), and <u>all</u> relevant specifiers.

ACBHCS Outpatient Included List		
ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold	
F20.81	Schizophreniform Disorder	
F20.9	Schizophrenia	
F21	Schizotypal Personality Disorder	
F22	Delusional Disorder	
F23	Brief Psychotic Disorder	
F23	Brief Psychotic Disorder, With peripartum onset	
F25.0	Schizoaffective Disorder, Bipolar Type	
F25.1	Schizoaffective Disorder, Depressive Type	
F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder	
F29	Unspecified Schizophrenia Spectrum and Other Psychotic Disorder	
F31.0	Bipolar I Disorder, Current or Most Recent Episode Hypomanic	
F31.11	Bipolar I Disorder, Current or Most Recent Episode Manic, Mild	
F31.12	Bipolar I Disorder, Current or Most Recent Episode Manic, Moderate	
F31.13	Bipolar I Disorder, Current or Most Recent Episode Manic, Severe	
F31.2	Bipolar I Disorder, Current or Most Recent Episode Manic, With Psychotic Features	
F31.31	Bipolar I Disorder, Current or Most Recent Episode Depressed, Mild	
F31.32	Bipolar I Disorder, Current or Most Recent Episode Depressed, Moderate	
F31.4	Bipolar I Disorder, Current or Most Recent Episode Depressed, Severe	
F31.5	Bipolar I Disorder, Current or Most Recent Episode Depressed, With Psychotic Features	
F31.71	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, In Partial Remission	
F31.72	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, In Full Remission	
F31.73	Bipolar I Disorder, Current or Most Recent Episode Manic, In Partial Remission	
F31.74	Bipolar I Disorder, Current or Most Recent Episode Manic, In Full Remission	
F31.75	Bipolar I Disorder, Current or Most Recent Episode Depressed, In Partial Remission	
F31.76	Bipolar I Disorder, Current or Most Recent Episode Depressed, In Full Remission	
F31.81	Bipolar II Disorder	
F31.89	Other Specified Bipolar and Related Disorder	
F31.9	Bipolar I Disorder, Current or Most Recent Episode Depressed, Unspecified	
F31.9	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, Unspecified	
F31.9	Bipolar I Disorder, Current or Most Recent Episode Manic, Unspecified	
F31.9	Bipolar I Disorder, Current or Most Recent Episode Unspecified	
F31.9	Unspecified Bipolar and Related Disorder	
F32.0 F32.1	Major Depressive Disorder, Single Episode, Mild Major Depressive Disorder, Single Episode, Moderate	
F32.1	Major Depressive Disorder, Single Episode, Moderate Major Depressive Disorder, Single Episode, Severe	
F32.2	Major Depressive Disorder, Single Episode, Severe Major Depressive Disorder, Single Episode, With Psychotic Features	
F32.3	Major Depressive Disorder, Single Episode, With Psycholic Peatures	
F32.4	Major Depressive Disorder, Single Episode, in Fantar Remission Major Depressive Disorder, Single Episode, In Full Remission	
F32.89	Other Specified Depressive Disorder	
F32.9	Major Depressive Disorder, Single Episode, Unspecified	
F32.9	Unspecified Depressive Disorder	
102.0		

¹Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

	ACBHCS Outpatient Included List	
ICD-10 DSM-5 Name/Descriptor - ICD-10 Name in Bold		
F33.0	Major Depressive Disorder, Recurrent Episode, Mild	
F33.0	Major Depressive Disorder, Recurrent Episode, Mild Major Depressive Disorder, Recurrent Episode, Moderate	
F33.1	Major Depressive Disorder, Recurrent Episode, Moderate Major Depressive Disorder, Recurrent Episode, Severe	
F33.2	Major Depressive Disorder, Recurrent Episode, Severe Major Depressive Disorder, Recurrent Episode, With Psychotic Features	
F33.41		
F33.41	Major Depressive Disorder, Recurrent Episode, In Partial Remission Major Depressive Disorder, Recurrent Episode, In Full Remission	
F33.42	Major Depressive Disorder, Recurrent Episode, In Pull Remission	
F34.0	Cyclothymic Disorder	
F34.0	Persistent Depressive Disorder (Dysthymia)	
F34.81	Disruptive Mood Dysregulation Disorder	
	Agoraphobia	
	Social Anxiety Disorder (Social Phobia)	
	Specific Phobia, Animal	
	Specific Phobia, Natural Environment	
	Specific Phobia, Fear Of Blood	
	Specific Phobia, Fear Of Injections and Transfusions	
	Specific Phobia, Fear Of Other Medical Care	
	Specific Phobia, Fear Of Injury	
	Specific Phobia, Situational	
	Panic Disorder	
F41.1	Generalized Anxiety Disorder	
F41.8	Other Specified Anxiety Disorder	
F41.9	Unspecified Anxiety Disorder	
F42.2	Obsessive-Compulsive Disorder	
F42.3	Hoarding Disorder	
F42.4	Excoriation (Skin-Picking) Disorder	
F42.8	Other Specified Obsessive-Compulsive and Related Disorder	
F42.9	Unspecified Obsessive-Compulsive and Related Disorder	
F43.0	Acute Stress Disorder	
F43.8	Other Specified Trauma- and Stressor-Related Disorder	
F43.9	Unspecified Trauma- and Stressor-Related Disorder	
	Posttraumatic Stress Disorder	
F43.20	Adjustment Disorders, Unspecified	
F43.21	Adjustment Disorders, With Depressed Mood	
F43.22	Adjustment Disorders, With Anxiety	
F43.23	Adjustment Disorders, With Mixed Anxiety and Depressed Mood	
F43.24	Adjustment Disorders, With Disturbance Of Conduct	
F43.25	Adjustment Disorders, With Mixed Disturbance Of Emotions and Conduct	
F44.0	Dissociative Amnesia	
F44.1	Dissociative Amnesia, With Dissociative Fugue	
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Abnormal Movement	
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Speech Symptoms	
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Swallowing Symptoms	
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Weakness/Paralysis	
F44.5	Conversion Disorder (Functional Neurological Symptom Disorder), With Attacks or Seizures	
F44.6	Conversion Disorder (Functional Neurological Symptom Disorder), With Anesthesia or Sensory Loss	
F44.6	Conversion Disorder (Functional Neurological Symptom Disorder), With Special Sensory Symptoms	
F44.7	Conversion Disorder (Functional Neurological Symptom Disorder), With Mixed Symptoms	
F44.81	Dissociative Identity Disorder	
F44.89	Other Specified Dissociative Disorder	
F44.9	Unspecified Dissociative Disorder	

¹Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

³Diagnosis pending, cannot currently be used.

ACBHCS Outpatient Included List		
ICD-10 DSM-5 Name/Descriptor - ICD-10 Name in Bold		
	Somatization Disorder (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg.	
F45.0	· · · ·	
F45.1	486, for Somatization Disorder. Do not use DSM-IV-TR code/name.) ¹ Somatic Symptom Disorder	
F45.1 F45.21	Illness Anxiety Disorder	
F45.21 F45.22	Body Dysmorphic Disorder	
F40.22	Pain Disorder Exclusively Related to Psychological Factors (In medical record use this ICD-10	
F45.41	code/name with DSM-IV-TR criteria, pg. 499, for Pain Disorder Associated With Psychological Factors.	
F40.41		
	Do not use DSM-IV-TR code/name.) ¹ Pain Disorder With Related Psychological Factors (In medical record use this ICD-10 code/name	
E4E 40		
F45.42	with DSM-IV-TR criteria, pg. 499, for Pain Disorder Associated With Psychological Factors. Do not use	
E 45 0	DSM-IV-TR code/name.) ¹	
F45.8	Other Specified Somatic Symptom and Related Disorder	
F45.9	Unspecified Somatic Symptom and Related Disorder	
F48.1	Depersonalization/Derealization Disorder	
F50.01	Anorexia Nervosa, Restricting Type	
F50.02 F50.2	Anorexia Nervosa, Binge-Eating/Purging Type Bulimia Nervosa	
F50.2 F50.81		
F50.81 F50.82	Binge Eating Disorder Avoidant/Restrictive Food Intake Disorder	
F50.82	Pica, In Adults	
F50.89	Unspecified Feeding or Eating Disorder	
F50.89	Other Specified Feeding or Eating Disorder	
F60.0	Paranoid Personality Disorder	
F60.1	Schizoid Personality Disorder	
F60.3	Borderline Personality Disorder	
F60.4	Histrionic Personality Disorder	
F60.5	Obsessive-Compulsive Personality Disorder	
F60.6	Avoidant Personality Disorder	
F60.7	Dependent Personality Disorder	
F60.81	Narcissistic Personality Disorder	
F60.9	Unspecified Personality Disorder	
F63.0	Gambling Disorder	
F63.1	Pyromania	
F63.2	Kleptomania	
F63.3	Trichotillomania (Hair-Pulling Disorder)	
F63.81	Intermittent Explosive Disorder	
F64.0	Gender Dysphoria In Adolescents and Adults	
F64.2	Gender Dysphoria In Children	
F64.8	Other Specified Gender Dysphoria	
F64.9	Unspecified Gender Dysphoria	
F65.0	Fetishistic Disorder	
F65.1	Transvestic Disorder	
F65.2	Exhibitionistic Disorder	
F65.3	Voyeuristic Disorder	
F65.4	Pedophilic Disorder	
F65.51	Sexual Masochism Disorder	
F65.52	Sexual Sadism Disorder	
F65.81	Frotteuristic Disorder	
F65.89	Other Specified Paraphilic Disorder	
F65.9 F68.A	Unspecified Paraphilic Disorder Factitious Disorder Imposed on Another	
F68.10	Factitious Disorder Imposed on Another Factitious Disorder Imposed on Self	
100.10		

¹Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

	ACBHCS Outpatient Included List	
ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold	
F80.82	Social (Pragmatic) Communication Disorder	
	Unspecified Communication Disorder	
F80.9	Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for	
F84.2		
	Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹	
	Other Childhood Disintegrative Disorder (In medical record use this ICD-10 code/name with DSM-IV-	
F84.3	TR criteria, pg. 77, for Child Disintegrative Disorder. Do not use DSM-IV-TR code/name.) ¹	
F84.5	Asperger's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 80,	
	for Asperger's Disorder. Do not use DSM-IV-TR code/name.) ¹	
	Other Pervasive Developmental Disorders (In medical record use this ICD-10 code/name with DSM-	
F84.8	IV-TR criteria, pg. 84, for Pervasive Developmental Disorder NOS. Do not use DSM-IV-TR	
	code/name.) ¹	
	Pervasive Developmental Disorder, Unspecified (In medical record use this ICD-10 code/name with	
F84.9	DSM-IV-TR criteria, pg. 84, for Pervasive Developmental Disorder NOS. Do not use DSM-IV-TR	
104.5	code/name.) ¹	
F90.0	Attention-Deficit/Hyperactivity Disorder, Predominately Inattentive Presentation	
F90.1	Attention-Deficit/Hyperactivity Disorder, Predominately Hyperactive/Impulsive Presentation	
F90.2	Attention-Deficit/Hyperactivity Disorder, Combined Presentation	
F90.8	Other Specified Attention-Deficit/Hyperactivity Disorder	
F90.9	Unspecified Attention-Deficit/Hyperactivity Disorder	
F91.1	Conduct Disorder, Childhood-Onset Type	
F91.2	Conduct Disorder, Adolescent-Onset Type	
F91.3	Oppositional Defiant Disorder	
F91.8	Other Specified Disruptive, Impulse-Control, and Conduct Disorder	
F91.9	Conduct Disorder, Unspecified Onset	
F91.9	Unspecified Disruptive, Impulse-Control, and Conduct Disorder	
F93.0	Separation Anxiety Disorder	
	Other Childhood Emotional Disorders (In medical record use this ICD-10 code/name with DSM-IV-	
F93.8	TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR	
	code/name.) ¹	
	Childhood Emotional Disorder, Unspecified (In medical record use this ICD-10 code/name with	
F93.9	DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-	
	TR code/name.) ¹	
F94.0	Selective Mutism	
	Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive	
F94.1	Attachment Disorder of Childhood	
	Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with	
F94.1	DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV-	
	TR code/name.) ¹	
F94.2	Disinhibited Social Engagement Disorder	
F95.0	Provisional Tic Disorder	
F95.1	Persistent (Chronic) Motor or Vocal Tic Disorder	
F95.2	Tourette's Disorder	
F95.8	Other Specified Tic Disorder	
F95.9	Unspecified Tic Disorder	
F98.0	Enuresis	
F98.0	Encopresis, With constipation and overflow incontinence	
F98.1	Encopresis, with constipation and overflow incontinence	
	Rumination Disorder	
F98.21	Other Feeding Disorders of Infancy and Early Childhood (In medical record use this ICD-10	
F98.29	code/name with DSM-IV-TR criteria, pg. 107, for Feeding Disorder of Infancy or Early Childhood. Do not	
	use DSM-IV-TR code/name.) ¹	
¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.		

¹Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

	ACBHCS Outpatient Included List		
ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold		
F98.3	Pica, In Children		
F98.4	Stereotypic Movement Disorder		
G21.0	Neuroleptic Malignant Syndrome ³		
G21.11	Neuroleptic-Induced Parkinsonism ³		
G24.4	Idiopathic Orofacial Dystonia (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 736, for Neuroleptic-Induced Tardive Dyskinesia. Do not use DSM-IV-TR code/name.) ⁴ : OR		
G24.4	Idiopathic Orofacial Dystonia (Use ICD-10 Bluebook Criteria) ³		
G25.1	Medication-Induced Postural Tremor ³		
G25.70	Drug Induced Movement Disorder, Unspecified (Use ICD-10 Bluebook Criteria) ³		
G25.70	Drug-Induced Movement Disorder, Unspecified (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 736, for Medication Induced Movement Disorder NOS. Do not use DSM-IV-TR-code/name.) ¹		
G25.71	Medication-Induced Acute Akathisia ³		
G25.71	Tardive Akathisia ³		
G25.9	Extrapyramidal and Movement Disorder, Unspecified (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 736, for Medication Induced Movement Disorder NOS. Do not use DSM-IV-TR code/name.) ⁴		
G25.9	Extrapyramidal and Movement Disorder, Unspecified ³		
R15.0	Incomplete Defecation (Use ICD-10 Bluebook Criteria) ³		
R15.9	Other Specified Elimination Disorder, With Fecal Symptoms ³		
R15.9	Unspecified Elimination Disorder, With Fecal Symptoms ³		
R69	Diagnosis Deferred (A beneficiary may be given Diagnosis Deferred at intake, however once the assessment is completed, no claiming can be made with this diagnosis.)		
Z03.89	No Diagnosis (A beneficiary may be given No Diagnosis at intake, however once the assessment is completed, no claiming can be made with this diagnosis.)		