

Clinician's Gateway (CG) EHR: Selecting Diagnoses (Dx) For MH Clients

1.) Selecting Primary MH Included Diagnosis:

a.) DSM-IV cross-walk to DSM-5

b.) DSM-5 cross-walk to DSM-IV

2.) Selecting Secondary MH Diagnosis (Included or Excluded)

3.) Selecting Secondary Excluded SUD Diagnosis

4.) Selecting Physical Health: General Medical Conditions

5.) Selecting Psychosocial Factors

1.) Selecting Primary MH Included Diagnosis:

a.) DSM-IV to DSM-5

- Select DSM-IV Code:

DSM-5: Mental Health

DSM-5	ICD-10	DSM-IV	
(Select)	(Select)	(Select)	PRIMARY

Signs & Symptoms that Support Diagnosis or Per History:

[Add Additional Diagnosis](#)

295| x Q

295.4 (SCHIZOPHRENIFORM DISORDER)

295.9 (SCHIZOPHRENIA UNDIFFERENTIATED TYPE)

IF DX HAS CHANGED, YOU MUST CORRECT INSYST FOR CORRECT CLAIMING.

DSM-5: Mental Health

DSM-5	ICD-10	DSM-IV	
(Select)	(Select)	295.9 x	PRIMARY

Signs & Symptoms that Support Diagnosis or Per History:

1.) Selecting Primary MH Included Diagnosis:

a.) DSM-IV to DSM-5 Continued

- Select DSM-5 cross-walked code:

DSM-5: Mental Health

DSM-5	ICD-10	DSM-IV	
(Select) <input type="text"/>	(Select) <input type="text"/>	(Select) <input type="text"/>	295.9 x <input type="text"/> PRIMARY

Signs & Symptoms that Support Diagnosis or Per History:

Schizophrenia

[Add Additional Diagnosis](#)

DSM-5: Mental Health

DSM-5	ICD-10	DSM-IV	
Schizophrenia x <input type="text"/>	(Select) <input type="text"/>	(Select) <input type="text"/>	295.9 x <input type="text"/> PRIMARY

Signs & Symptoms that Support Diagnosis or Per History:

[Add Additional Diagnosis](#)

1.) Selecting Primary MH Included Diagnosis:

a.) DSM-IV to DSM-5 Continued

- Select cross-walked ICD-10:

The image displays two screenshots of a clinical software interface, likely for mental health diagnosis selection. Both screenshots are titled "DSM-5: Mental Health".

The top screenshot shows the "DSM-5" field with "Schizophrenia" selected. The "ICD-10" field is currently "(Select)". A dropdown menu is open, showing "F20.9 (Schizophrenia, unspecified)" as the selected option. The "DSM-IV" field is "295.9" and the "PRIMARY" status is checked. Below the fields is a search box for "Signs & Symptoms that Support Diagnosis" and a text area for notes.

The bottom screenshot shows the same interface after the ICD-10 code has been entered. The "ICD-10" field now contains "F20.9" and the "DSM-IV" field contains "295.9". The "PRIMARY" status remains checked. The search box and text area are also visible.

1.) Selecting Primary MH Included Diagnosis: b.) DSM-5 to DSM-IV

- Select DSM-5:

DSM-5: Mental Health

DSM-5 (Select) ICD-10 (Select) DSM-IV (Select) PRIMARY

Acute stress disorder
Adjustment disorders. Unspecified
Adjustment disorders. With anxiety
Adjustment disorders. With depressed mood
Adjustment disorders. With disturbance of conduct
Adjustment disorders. With mixed anxiety and depressed mood
Adjustment disorders. With mixed disturbance of emotions and conduct
Adult-onset fluency disorder
Agoraphobia
Alcohol intoxication delirium. With mild use disorder

**ST FOR CORRECT CLAIMING.
r clinicians**

DSM-IV (Select) Rule Out

Add Additional Diagnosis

DSM-5: Mental Health

DSM-5 Acute stress disorder x ICD-10 (Select) DSM-IV (Select) PRIMARY

Signs & Symptoms that Support Diagnosis or Per History:

1.) Selecting Primary MH Included Diagnosis:

b.) DSM-5 to DSM-IV Continued

- Select cross-walked ICD-10:

DSM-5: Mental Health

DSM-5	ICD-10	DSM-IV	
Acute stress disorder x	(Select) ^	(Select) v	PRIMARY
Signs & Symptoms that Support Diagnosis			
<input type="text" value=""/> <input type="button" value="Q"/>			
F43.0 (Acute stress reaction)			

DSM-5: Mental Health

DSM-5	ICD-10	DSM-IV	
Acute stress disorder x	F43.0 x	Acute stress reaction x	(Select) v PRIMARY
Signs & Symptoms that Support Diagnosis or Per History:			
<input type="text"/>			

1.) Selecting Primary MH Included Diagnosis: b.) DSM-5 to DSM-IV Continued

- Select cross-walked DSM-IV Code:

DSM-5: Mental Health

DSM-5	ICD-10	DSM-IV	
Acute stress disorder x	F43.0 x	Acute stress reaction x	(Select) PRIMARY

Signs & Symptoms that Support Diagnosis or Per History:

308.3 (ACUTE STRESS DISORDER)

DSM-5: Mental Health

DSM-5	ICD-10	DSM-IV	
Acute stress disorder x	F43.0 x	Acute stress reaction x	308.3 x PRIMARY

Signs & Symptoms that Support Diagnosis or Per History:

2.) Selecting Secondary MH Diagnosis (Included or Excluded)

(Select) (Select) (Select) (Select) Rule Out

Signs & Symptoms that Support Diagnosis or Per History:

Add Additional Diagnosis

IF DX HAS CHANGED YOU MUST CORRECT IN SYST FOR CORRECT CLAIMING

- Choose “Add Additional Diagnosis” and Follow same procedures in above slides as for Selecting Primary Included MH Diagnosis:
 - Utilizing crosswalk DSM-IV to DSM- 5, or
 - Utilizing crosswalk DSM-5 to DSM-IV
- Indicate if “Rule Out” diagnosis.
- You may add additional diagnoses as needed.

3.) Selecting (Secondary) Excluded SUD Diagnosis

DSM-5: Substance Use

DSM-5	ICD-10	DSM-IV	
(Select) ▼	(Select) ▼	(Select) ▼	<input type="checkbox"/> Rule Out

Signs & Symptoms that Support Diagnosis or Per History:

Add Additional Diagnosis

- Choose “DSM-5 Substance Use “ and Follow same procedures in above slides as for Selecting Primary Included MH Diagnosis:
 - Utilizing crosswalk DSM-IV to DSM- 5, or
 - Utilizing crosswalk DSM-5 to DSM-IV
- Indicate if “Rule Out” diagnosis.
- You may add additional diagnoses as needed.

4.) Selecting Physical Health: General Medical Condition Codes

- Select by GMC Code or by Diagnosis Description.
- Indicate if “Rule Out”
- Add additional diagnoses as needed.

DSM-5: Physical Health

General Medical Codes

(Select co... ▼

(Select diagnosis description) ▼

Rule Out

Signs & Symptoms that Support Diagnosis or Per History:



Add Additional Diagnosis

5.) Selecting Psychosocial Factors

- Choose by DSM-5 or ICD-10 Code.

DSM-5: Psycho Social

DSM-5 **ICD-10**

(Select) (Select) (Select) Rule Out

Signs & Symptoms that Support Diagnosis or Per History:

Add Additional Diagnosis

- Indicate if “Rule Out”.
- Add additional diagnoses if needed.