

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

Instructions: Crossed out diagnoses are not recommended for ACBHCS Medi-Cal claiming. The left column is the complete 10/13/2017 DHCS Inpatient Included list (with a few additional diagnoses indicated by "superscript²"), however, *not all ICD-10 codes on the DHCS list are recommended by Alameda County BHCS*. **It is highly recommended that providers use the ACBHCS list on the right.** Included diagnoses in the DSM-5 must be used first. For included DHCS ICD-10 diagnoses where there are no viable DSM-5 diagnoses to provide criteria, the indicated DSM-IV-TR criteria may be used. For these diagnoses, shaded in green, always use the ICD-10 code and name in the medical record. Do not use DSM-IV-TR names or codes. ICD-10 Codes are repeated when there are multiple potential cross walked diagnoses or different diagnoses with the same code and indicated by {brackets}. Nothing in this crosswalk supersedes DSM diagnostic criteria.

Specifiers: Both DSM-IV-TR and DSM-5 diagnoses have uncoded specifiers to refine diagnoses. Medical records must include the ICD-10 code and ICD-10 name (with DSM-IV/DSM-5 name preferred), and all relevant specifiers. A few specifiers are included below to indicate accurate cross walked diagnoses; however this is not an exhaustive list.

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F01.51	Vascular Dementia With Behavioral Disturbance	F01.51	Probable Major Vascular Neurocognitive Disorder, With Behavioral Disturbance
F10.14	Alcohol Abuse With Alcohol-Induced Mood Disorder	F10.14	Alcohol-Induced Bipolar and Related Disorder, With Mild Use Disorder; <u>OR</u>
F10.14	Alcohol Abuse With Alcohol-Induced Mood Disorder	F10.14	Alcohol-Induced Depressive Disorder, With Mild Use Disorder
F10.150	Alcohol Abuse With Alcohol-Induced Psychotic Disorder With Delusions	F10.150	Alcohol Abuse With Alcohol-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Alcohol Abuse, pg. 214, & Alcohol-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F10.151	Alcohol Abuse With Alcohol-Induced Psychotic Disorder With Hallucinations	F10.151	Alcohol Abuse With Alcohol-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV criteria for both Alcohol Abuse, pg. 214 & Alcohol-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F10.180	Alcohol Abuse With Alcohol-Induced Anxiety Disorder	F10.180	Alcohol-Induced Anxiety Disorder, With Mild Use Disorder
F10.24	Alcohol Dependence With Alcohol-Induced Mood Disorder	F10.24	Alcohol-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder; <u>OR</u>
F10.24	Alcohol Dependence With Alcohol-Induced Mood Disorder	F10.24	Alcohol-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F10.250	Alcohol Dependence With Alcohol-Induced Psychotic Disorder With Delusions	F10.250	Alcohol Dependence With Alcohol-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Alcohol Dependence, pg. 213 & Alcohol-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F10.251	Alcohol Dependence With Alcohol-Induced Psychotic Disorder With Hallucinations	F10.251	Alcohol Dependence With Alcohol-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Alcohol Dependence pg. 213 & Alcohol-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F10.280	Alcohol Dependence With Alcohol-Induced Anxiety Disorder	F10.280	Alcohol-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F10.288	Alcohol Dependence With Other Alcohol-Induced Disorder	F10.288	Alcohol-Induced Mild Neurocognitive Disorder, With Moderate or Severe Use Disorder
F10.94	Alcohol Use, Unspecified, With Alcohol-Induced Mood Disorder	F10.94	Alcohol-Induced Bipolar and Related Disorder, Without Use Disorder; <u>OR</u>
F10.94	Alcohol Use, Unspecified, With Alcohol-Induced Mood Disorder	F10.94	Alcohol-Induced Depressive Disorder, Without Use Disorder
F10.950	Alcohol Use, Unspecified, With Alcohol-Induced Psychotic Disorder With Delusions	F10.150	Alcohol Abuse With Alcohol-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Alcohol Abuse, pg. 214, & Alcohol-Induced Psychotic Disorder, With Delusions. pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; <u>OR</u>
F10.950	Alcohol Use, Unspecified, With Alcohol-Induced Psychotic Disorder With Delusions	F10.250	Alcohol Dependence With Alcohol-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Alcohol Dependence, pg. 213 & Alcohol-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F10.951	Alcohol Use, Unspecified, With Alcohol-Induced Psychotic Disorder With Hallucinations	F10.151	Alcohol Abuse With Alcohol-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV criteria for both Alcohol Abuse, pg. 214 & Alcohol-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; <u>OR</u>
F10.951	Alcohol Use, Unspecified, With Alcohol-Induced Psychotic Disorder With Hallucinations	F10.251	Alcohol Dependence With Alcohol-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Alcohol Dependence pg. 213 & Alcohol-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.14	Opioid Abuse With Opioid-Induced Mood Disorder	F11.14	Opioid-Induced Depressive Disorder, With Mild Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F11.150	Opioid Abuse With Opioid-Induced Psychotic Disorder With Delusions	F11.150	Opioid Abuse With Opioid-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Abuse, pg. 271 & Opioid-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.151	Opioid Abuse With Opioid-Induced Psychotic Disorder With Hallucinations	F11.151	Opioid Abuse With Opioid-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Abuse, pg. 271 & Opioid-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.188	Opioid-Induced Anxiety Disorder With Opioid Use Disorder, Mild	F11.188	Opioid-Induced Anxiety Disorder, With Mild Use Disorder
F11.24	Opioid Dependence With Opioid-Induced Mood Disorder	F11.24	Opioid-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F11.250	Opioid Dependence With Opioid-Induced Psychotic Disorder With Delusions	F11.250	Opioid Dependence With Opioid-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Dependence, pg. 270 & Opioid-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.251	Opioid Dependence With Opioid-Induced Psychotic Disorder With Hallucinations	F11.251	Opioid Dependence With Opioid-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Dependence, pg. 270 & Opioid-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.288	Opioid-Induced Anxiety Disorder With Opioid Use Disorder, Moderate or Severe	F11.288	Opioid-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F11.94	Opioid Use, Unspecified With Opioid-Induced Mood Disorder	F11.94	Opioid-Induced Depressive Disorder, Without Use Disorder
F11.950	Opioid Use, Unspecified, With Opioid-Induced Psychotic Disorder With Delusions	F11.150	Opioid Abuse With Opioid-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Abuse, pg. 271 & Opioid-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; OR

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F11.950	Opioid Use, Unspecified, With Opioid-Induced Psychotic Disorder With Delusions	F11.250	Opioid Dependence With Opioid-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Dependence, pg. 270 & Opioid-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.951	Opioid Use, Unspecified, With Opioid-Induced Psychotic Disorder With Hallucinations	F11.151	Opioid Abuse With Opioid-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Abuse, pg. 271 & Opioid-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; <u>OR</u>
F11.951	Opioid Use, Unspecified, With Opioid-Induced Psychotic Disorder With Hallucinations	F11.251	Opioid Dependence With Opioid-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Dependence, pg. 270 & Opioid-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.988	Opioid-Induced Anxiety Disorder Without Opioid Use Disorder	F11.988	Opioid-Induced Anxiety Disorder, Without Use Disorder
F12.150	Cannabis Abuse With Psychotic Disorder With Delusions	F12.150	Cannabis Abuse With Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Cannabis Abuse, pg. 236 & Cannabis-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F12.151	Cannabis Abuse With Cannabis-Induced Psychotic Disorder With Hallucinations	F12.151	Cannabis Abuse With Cannabis-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Cannabis Abuse, pg. 236, & Cannabis-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F12.180	Cannabis Abuse With Cannabis-Induced Anxiety Disorder	F12.180	Cannabis-Induced Anxiety Disorder, With Mild Use Disorder
F12.250	Cannabis Dependence With Psychotic Disorder With Delusions	F12.250	Cannabis Dependence With Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Cannabis Dependence, pg. 236 & Cannabis-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F12.251	Cannabis Dependence With Cannabis-Induced Psychotic Disorder With Hallucinations	F12.251	Cannabis Dependence With Cannabis-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Cannabis Dependence, pg. 236 & Cannabis-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F12.280	Cannabis Dependence With Cannabis-Induced Anxiety Disorder	F12.280	Cannabis-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F12.950	Cannabis Use, Unspecified, With Psychotic Disorder With Delusions	F12.150	Cannabis Abuse With Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Cannabis Abuse, pg. 236 & Cannabis-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; OR
F12.950	Cannabis Use, Unspecified, With Psychotic Disorder With Delusions	F12.250	Cannabis Dependence With Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Cannabis Dependence, pg. 236 & Cannabis-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F12.951	Cannabis Use, Unspecified With Cannabis-Induced Psychotic Disorder With Hallucinations	F12.151	Cannabis Abuse With Cannabis-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Cannabis Abuse, pg. 236, & Cannabis-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; OR
F12.951	Cannabis Use, Unspecified With Cannabis-Induced Psychotic Disorder With Hallucinations	F12.251	Cannabis Dependence With Cannabis-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Cannabis Dependence, pg. 236 & Cannabis-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F12.980	Cannabis Use, Unspecified, With Cannabis-Induced Anxiety Disorder	F12.980	Cannabis-Induced Anxiety Disorder, Without Use Disorder
F13.14	Sedative, Hypnotic or Anxiolytic Abuse with Sedative-, Hypnotic-, or Anxiolytic-Induced Mood Disorder	F13.14	Sedative-, Hypnotic-, or Anxiolytic-Induced Bipolar and Related Disorder, With Mild Use Disorder; OR
F13.14	Sedative, Hypnotic or Anxiolytic Abuse with Sedative-, Hypnotic-, or Anxiolytic-Induced Mood Disorder	F13.14	Sedative-, Hypnotic-, or Anxiolytic-Induced Depressive Disorder, With Mild Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F13.150	Sedative, Hypnotic, or Anxiolytic Abuse with Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Delusions	F13.150	Sedative, Hypnotic, or Anxiolytic Abuse with Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV criteria for both Sedative, Hypnotic, or Anxiolytic Abuse, pg. 286 & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F13.151	Sedative, Hypnotic, or Anxiolytic Abuse With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Hallucinations	F13.151	Sedative, Hypnotic, or Anxiolytic Abuse With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Sedative, Hypnotic, or Anxiolytic Abuse, pg. 286 & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F13.180	Sedative, Hypnotic or Anxiolytic Abuse With Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder	F13.180	Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder, With Mild Use Disorder
F13.24	Sedative, Hypnotic or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Mood Disorder	F13.24	Sedative-, Hypnotic, or Anxiolytic-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder; OR
F13.24	Sedative, Hypnotic or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Mood Disorder	F13.24	Sedative-, Hypnotic-, or Anxiolytic-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F13.250	Sedative, Hypnotic, or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Delusions	F13.250	Sedative, Hypnotic, or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Sedative, Hypnotic, or Anxiolytic Dependence, pg. 285 & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F13.251	Sedative, Hypnotic, or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder with Hallucinations	F13.251	Sedative, Hypnotic, or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder with Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Sedative, Hypnotic, or Anxiolytic Dependence, pg. 285 & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F13.280	Sedative, Hypnotic or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder	F13.280	Sedative-, Hypnotic, or Anxiolytic-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F13.94	Sedative, Hypnotic or Anxiolytic Use, Unspecified, With Sedative-, Hypnotic-, or Anxiolytic-Induced Mood Disorder	F13.94	Sedative-, Hypnotic-, or Anxiolytic-Induced Bipolar and Related Disorder, Without Use Disorder; OR

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F13.94	Sedative, Hypnotic or Anxiolytic Use, Unspecified, With Sedative-, Hypnotic-, or Anxiolytic-Induced Mood Disorder	F13.94	Sedative-, Hypnotic-, or Anxiolytic-Induced Depressive Disorder, Without Use Disorder
F13.950	Sedative, Hypnotic, or Anxiolytic Use, Unspecified, With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Delusions	F13.150	Sedative, Hypnotic, or Anxiolytic Abuse with Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV criteria for both Sedative, Hypnotic, or Anxiolytic Abuse, pg. 286 & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; <u>OR</u>
F13.950	Sedative, Hypnotic, or Anxiolytic Use, Unspecified, With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Delusions	F13.250	Sedative, Hypnotic, or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Sedative, Hypnotic, or Anxiolytic Dependence, pg. 285 & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F13.951	Sedative, Hypnotic, or Anxiolytic Use, Unspecified, With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Hallucinations	F13.151	Sedative, Hypnotic, or Anxiolytic Abuse With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Sedative, Hypnotic, or Anxiolytic Abuse, pg. 286 & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; <u>OR</u>
F13.951	Sedative, Hypnotic, or Anxiolytic Use, Unspecified, With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Hallucinations	F13.251	Sedative, Hypnotic, or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder with Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Sedative, Hypnotic, or Anxiolytic Dependence, pg. 285 & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F13.980	Sedative, Hypnotic or Anxiolytic Use, Unspecified, With Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder	F13.980	Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder, Without Use Disorder
F14.14	Cocaine Abuse With Cocaine-Induced Mood Disorder	F14.14	Cocaine-Induced Bipolar and Related Disorder, With Mild Use Disorder; <u>OR</u>
F14.14	Cocaine Abuse With Cocaine-Induced Mood Disorder	F14.14	Cocaine-Induced Depressive Disorder, With Mild Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F14.150	Cocaine Abuse With Cocaine-Induced Psychotic Disorder With Delusions	F14.150	Cocaine Abuse With Cocaine-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Cocaine Abuse, pg. 243 & Cocaine-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F14.151	Cocaine Abuse With Cocaine-Induced Psychotic Disorder With Hallucinations	F14.151	Cocaine Abuse With Cocaine-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Cocaine Abuse, pg. 243 & Cocaine-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F14.180	Cocaine Abuse With Cocaine-Induced Anxiety Disorder	F14.180	Cocaine-Induced Anxiety Disorder, With Mild Use Disorder
F14.24	Cocaine Dependence With Cocaine-Induced Mood Disorder	F14.24	Cocaine-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder; <u>OR</u>
F14.24	Cocaine Dependence With Cocaine-Induced Mood Disorder	F14.24	Cocaine-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F14.250	Cocaine Dependence With Cocaine-Induced Psychotic Disorder With Delusions	F14.250	Cocaine Dependence With Cocaine-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Cocaine Dependence, pg. 242 & Cocaine-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F14.251	Cocaine Dependence With Cocaine-Induced Psychotic Disorder With Hallucinations	F14.251	Cocaine Dependence With Cocaine-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Cocaine Dependence, pg. 242 & Cocaine-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F14.280	Cocaine Dependence With Cocaine-Induced Anxiety Disorder	F14.280	Cocaine-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F14.94	Cocaine Use, Unspecified, With Cocaine-Induced Mood Disorder	F14.94	Cocaine-Induced Bipolar and Related Disorder, Without Use Disorder; <u>OR</u>
F14.94	Cocaine Use, Unspecified, With Cocaine-Induced Mood Disorder	F14.94	Cocaine-Induced Depressive Disorder, Without Use Disorder
F14.950	Cocaine Use, Unspecified, With Cocaine-Induced Psychotic Disorder With Delusions	F14.150	Cocaine Abuse With Cocaine-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Cocaine Abuse, pg. 243 & Cocaine-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; <u>OR</u>

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F14.950	Cocaine Use, Unspecified, With Cocaine-Induced Psychotic Disorder With Delusions	F14.250	Cocaine Dependence With Cocaine-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Cocaine Dependence, pg. 242 & Cocaine-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F14.951	Cocaine Use, Unspecified, With Cocaine-Induced Psychotic Disorder With Hallucinations	F14.151	Cocaine Abuse With Cocaine-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Cocaine Abuse, pg. 243 & Cocaine-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; <u>OR</u>
F14.951	Cocaine Use, Unspecified, With Cocaine-Induced Psychotic Disorder With Hallucinations	F14.251	Cocaine Dependence With Cocaine-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Cocaine Dependence, pg. 242 & Cocaine-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F14.980	Cocaine Use, Unspecified, With Cocaine-Induced Anxiety Disorder	F14.980	Cocaine-Induced Anxiety Disorder, Without Use Disorder
F15.14	Other Stimulant Abuse With Stimulant-Induced Mood Disorder	F15.14	Amphetamine (or Other Stimulant)-Induced Bipolar and Related Disorder, With Mild Use Disorder; <u>OR</u>
F15.14	Other Stimulant Abuse With Stimulant-Induced Mood Disorder	F15.14	Amphetamine (or Other Stimulant)- Induced Depressive Disorder, With Mild Use Disorder
F15.150	Other Stimulant Abuse With Stimulant-Induced Psychotic Disorder With Delusions	F15.150	Other Stimulant Abuse With Stimulant-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Amphetamine Abuse, pg. 225 & Amphetamine-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F15.151	Other Stimulant Abuse With Stimulant-Induced Psychotic Disorder With Hallucinations	F15.151	Other Stimulant Abuse With Stimulant-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Amphetamine Abuse, pg. 225 & Amphetamine-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F15.180	Other Stimulant Abuse With Stimulant-Induced Anxiety Disorder	F15.180	Amphetamine (or Other Stimulant)- Induced Anxiety Disorder, With Mild Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F15.24	Other Stimulant Dependence With Stimulant-Induced Mood Disorder	F15.24	Amphetamine (or Other Stimulant)-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder; OR
F15.24	Other Stimulant Dependence With Stimulant-Induced Mood Disorder	F15.24	Amphetamine (or Other-Stimulant)-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F15.250	Other Stimulant Dependence with Stimulant-Induced Psychotic Disorder With Delusions	F15.250	Other Stimulant Dependence with Stimulant-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Amphetamine Dependence, pg. 224 & Amphetamine-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F15.251	Other Stimulant Dependence With Stimulant-Induced Psychotic Disorder With Hallucinations	F15.251	Other Stimulant Dependence With Stimulant-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Amphetamine Dependence, pg. 224 & Amphetamine-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F15.280	Other Stimulant Dependence With Stimulant-Induced Anxiety Disorder	F15.280	Amphetamine (or Other Stimulant)-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F15.94	Other Stimulant Use, Unspecified, With Stimulant- Induced Mood Disorder	F15.94	Amphetamine (or Other Stimulant)-Induced Bipolar and Related Disorder, Without Use Disorder; OR
F15.94	Other Stimulant Use, Unspecified, With Stimulant- Induced Mood Disorder	F15.94	Amphetamine (or Other Stimulant)-Induced Depressive Disorder, Without Use Disorder
F15.950	Other Stimulant Use, Unspecified With Stimulant-Induced Psychotic Disorder With Delusions	F15.150	Other Stimulant Abuse With Stimulant-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Amphetamine Abuse, pg. 225 & Amphetamine-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; OR
F15.950	Other Stimulant Use, Stimulant-Induced Psychotic Disorder With Delusions	F15.250	Other Stimulant Dependence with Stimulant-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Amphetamine Dependence, pg. 224 & Amphetamine-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F15.951	Other Stimulant Use, Unspecified, With Stimulant- Induced Psychotic Disorder With Hallucinations	F15.151	Other Stimulant Abuse With Stimulant-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Amphetamine Abuse, pg. 225 & Amphetamine-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; OR
F15.951	Other Stimulant Use, Unspecified, With Stimulant- Induced Psychotic Disorder With Hallucinations	F15.251	Other Stimulant Dependence With Stimulant-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Amphetamine Dependence, pg. 224 & Amphetamine-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F15.980	Other Stimulant Use, Unspecified, With Stimulant- Induced Anxiety Disorder	F15.980	Amphetamine (or Other Stimulant)-Induced Anxiety Disorder, Without Use Disorder
F16.14	Hallucinogen Abuse With Hallucinogen-Induced Mood Disorder	F16.14	Other Hallucinogen-Induced Bipolar and Related Disorder, With Mild Use Disorder; OR
F16.14	Hallucinogen Abuse With Hallucinogen-Induced Mood Disorder	F16.14	Other Hallucinogen-Induced Depressive Disorder, With Mild Use Disorder; OR
F16.14	Hallucinogen Abuse With Hallucinogen-Induced Mood Disorder	F16.14	Phencyclidine-Induced Bipolar and Related Disorder, With Mild Use Disorder; OR
F16.14	Hallucinogen Abuse With Hallucinogen-Induced Mood Disorder	F16.14	Phencyclidine-Induced Depressive Disorder, With Mild Use Disorder
F16.150	Hallucinogen Abuse With Hallucinogen-Induced Psychotic Disorder With Delusions	F16.150	Hallucinogen Abuse With Hallucinogen-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Hallucinogen Abuse, pg. 252 & Hallucinogen-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F16.151	Hallucinogen Abuse With Hallucinogen-Induced Psychotic Disorder With Hallucinations	F16.151	Hallucinogen Abuse With Hallucinogen-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Hallucinogen Abuse, pg. 252 & Hallucinogen-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F16.180	Hallucinogen Abuse With Hallucinogen-Induced Anxiety Disorder	F16.180	Other Hallucinogen-Induced Anxiety Disorder, With Mild Use Disorder; OR
F16.180	Hallucinogen Abuse With Hallucinogen-Induced Anxiety Disorder	F16.180	Phencyclidine-Induced Anxiety Disorder, With Mild Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F16.183	Hallucinogen Abuse With Hallucinogen Persisting Perception Disorder (Flashbacks)	F16.183	Hallucinogen Abuse With Hallucinogen Persisting Perception Disorder (Flashbacks) (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Hallucinogen Abuse, pg. 252 & Hallucinogen Persisting Perception Disorder (Flashbacks), pg. 253. Do not use DSM-IV-TR Code/Name.) ¹
F16.24	Hallucinogen Dependence With Hallucinogen-Induced Mood Disorder	F16.24	Other Hallucinogen-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder; OR
F16.24	Hallucinogen Dependence With Hallucinogen-Induced Mood Disorder	F16.24	Other Hallucinogen-Induced Depressive Disorder, With Moderate or Severe Use Disorder; OR
F16.24	Hallucinogen Dependence With Hallucinogen-Induced Mood Disorder	F16.24	Phencyclidine-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder; OR
F16.24	Hallucinogen Dependence With Hallucinogen-Induced Mood Disorder	F16.24	Phencyclidine-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F16.250	Hallucinogen Dependence With Hallucinogen-Induced Psychotic Disorder With Delusions	F16.250	Hallucinogen Dependence With Hallucinogen-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Hallucinogen Dependence, pg. 251 & Hallucinogen-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F16.251	Hallucinogen Dependence With Hallucinogen-Induced Psychotic Disorder With Hallucinations	F16.251	Hallucinogen Dependence With Hallucinogen-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Hallucinogen Dependence, pg. 251 & Hallucinogen-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F16.280	Hallucinogen Dependence With Hallucinogen-Induced Anxiety Disorder	F16.280	Other Hallucinogen-Induced Anxiety Disorder, With Moderate or Severe Use Disorder; OR
F16.280	Hallucinogen Dependence With Hallucinogen-Induced Anxiety Disorder	F16.280	Phencyclidine-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F16.283	Hallucinogen Dependence With Hallucinogen Persisting Perception Disorder (Flashbacks)	F16.283	Hallucinogen Dependence With Hallucinogen Persisting Perception Disorder (Flashbacks) (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Hallucinogen Dependence, pg. 251 & Hallucinogen Persisting Perception Disorder (Flashbacks), pg. 253. Do not use DSM-IV-TR Code/Name.) ¹
F16.94	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Mood Disorder	F16.94	Other Hallucinogen-Induced Bipolar and Related Disorder, Without Use Disorder; OR

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F16.94	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Mood Disorder	F16.94	Other Hallucinogen-Induced Depressive Disorder, Without Use Disorder; <u>OR</u>
F16.94	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Mood Disorder	F16.94	Phencyclidine-Induced Bipolar and Related Disorder, Without Use Disorder; <u>OR</u>
F16.94	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Mood Disorder	F16.94	Phencyclidine-Induced Depressive Disorder, Without Use Disorder
F16.950	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Psychotic Disorder With Delusions	F16.150	Hallucinogen Abuse With Hallucinogen-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Hallucinogen Abuse, pg. 252 & Hallucinogen-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; <u>OR</u>
F16.950	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Psychotic Disorder With Delusions	F16.250	Hallucinogen Dependence With Hallucinogen-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Hallucinogen Dependence, pg. 251 & Hallucinogen-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F16.951	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Psychotic Disorder With Hallucinations	F16.151	Hallucinogen Abuse With Hallucinogen-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Hallucinogen Abuse, pg. 252 & Hallucinogen-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; <u>OR</u>
F16.951	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Psychotic Disorder With Hallucinations	F16.251	Hallucinogen Dependence With Hallucinogen-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Hallucinogen Dependence, pg. 251 & Hallucinogen-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F16.980	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Anxiety Disorder	F16.980	Other Hallucinogen-Induced Anxiety Disorder, Without Use Disorder; <u>OR</u>
F16.980	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Anxiety Disorder	F16.980	Phencyclidine-Induced Anxiety Disorder, Without Use Disorder
F16.983	Hallucinogen Use, Unspecified, With Hallucinogen Persisting Perception Disorder (Flashbacks)	F16.983	Hallucinogen Persisting Perception Disorder
F18.14	Inhalant Abuse With Inhalant-Induced Mood Disorder	F18.14	Inhalant-Induced Depressive Disorder, With Mild Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F18.150	Inhalant Abuse With Inhalant-Induced Psychotic Disorder With Delusions	F18.150	Inhalant Abuse With Inhalant-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Inhalant Abuse, pg. 259 & Inhalant-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F18.151	Inhalant Abuse With Inhalant-Induced Psychotic Disorder With Hallucinations	F18.151	Inhalant Abuse With Inhalant-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Inhalant Abuse, pg. 259 & Inhalant-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F18.180	Inhalant Abuse With Inhalant-Induced Anxiety Disorder	F18.180	Inhalant-Induced Anxiety Disorder, With Mild Use Disorder
F18.188	Inhalant Abuse With Other Inhalant-Induced Disorder	F18.188	Inhalant- Induced Mild Neurocognitive Disorder, With Mild Use Disorder
F18.24	Inhalant Dependence With Inhalant-Induced Mood Disorder	F18.24	Inhalant-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F18.250	Inhalant Dependence With Inhalant-Induced Psychotic Disorder With Delusions	F18.250	Inhalant Dependence With Inhalant-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Inhalant Dependence, pg. 258 & Inhalant-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F18.251	Inhalant Dependence With Inhalant-Induced Psychotic Disorder With Hallucinations	F18.251	Inhalant Dependence With Inhalant-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Inhalant Dependence, pg. 258 & Inhalant-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F18.280	Inhalant Dependence With Inhalant-Induced Anxiety Disorder	F18.280	Inhalant-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F18.288	Inhalant Dependence With Other Inhalant-Induced Disorder	F18.288	Inhalant-Induced Mild Neurocognitive Disorder, With Moderate or Severe Use Disorder
F18.94	Inhalant Use, Unspecified, With Inhalant-Induced Mood Disorder	F18.94	Inhalant-Induced Depressive Disorder, Without Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F18.950	Inhalant Use, Unspecified, With Inhalant-Induced Psychotic Disorder With Delusions	F18.150	Inhalant Abuse With Inhalant-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Inhalant Abuse, pg. 259 & Inhalant-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; <u>OR</u>
F18.950	Inhalant Use, Unspecified, With Inhalant-Induced Psychotic Disorder With Delusions	F18.250	Inhalant Dependence With Inhalant-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Inhalant Dependence, pg. 258 & Inhalant-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F18.951	Inhalant Use, Unspecified, With Inhalant-Induced Psychotic Disorder With Hallucinations	F18.151	Inhalant Abuse With Inhalant-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Inhalant Abuse, pg. 259 & Inhalant-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; <u>OR</u>
F18.951	Inhalant Use, Unspecified, With Inhalant-Induced Psychotic Disorder With Hallucinations	F18.251	Inhalant Dependence With Inhalant-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Inhalant Dependence, pg. 258 & Inhalant-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F18.980	Inhalant Use, Unspecified, With Inhalant-Induced Anxiety Disorder	F18.980	Inhalant-Induced Anxiety Disorder, Without Use Disorder
F18.988	Inhalant Use, Unspecified, With Other Inhalant-Induced Disorder	F18.988	Inhalant-Induced Mild Neurocognitive Disorder, Without Use Disorder
F19.14	Other Psychoactive Substance Abuse With Psychoactive Substance-Induced Mood Disorder	F19.14	Other (or Unknown) Substance-Induced Bipolar and Related Disorder, With Mild Use Disorder; <u>OR</u>
F19.14	Other Psychoactive Substance Abuse With Psychoactive Substance-Induced Mood Disorder	F19.14	Other (or Unknown) Substance-Induced Depressive Disorder, With Mild Use Disorder
F19.150	Other Psychoactive Substance Abuse With Psychoactive Substance-Induced Psychotic Disorder With Delusions	F19.150	Other Psychoactive Substance Abuse With Psychoactive Substance-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Other (or Unknown) Substance Abuse, pg. 198 & Other (or Unknown) Substance-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F19.151	Other Psychoactive Substance Abuse With Psychoactive Substance-Induced Psychotic Disorder With Hallucinations	F19.151	Other Psychoactive Substance Abuse With Psychoactive Substance-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Other (or Unknown) Substance Abuse, pg. 198 & Other (or Unknown) Substance-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F19.180	Other Psychoactive Substance Abuse With Psychoactive Substance-Induced Anxiety Disorder	F19.180	Other (or Unknown) Substance-Induced Anxiety Disorder, With Mild Use Disorder
F19.19	Other Psychoactive Substance Abuse With Unspecified Psychoactive Substance-Induced Disorder	F19.19	Other Psychoactive Substance Abuse With Unspecified Psychoactive Substance-Induced Disorder (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Other (or Unknown) Substance Abuse, pg. 198) & Other (or Unknown) Substance-Related Disorder NOS, pg. 295. Do not use DSM-IV-TR Code/Name.)
F19.24	Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Mood Disorder	F19.24	Other (or Unknown) Substance-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder; OR
F19.24	Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Mood Disorder	F19.24	Other (or Unknown) Substance-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F19.250	Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Psychotic Disorder With Delusions	F19.250	Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Other (or Unknown) Substance Dependence, pg. 192 & Other (or Unknown) Substance-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F19.251	Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Psychotic Disorder With Hallucinations	F19.251	Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Other (or Unknown) Substance Dependence, pg. 192 & Other (or Unknown) Substance-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F19.280	Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Anxiety Disorder	F19.280	Other (or Unknown) Substance-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F19.94	Other Psychoactive Substance Use, Unspecified, With Psychoactive Substance-Induced Mood Disorder	F19.94	Other (or Unknown) Substance-Induced Bipolar and Related Disorder, Without Use Disorder; OR

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F19.94	Other Psychoactive Substance Use, Unspecified, With Psychoactive Substance-Induced Mood Disorder	F19.94	Other (or Unknown) Substance-Induced Depressive Disorder, Without Use Disorder
F19.950	Other Psychoactive Substance Use, Unspecified, With Psychoactive Substance-Induced Psychotic Disorder With Delusions	F19.150	Other Psychoactive Substance Abuse With Psychoactive Substance-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Other (or Unknown) Substance Abuse, pg. 198 & Other (or Unknown) Substance-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; <u>OR</u>
F19.950	Other Psychoactive Substance Use, Unspecified, With Psychoactive Substance-Induced Psychotic Disorder With Delusions	F19.250	Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Other (or Unknown) Substance Dependence, pg. 192 & Other (or Unknown) Substance-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F19.951	Other Psychoactive Substance Use, Unspecified, With Psychoactive Substance-Induced Psychotic Disorder With Hallucinations	F19.151	Other Psychoactive Substance Abuse With Psychoactive Substance-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Other (or Unknown) Substance Abuse, pg. 198 & Other (or Unknown) Substance-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; <u>OR</u>
F19.951	Other Psychoactive Substance Use, Unspecified, With Psychoactive Substance-Induced Psychotic Disorder With Hallucinations	F19.251	Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Other (or Unknown) Substance Dependence, pg. 192 & Other (or Unknown) Substance-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F19.980	Other Psychoactive Substance Use, Unspecified, With Psychoactive Substance-Induced Anxiety Disorder	F19.980	Other (or Unknown) Substance-Induced Anxiety Disorder, Without Use Disorder
F19.982	Other (or Unknown) Stimulant-Induced Sleep Disorder Without Other (or Unknown) Substance Use Disorder	F19.982	Other (or Unknown) Substance-Induced Sleep Disorder, Without Use Disorder
F20.0	Paranoid Schizophrenia	F20.9	Schizophrenia
F20.1	Disorganized Schizophrenia	F20.9	Schizophrenia
F20.2	Catatonic Schizophrenia	F20.9	Schizophrenia

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F20.3	Undifferentiated Schizophrenia	F20.9	Schizophrenia
F20.5	Residual Schizophrenia	F20.9	Schizophrenia
F20.81	Schizophreniform Disorder	F20.81	Schizophreniform Disorder
F20.89	Other Schizophrenia	F20.9	Schizophrenia; <u>OR</u>
F20.89	Other Schizophrenia	F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder
F20.9	Schizophrenia, Unspecified	F20.9	Schizophrenia; <u>OR</u>
F20.9	Schizophrenia, Unspecified	F29	Unspecified Schizophrenia Spectrum and Other Psychotic Disorder
F21	Schizotypal Disorder	F21	Schizotypal Personality Disorder
F22	Delusional Disorders	F22	Delusional Disorder
F23	Brief Psychotic Disorder	F23	Brief Psychotic Disorder
F24	Shared Psychotic Disorder	F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder
F25.0	Schizoaffective Disorder, Bipolar Type	F25.0	Schizoaffective Disorder, Bipolar Type
F25.1	Schizoaffective Disorder, Depressive Type	F25.1	Schizoaffective Disorder, Depressive Type
F25.8	Other Schizoaffective Disorders	F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder
F25.9	Schizoaffective Disorder, Unspecified	F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder
F28	Other Psychotic Disorder Not Due to a Substance or Known Physiological Condition	F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder
F29	Unspecified Psychosis Not Due to a Substance or Known Physiological Condition	F29	Unspecified Schizophrenia Spectrum and Other Psychotic Disorder
F30.10	Manic Episode Without Psychotic Symptoms, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Unspecified
F30.11	Manic Episode Without Psychotic Symptoms, Mild	F31.11	Bipolar I Disorder, Current or Most Recent Episode Manic, Mild
F30.12	Manic Episode Without Psychotic Symptoms, Moderate	F31.12	Bipolar I Disorder, Current or Most Recent Episode Manic, Moderate
F30.13	Manic Episode, Severe, Without Psychotic Symptoms	F31.13	Bipolar I Disorder, Current or Most Recent Episode Manic, Severe
F30.2	Manic Episode, Severe, With Psychotic Symptoms	F31.2	Bipolar I Disorder, Current or Most Recent Episode Manic, With Psychotic Features + <i>Severe</i> specifier
F30.3	Manic Episode in Partial Remission	F31.73	Bipolar I Disorder, Current or Most Recent Episode Manic, In Partial Remission
F30.9	Manic Episode, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Unspecified
F31.0	Bipolar Disorder, Current Episode Hypomanic	F31.0	Bipolar I Disorder, Current or Most Recent Episode Hypomanic
F31.10	Bipolar Disorder, Current Episode Manic Without Psychotic Features, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Manic, Unspecified

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F31.11	Bipolar Disorder, Current Episode Manic, Without Psychotic Features, Mild	F31.11	Bipolar I Disorder, Current or Most Recent Episode Manic, Mild
F31.12	Bipolar Disorder, Current Episode Manic, Without Psychotic Features, Moderate	F31.12	Bipolar I Disorder, Current or Most Recent Episode Manic, Moderate
F31.13	Bipolar Disorder, Current Episode Manic, Without Psychotic Features, Severe	F31.13	Bipolar I Disorder, Current or Most Recent Episode Manic, Severe
F31.2	Bipolar Disorder, Current Episode Manic, Severe, With Psychotic Features	F31.2	Bipolar I Disorder, Current or Most Recent Episode Manic, With Psychotic Features + <i>Severe</i> specifier
F31.30	Bipolar Disorder, Current Episode Depressed, Mild or Moderate Severity, Unspecified	F31.9	Unspecified Bipolar and Related Disorder
F31.31	Bipolar Disorder, Current Episode Depressed, Mild	F31.31	Bipolar I Disorder, Current or Most Recent Episode Depressed, Mild
F31.32	Bipolar Disorder, Current Episode Depressed, Moderate	F31.32	Bipolar I Disorder, Current or Most Recent Episode Depressed, Moderate
F31.4	Bipolar Disorder, Current Episode Depressed, Severe, Without Psychotic Features	F31.4	Bipolar I Disorder, Current or Most Recent Episode Depressed, Severe
F31.5	Bipolar Disorder, Current Episode Depressed, Severe, With Psychotic Features	F31.5	Bipolar I Disorder, Current or Most Recent Episode Depressed, With Psychotic Features + <i>Severe</i> specifier
F31.60	Bipolar Disorder, Current Episode Mixed, Unspecified	F31.9	Unspecified Bipolar and Related Disorder + <i>With mixed features</i> specifier
F31.61	Bipolar Disorder, Current Episode Mixed, Mild		Bipolar Disorder, Mixed Episode is not in DSM-5. Instead, DSM-5 has a <i>With Mixed Features</i> specifier for the Bipolar I diagnosis. For these diagnoses, consider an Included Bipolar Disorder diagnosis + <i>With mixed features</i> specifier; <u>OR</u> F31.89 - Other Specified Bipolar and Related Disorder + <i>With mixed features</i> specifier; <u>OR</u> F31.9 - Unspecified Bipolar and Related Disorder + <i>With mixed features</i> specifier
F31.62	Bipolar Disorder, Current Episode Mixed, Moderate		
F31.63	Bipolar Disorder, Current Episode Mixed, Severe, Without Psychotic Features		
F31.64	Bipolar Disorder, Current Episode Mixed, Severe, With Psychotic Features		
F31.71	Bipolar Disorder, in Partial Remission, Most Recent Episode Hypomanic	F31.71	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, In Partial Remission
F31.73	Bipolar Disorder, in Partial Remission, Most Recent Episode Manic	F31.73	Bipolar I Disorder, Current or Most Recent Episode Manic, In Partial Remission
F31.75	Bipolar Disorder, in Partial Remission, Most Recent Episode Depressed	F31.75	Bipolar I Disorder, Current or Most Recent Episode Depressed, In Partial Remission

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F31.77	Bipolar Disorder, in Partial Remission, Most Recent Episode Mixed	-	Bipolar Disorder, Mixed Episode is not in DSM-5. For these diagnoses, consider an Included Bipolar Disorder diagnosis + <i>With mixed features</i> and <i>In partial remission</i> specifier; <u>OR</u> F31.89 - Other Specified Bipolar and Related Disorder + <i>With mixed features</i> and <i>In partial remission</i> specifier; <u>OR</u> F31.9 - Unspecified Bipolar and Related Disorder + <i>With mixed features</i> and <i>In partial remission</i> specifier
F31.81	Bipolar II Disorder	F31.81	Bipolar II Disorder
F31.89	Other Bipolar Disorder	F31.89	Other Specified Bipolar and Related Disorder
F31.9	Bipolar Disorder, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Depressed, Unspecified; <u>OR</u>
F31.9	Bipolar Disorder, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, Unspecified; <u>OR</u>
F31.9	Bipolar Disorder, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Manic, Unspecified; <u>OR</u>
F31.9	Bipolar Disorder, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Unspecified; <u>OR</u>
F31.9	Bipolar Disorder, Unspecified	F31.9	Unspecified Bipolar and Related Disorder
F32.0	Major Depressive Disorder, Single Episode, Mild	F32.0	Major Depressive Disorder, Single Episode, Mild
F32.1	Major Depressive Disorder, Single Episode, Moderate	F32.1	Major Depressive Disorder, Single Episode, Moderate
F32.2	Major Depressive Disorder, Single Episode, Severe, Without Psychotic Features	F32.2	Major Depressive Disorder, Single Episode, Severe
F32.3	Major Depressive Disorder, Single Episode, Severe, With Psychotic Features	F32.3	Major Depressive Disorder, Single Episode, With Psychotic Features + <i>Severe</i> specifier
F32.4	Major Depressive Disorder, Single Episode, in Partial Remission	F32.4	Major Depressive Disorder, Single Episode, In Partial Remission
F32.9	Major Depressive Disorder, Single Episode, Unspecified	F32.9	Major Depressive Disorder, Single Episode, Unspecified; <u>OR</u>
F32.9	Major Depressive Disorder, Single Episode, Unspecified	F32.9	Unspecified Depressive Disorder
F33.0	Major Depressive Disorder, Recurrent, Mild	F33.0	Major Depressive Disorder, Recurrent Episode, Mild
F33.1	Major Depressive Disorder, Recurrent, Moderate	F33.1	Major Depressive Disorder, Recurrent Episode, Moderate
F33.2	Major Depressive Disorder, Recurrent, Severe, Without Psychotic Features	F33.2	Major Depressive Disorder, Recurrent Episode, Severe
F33.3	Major Depressive Disorder, Recurrent, Severe, With Psychotic Symptoms	F33.3	Major Depressive Disorder, Recurrent Episode, With Psychotic Features + <i>Severe</i> specifier

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F33.41	Major Depressive Disorder, Recurrent, in Partial Remission	F33.41	Major Depressive Disorder, Recurrent Episode, In Partial Remission
F33.8	Other Recurrent Depressive Disorders	F33.0	Major Depressive Disorder, Recurrent Episode, Mild; <u>OR</u>
F33.8	Other Recurrent Depressive Disorders	F33.1	Major Depressive Disorder, Recurrent Episode, Moderate; <u>OR</u>
F33.8	Other Recurrent Depressive Disorders	F33.2	Major Depressive Disorder, Recurrent Episode, Severe; <u>OR</u>
F33.8	Other Recurrent Depressive Disorders	F33.3	Major Depressive Disorder, Recurrent Episode, With Psychotic Features + <i>Severe</i> specifier; <u>OR</u>
F33.8	Other Recurrent Depressive Disorders	F33.41	Major Depressive Disorder, Recurrent Episode, In Partial Remission
F33.9	Major Depressive Disorder, Recurrent, Unspecified	F33.9	Major Depressive Disorder, Recurrent Episode, Unspecified
F34.0	Cyclothymic Disorder	F34.0	Cyclothymic Disorder
F34.1	Dysthymic Disorder	F34.1	Persistent Depressive Disorder (Dysthymia)
F34.81	Disruptive Mood Dysregulation Disorder	F34.81	Disruptive Mood Dysregulation Disorder
F34.89	Other Specified Persistent Mood Disorder	-	Use a Mood Disorder diagnosis allowed by ACBHCS; <u>OR</u>
F34.89	Other Specified Persistent Mood Disorder	F31.89	Other Specified Bipolar and Related Disorder; <u>OR</u>
F34.89	Other Specified Persistent Mood Disorder	F32.9	Unspecified Depressive Disorder
F34.9	Persistent Mood [Affective] Disorder, Unspecified	-	Use a Mood Disorder diagnosis allowed by ACBHCS; <u>OR</u>
F34.9	Persistent Mood [Affective] Disorder, Unspecified	F31.9	See F31.9; <u>OR</u>
F34.9	Persistent Mood [Affective] Disorder, Unspecified	F32.9	See F32.9
F39	Unspecified Mood [Affective] Disorder	-	Use a Mood Disorder diagnosis allowed by ACBHCS; <u>OR</u>
F39	Unspecified Mood [Affective] Disorder	F31.9	See F31.9; <u>OR</u>
F39	Unspecified Mood [Affective] Disorder	F32.9	See F32.9
F40.00	Agoraphobia, Unspecified	F40.00	Agoraphobia
F40.01	Agoraphobia With Panic Disorder	F40.00 + F41.0	Agoraphobia (F40.00) and Panic Disorder (F41.0) - Use both diagnoses
F40.02	Agoraphobia Without Panic Disorder	F40.00	Agoraphobia
F40.10	Social Phobia, Unspecified	F40.10	Social Anxiety Disorder (Social Phobia)
F40.11	Social Phobia, Generalized	F40.10	Social Anxiety Disorder (Social Phobia)
F40.210	Arachnophobia	F40.218	Specific Phobia, Animal
F40.218	Other Animal Type Phobia	F40.218	Specific Phobia, Animal

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F40.220	Fear of Thunderstorms	F40.228	Specific Phobia, Natural Environment
F40.228	Other Natural Environment Type Phobia	F40.228	Specific Phobia, Natural Environment
F40.230	Fear of Blood	F40.230	Specific Phobia, Fear Of Blood
F40.231	Fear of Injections and Transfusions	F40.231	Specific Phobia, Fear Of Injections and Transfusions
F40.232	Fear of Other Medical Care	F40.232	Specific Phobia, Fear Of Other Medical Care
F40.233	Fear of Injury	F40.233	Specific Phobia, Fear Of Injury
F40.240	Claustrophobia	F40.248	Specific Phobia, Situational
F40.241	Acrophobia	F40.248	Specific Phobia, Situational
F40.242	Fear of Bridges	F40.248	Specific Phobia, Situational
F40.243	Fear of Flying	F40.248	Specific Phobia, Situational
F40.248	Other Situational Type Phobia	F40.248	Specific Phobia, Situational
F40.290	Androphobia	F41.8	Other Specified Anxiety Disorder
F40.291	Gynophobia	F41.8	Other Specified Anxiety Disorder
F40.298	Other Specified Phobia	F41.8	Other Specified Anxiety Disorder
F40.8	Other Phobic Anxiety Disorders	F41.8	Other Specified Anxiety Disorder
F41.0	Panic Disorder Without Agoraphobia	F41.0	Panic Disorder
F41.1	Generalized Anxiety Disorder	F41.1	Generalized Anxiety Disorder
F41.9	Anxiety Disorder, Unspecified	F41.9	Unspecified Anxiety Disorder
F42.2	Mixed Obsessional Thoughts and Acts	F42.2	Obsessive-Compulsive Disorder
F42.3	Hoarding Disorder	F42.3	Hoarding Disorder
F42.4	Excoriation Disorder	F42.4	Excoriation (Skin Picking) Disorder
F42.8	Other Obsessive-Compulsive Disorder	F42.8	Other Specified Obsessive-Compulsive and Related Disorder
F42.9	Obsessive-Compulsive Disorder, Unspecified	F42.9	Unspecified Obsessive-Compulsive and Related Disorder
F43.0	Acute Stress Reaction	F43.0	Acute Stress Disorder
F43.10	Post-Traumatic Stress Disorder, Unspecified	F43.10	Posttraumatic Stress Disorder; <u>OR</u>
F43.10	Post-Traumatic Stress Disorder, Unspecified	F43.9	Unspecified Trauma-and Stressor-Related Disorder
F43.11	Post-Traumatic Stress Disorder, Acute	F43.10	Posttraumatic Stress Disorder
F43.12	Post-Traumatic Stress Disorder, Chronic	F43.10	Posttraumatic Stress Disorder
F41.3	Other Mixed Anxiety Disorders	F41.8	Other Specified Anxiety Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F41.8	Other Specified Anxiety Disorders	F41.8	Other Specified Anxiety Disorder
F43.20	Adjustment Disorder, Unspecified	F43.20	Adjustment Disorders, Unspecified
F43.21	Adjustment Disorder With Depressed Mood	F43.21	Adjustment Disorders, With Depressed Mood
F43.22	Adjustment Disorder With Anxiety	F43.22	Adjustment Disorders, With Anxiety
F43.23	Adjustment Disorder With Mixed Anxiety and Depressed Mood	F43.23	Adjustment Disorders, With Mixed Anxiety and Depressed Mood
F43.24	Adjustment Disorder With Disturbance of Conduct	F43.24	Adjustment Disorders, With Disturbance Of Conduct
F43.25	Adjustment Disorder With Mixed Disturbance of Emotions and Conduct	F43.25	Adjustment Disorders, With Mixed Disturbance Of Emotions and Conduct
F43.29	Adjustment Disorder with Other Symptoms	F43.20	Adjustment Disorders, Unspecified; <u>OR</u>
F43.29	Adjustment Disorder with Other Symptoms	F43.10	Posttraumatic Stress Disorder
F43.8	Other Specified Trauma- and Stressor-Related Disorder	F43.8	Other Specified Trauma- and Stressor-Related Disorder
F43.9	Unspecified Trauma- and Stressor-Related Disorder	F43.9	Unspecified Trauma- and Stressor-Related Disorder
F44.0	Dissociative Amnesia	F44.0	Dissociative Amnesia
F44.1	Dissociative Fugue	F44.1	Dissociative Amnesia, With Dissociative Fugue
F44.2	Dissociative Stupor	F44.89	Other Specified Dissociative Disorder
F44.4	Conversion Disorder With Motor Symptom or Deficit	F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Abnormal Movement; <u>OR</u>
F44.4	Conversion Disorder With Motor Symptom or Deficit	F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Speech Symptoms; <u>OR</u>
F44.4	Conversion Disorder With Motor Symptom or Deficit	F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Swallowing Symptoms; <u>OR</u>
F44.4	Conversion Disorder With Motor Symptom or Deficit	F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Weakness/Paralysis
F44.5	Conversion Disorder With Seizures or Convulsions	F44.5	Conversion Disorder (Functional Neurological Symptom Disorder), With Attacks or Seizures
F44.6	Conversion Disorder With Sensory Symptom or Deficit	F44.6	Conversion Disorder (Functional Neurological Symptom Disorder), With Anesthesia or Sensory Loss; <u>OR</u>
F44.6	Conversion Disorder With Sensory Symptom or Deficit	F44.6	Conversion Disorder (Functional Neurological Symptom Disorder), With Special Sensory Symptoms
F44.7	Conversion Disorder With Mixed Symptom Presentation	F44.7	Conversion Disorder (Functional Neurological Symptom Disorder), With Mixed Symptoms

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F44.81	Dissociative Identity Disorder	F44.81	Dissociative Identity Disorder
F44.89	Other Dissociative and Conversion Disorders	F44.89	Other Specified Dissociative Disorder
F44.9	Dissociative and Conversion Disorder, Unspecified	F44.9	Unspecified Dissociative Disorder
F45.0	Somatization Disorder	F44.81	Dissociative Identity Disorder; <u>OR</u>
F45.0	Somatization Disorder	F44.9	Unspecified Dissociative Disorder; <u>OR</u>
F45.0	Somatization Disorder	F45.0	Somatization Disorder (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 486, for Somatization Disorder. Do not use DSM-IV-TR Code/Name.) ¹
F45.1	Undifferentiated Somatoform Disorder	F45.1	Somatic Symptom Disorder
F45.20	Hypochondriacal Disorder, Unspecified	F45.9	Unspecified Somatic Symptom and Related Disorder
F45.21	Hypochondriasis	F45.21	Illness Anxiety Disorder
F45.22	Body Dysmorphic Disorder	F45.22	Body Dysmorphic Disorder
F45.29	Other Hypochondriacal Disorders	F45.8	Other Specified Somatic Symptom and Related Disorder
F45.41	Pain Disorder Exclusively Related to Psychological Factors	F45.1	Somatic Symptom Disorder + <i>Predominant pain</i> specifier; <u>OR</u>
F45.41	Pain Disorder Exclusively Related to Psychological Factors	F45.41	Pain Disorder Exclusively Related to Psychological Factors (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, on pg. 499, for Pain Disorder Associated With Psychological Factors. Do not use DSM-IV-TR Code/Name.) ¹
F45.42	Pain Disorder With Related Psychological Factors	F45.42	Consider DSM-5: F45.1 - Somatic Symptom Disorder + <i>Predominant Pain</i> specifier; <u>OR</u>
F45.42	Pain Disorder With Related Psychological Factors	F45.42	Pain Disorder With Related Psychological Factors (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, on pg. 499, for Pain Disorder Associated With Psychological Factors. Do not use DSM-IV-TR Code/Name.) ¹
F45.8	Other Somatoform Disorders	F45.8	Other Specified Somatic Symptom and Related Disorder
F45.9	Somatoform Disorder, Unspecified	F45.9	Unspecified Somatic Symptom and Related Disorder
F48.1	Depersonalization-Derealization Syndrome	F48.1	Depersonalization/Derealization Disorder
F50.00	Anorexia Nervosa, Unspecified	F50.9	Unspecified Feeding or Eating Disorder
F50.01	Anorexia Nervosa, Restricting type	F50.01	Anorexia Nervosa, Restricting Type
F50.02	Anorexia Nervosa, Binge Eating/Purging Type	F50.02	Anorexia Nervosa, Binge-Eating/Purging Type

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F50.2	Bulimia Nervosa	F50.2	Bulimia Nervosa
F50.81	Binge Eating Disorder	F50.81	Binge Eating Disorder
F50.82	Avoidant/Restrictive Food Intake Disorder	F50.82	Avoidant/Restrictive Food Intake Disorder
F50.89	Other Specified Eating Disorder	F50.89	Pica, In Adults
F50.89	Other Specified Eating Disorder	F50.89	Other Specified Feeding or Eating Disorder
F50.9	Eating Disorder, Unspecified	F50.9	Unspecified Feeding or Eating Disorder
F53.0	Postpartum Depression	-	A depressive disorder, <i>With peripartum onset</i> specifier
F53.0	Postpartum Depression	-	A bipolar disorder, <i>With peripartum onset</i> specifier
F53.1	Puerperal Psychosis	F23	Brief Psychotic Disorder, With peripartum onset
F60.0	Paranoid Personality Disorder	F60.0	Paranoid Personality Disorder
F60.1	Schizoid Personality Disorder	F60.1	Schizoid Personality Disorder
F60.2	Antisocial Personality Disorder	F60.2	Antisocial Personality Disorder
F60.3	Borderline Personality Disorder	F60.3	Borderline Personality Disorder
F60.4	Histrionic Personality Disorder	F60.4	Histrionic Personality Disorder
F60.5	Obsessive-Compulsive Personality Disorder	F60.5	Obsessive-Compulsive Personality Disorder
F60.6	Avoidant Personality Disorder	F60.6	Avoidant Personality Disorder
F60.7	Dependent Personality Disorder	F60.7	Dependent Personality Disorder
F60.81	Narcissistic Personality Disorder	F60.81	Narcissistic Personality Disorder
F60.9	Personality Disorder, Unspecified	F60.9	Unspecified Personality Disorder
F63.1	Pyromania	F63.1	Pyromania
F63.81	Intermittent Explosive Disorder	F63.81	Intermittent Explosive Disorder
F63.89	Other Impulse Disorders	F91.8	Other Specified Disruptive, Impulse-Control, and Conduct Disorder
F84.0	Autistic Disorder	F84.0	Autism Spectrum Disorder
F84.2	Rett's Disorder	F84.2	Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹
F84.3	Other Childhood Disintegrative Disorder	F84.3	Other Childhood Disintegrative Disorder (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 77, for Child Disintegrative Disorder. Do not use DSM-IV-TR Code/Name.) ¹

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F84.5	Asperger's Syndrome	F84.5	Asperger's Syndrome (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 80, for Asperger's Disorder. Do not use DSM-IV-TR Code/Name.) ¹
F84.8	Other Pervasive Developmental Disorder	F84.8	Other Pervasive Developmental Disorders (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 84, for Pervasive Developmental Disorder NOS. Do not use DSM-IV-TR Code/Name.) ¹
F84.9	Pervasive Developmental Disorder, Unspecified	F84.9	Pervasive Developmental Disorder, Unspecified (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 84, for Pervasive Developmental Disorder NOS. Do not use DSM-IV-TR Code/Name.) ¹
F88	Other Specified Neurodevelopmental Disorder²	F93.8	Other Childhood Emotional Disorders (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR Code/Name.) ¹
F88	Unspecified Neurodevelopmental Disorder ²	F93.8	Other Childhood Emotional Disorders (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR Code/Name.) ¹
F90.0	Attention-Deficit/Hyperactivity Disorder, Predominantly Inattentive Type	F90.0	Attention-Deficit/Hyperactivity Disorder, Predominately Inattentive Presentation
F90.1	Attention-Deficit/Hyperactivity Disorder, Predominantly Hyperactive type	F90.1	Attention-Deficit/Hyperactivity Disorder, Predominately Hyperactive/Impulsive Presentation
F90.2	Attention-Deficit/Hyperactivity Disorder, Combined Type	F90.2	Attention-Deficit/Hyperactivity Disorder, Combined Presentation
F90.8	Attention-Deficit/Hyperactivity Disorder, Other Type	F90.8	Other Specified Attention-Deficit/Hyperactivity Disorder
F90.9	Attention-Deficit/Hyperactivity Disorder, Unspecified Type	F90.9	Unspecified Attention-Deficit/Hyperactivity Disorder
F91.1	Conduct Disorder, Childhood-Onset Type	F91.1	Conduct Disorder, Childhood-Onset Type
F91.2	Conduct Disorder, Adolescent-Onset Type	F91.2	Conduct Disorder, Adolescent-Onset Type
F91.3	Oppositional Defiant Disorder	F91.3	Oppositional Defiant Disorder
F91.8	Other Conduct Disorder	F91.8	Other Specified Disruptive, Impulse-Control, and Conduct Disorder
F91.9	Conduct Disorder, Unspecified	F91.9	Conduct Disorder, Unspecified Onset; <u>OR</u>
F91.9	Conduct Disorder, Unspecified	F91.9	Unspecified Disruptive, Impulse-Control, and Conduct Disorder
F93.0	Separation Anxiety Disorder of Childhood	F93.0	Separation Anxiety Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
(Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F93.8	Other Childhood Emotional Disorders	F93.8	Other Childhood Emotional Disorders (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR Code/Name.) ¹
F93.9	Childhood Emotional Disorder, Unspecified	F93.9	Childhood Emotional Disorder, Unspecified (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 134, for both Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR Code/Name.) ¹
F94.0	Selective Mutism	F94.0	Selective Mutism
F94.1	Reactive Attachment Disorder of Childhood	F94.1	Reactive Attachment Disorder (Inhibited Type) - For Disinhibited Type see Disinhibited Social Engagement Disorder (F94.2)
F94.2	Disinhibited Attachment Disorder of Childhood	F94.2	Disinhibited Social Engagement Disorder
F95.0	Transient Tic Disorder	F95.0	Provisional Tic Disorder
F95.1	Chronic Motor or Vocal Tic Disorder	F95.1	Persistent (chronic) Motor or Vocal Tic Disorder
F95.2	Tourette's Disorder	F95.2	Tourette's Disorder
F95.8	Other Tic Disorders	F95.8	Other Specified Tic Disorder
F95.9	Tic Disorder, Unspecified	F95.9	Unspecified Tic Disorder
F98.0	Enuresis Not Due to a Substance or Known Physiological Condition	F98.0	Enuresis
F98.1	Encopresis Not Due to a Substance or Known Physiological Condition	F98.1	Encopresis, With constipation and overflow incontinence
F98.1	Encopresis Not Due to a Substance or Known Physiological Condition	F98.1	Encopresis, Without constipation and overflow incontinence
F98.21	Rumination Disorder of Infancy	F98.21	Rumination Disorder
F98.29	Other Feeding Disorders of Infancy and Early Childhood	F50.9	Unspecified Feeding or Eating Disorder; <u>OR</u>
F98.29	Other Feeding Disorders of Infancy and Early Childhood	F98.29	Other Feeding Disorders of Infancy and Early Childhood (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 107, for Feeding Disorder of Infancy or Early Childhood. Do not use DSM-IV-TR Code/Name.) ¹
F98.3	Pica of Infancy and Childhood	F98.3	Pica, In Children
F98.4	Stereotyped Movement Disorders	F98.4	Stereotypic Movement Disorder
R15.0	Incomplete Defecation ³	R15.0	Incomplete Defecation (Use ICD-10 Bluebook Criteria) ³
R15.9	Full Incontinence of Feces ³	R15.9	Other Specified Elimination Disorder, With Fecal Symptoms ³

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Crosswalk and Included Diagnoses List by ICD-10 Code
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBHCS Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
R15.9	Full Incontinence of Feces ³	R15.9	Unspecified Elimination Disorder, With Fecal Symptoms³
R69	Diagnosis Deferred	R69	Diagnosis Deferred (A beneficiary may be given Diagnosis Deferred at intake, however once the assessment is completed, no claiming can be made with this diagnosis.)
Z03.89	No Diagnosis	Z03.89	No Diagnosis (A beneficiary may be given No Diagnosis at intake, however once the assessment is completed, no claiming can be made with this diagnosis.)

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.