

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Included Diagnoses List - by DSM-5 Name  
(Crossed out diagnoses are not allowed. Always use ICD-10 codes)

**Instructions:** Included diagnoses in the DSM-5 must be used first. For included DHCS ICD-10 diagnoses where there are no viable DSM-5 diagnoses to provide criteria, the **indicated** DSM-IV-TR criteria may be used. For these diagnoses, shaded in green, always use the ICD-10 code and name in the medical record. **Do not use DSM-IV-TR names or codes.** ICD-10 codes are repeated when there are different diagnoses with the same code. Nothing in this list supersedes DSM-5 diagnostic criteria.

**Specifiers:** DSM diagnoses have uncoded specifiers to refine diagnoses. Medical records must include the ICD-10 code and ICD-10 name (with DSM-5 name preferred), and **all** relevant specifiers.

ACBHCS Inpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F43.0	Acute Stress Disorder
F43.20	Adjustment Disorders, Unspecified
F43.22	Adjustment Disorders, With Anxiety
F43.21	Adjustment Disorders, With Depressed Mood
F43.24	Adjustment Disorders, With Disturbance Of Conduct
F43.23	Adjustment Disorders, With Mixed Anxiety and Depressed Mood
F43.25	Adjustment Disorders, With Mixed Disturbance Of Emotions and Conduct
F40.00	Agoraphobia
F10.150	<b>Alcohol Abuse With Alcohol-Induced Psychotic Disorder With Delusions</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Alcohol Abuse, pg. 214, & Alcohol-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F10.151	<b>Alcohol Abuse With Alcohol-Induced Psychotic Disorder With Hallucinations</b> (In medical record use this ICD-10 code/name with DSM-IV criteria for both Alcohol Abuse, pg. 214 & Alcohol-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F10.250	<b>Alcohol Dependence With Alcohol-Induced Psychotic Disorder With Delusions</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Alcohol Dependence, pg. 213 & Alcohol-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F10.251	<b>Alcohol Dependence With Alcohol-Induced Psychotic Disorder With Hallucinations</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Alcohol Dependence, pg. 213 & Alcohol-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F10.180	Alcohol-Induced Anxiety Disorder, With Mild Use Disorder
F10.280	Alcohol-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F10.14	Alcohol-Induced Bipolar and Related Disorder, With Mild Use Disorder
F10.24	Alcohol-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F10.94	Alcohol-Induced Bipolar and Related Disorder, Without Use Disorder
F10.14	Alcohol-Induced Depressive Disorder, With Mild Use Disorder
F10.24	Alcohol-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F10.94	Alcohol-Induced Depressive Disorder, Without Use Disorder
F15.180	Amphetamine (or Other Stimulant)- Induced Anxiety Disorder, With Mild Use Disorder
F15.14	Amphetamine (or Other Stimulant)- Induced Depressive Disorder, With Mild Use Disorder
F15.280	Amphetamine (or Other Stimulant)-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F15.980	Amphetamine (or Other Stimulant)-Induced Anxiety Disorder, Without Use Disorder
F15.14	Amphetamine (or Other Stimulant)-Induced Bipolar and Related Disorder, With Mild Use Disorder
F15.24	Amphetamine (or Other Stimulant)-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F15.94	Amphetamine (or Other Stimulant)-Induced Bipolar and Related Disorder, Without Use Disorder
F15.94	Amphetamine (or Other Stimulant)-Induced Depressive Disorder, Without Use Disorder
F15.24	Amphetamine (or Other-Stimulant)-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F50.02	Anorexia Nervosa, Binge-Eating/Purging Type
F50.01	Anorexia Nervosa, Restricting Type

<sup>1</sup> Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Included Diagnoses List - by DSM-5 Name  
(Crossed out diagnoses are not allowed. Always use ICD-10 codes)

ACBHCS Inpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F60.2	Antisocial Personality Disorder
F84.5	<b>Asperger's Syndrome</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 80, for Asperger's Disorder. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F90.2	Attention-Deficit/Hyperactivity Disorder, Combined Presentation
F90.1	Attention-Deficit/Hyperactivity Disorder, Predominately Hyperactive/Impulsive Presentation
F90.0	Attention-Deficit/Hyperactivity Disorder, Predominately Inattentive Presentation
F84.0	Autism Spectrum Disorder
F60.6	Avoidant Personality Disorder
F50.82	<b>Avoidant/Restrictive Food Intake Disorder</b>
F50.81	Binge Eating Disorder
F31.75	Bipolar I Disorder, Current or Most Recent Episode Depressed, In Partial Remission
F31.31	Bipolar I Disorder, Current or Most Recent Episode Depressed, Mild
F31.32	Bipolar I Disorder, Current or Most Recent Episode Depressed, Moderate
F31.4	Bipolar I Disorder, Current or Most Recent Episode Depressed, Severe
F31.9	Bipolar I Disorder, Current or Most Recent Episode Depressed, Unspecified
F31.5	Bipolar I Disorder, Current or Most Recent Episode Depressed, With Psychotic Features
F31.0	Bipolar I Disorder, Current or Most Recent Episode Hypomanic
F31.71	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, In Partial Remission
F31.9	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, Unspecified
F31.73	Bipolar I Disorder, Current or Most Recent Episode Manic, In Partial Remission
F31.11	Bipolar I Disorder, Current or Most Recent Episode Manic, Mild
F31.12	Bipolar I Disorder, Current or Most Recent Episode Manic, Moderate
F31.13	Bipolar I Disorder, Current or Most Recent Episode Manic, Severe
F31.9	Bipolar I Disorder, Current or Most Recent Episode Manic, Unspecified
F31.2	Bipolar I Disorder, Current or Most Recent Episode Manic, With Psychotic Features
F31.9	Bipolar I Disorder, Current or Most Recent Episode Unspecified
F31.81	Bipolar II Disorder
F45.22	Body Dysmorphic Disorder
F60.3	Borderline Personality Disorder
F23	Brief Psychotic Disorder
F23	<b>Brief Psychotic Disorder, With peripartum onset</b>
F50.2	Bulimia Nervosa
F12.151	<b>Cannabis Abuse With Cannabis-Induced Psychotic Disorder With Hallucinations</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Cannabis Abuse, pg. 236, & Cannabis-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F12.150	<b>Cannabis Abuse With Psychotic Disorder With Delusions</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Cannabis Abuse, pg. 236 & Cannabis-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F12.251	<b>Cannabis Dependence With Cannabis-Induced Psychotic Disorder With Hallucinations</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Cannabis Dependence, pg. 236 & Cannabis-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F12.250	<b>Cannabis Dependence With Psychotic Disorder With Delusions</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Cannabis Dependence, pg. 236 & Cannabis-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F12.180	Cannabis-Induced Anxiety Disorder, With Mild Use Disorder

<sup>1</sup> Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Included Diagnoses List - by DSM-5 Name  
(Crossed out diagnoses are not allowed. Always use ICD-10 codes)

ACBHCS Inpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F12.280	Cannabis-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F12.980	Cannabis-Induced Anxiety Disorder, Without Use Disorder
F93.9	<b>Childhood Emotional Disorder, Unspecified</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 134, for both Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F14.150	<b>Cocaine Abuse With Cocaine-Induced Psychotic Disorder With Delusions</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Cocaine Abuse, pg. 243 & Cocaine-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F14.151	<b>Cocaine Abuse With Cocaine-Induced Psychotic Disorder With Hallucinations</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Cocaine Abuse, pg. 243 & Cocaine-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F14.250	<b>Cocaine Dependence With Cocaine-Induced Psychotic Disorder With Delusions</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Cocaine Dependence, pg. 242 & Cocaine-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F14.251	<b>Cocaine Dependence With Cocaine-Induced Psychotic Disorder With Hallucinations</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Cocaine Dependence, pg. 242 & Cocaine-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F14.180	Cocaine-Induced Anxiety Disorder, With Mild Use Disorder
F14.280	Cocaine-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F14.980	Cocaine-Induced Anxiety Disorder, Without Use Disorder
F14.14	Cocaine-Induced Bipolar and Related Disorder, With Mild Use Disorder
F14.24	Cocaine-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F14.94	Cocaine-Induced Bipolar and Related Disorder, Without Use Disorder
F14.14	Cocaine-Induced Depressive Disorder, With Mild Use Disorder
F14.24	Cocaine-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F14.94	Cocaine-Induced Depressive Disorder, Without Use Disorder
F91.2	Conduct Disorder, Adolescent-Onset Type
F91.1	Conduct Disorder, Childhood-Onset Type
F91.9	Conduct Disorder, Unspecified Onset
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Abnormal Movement
F44.6	Conversion Disorder (Functional Neurological Symptom Disorder), With Anesthesia or Sensory Loss
F44.5	Conversion Disorder (Functional Neurological Symptom Disorder), With Attacks or Seizures
F44.7	Conversion Disorder (Functional Neurological Symptom Disorder), With Mixed Symptoms
F44.6	Conversion Disorder (Functional Neurological Symptom Disorder), With Special Sensory Symptoms
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Speech Symptoms
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Swallowing Symptoms
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Weakness/Paralysis
F34.0	Cyclothymic Disorder
F22	Delusional Disorder
F60.7	Dependent Personality Disorder
F48.1	Depersonalization/Derealization Disorder
R69	<b>Diagnosis Deferred</b> (A beneficiary may be given Diagnosis Deferred at intake, however once the assessment is completed, no claiming can be made with this diagnosis.)
F94.2	Disinhibited Social Engagement Disorder
F34.81	Disruptive Mood Dysregulation Disorder
F44.0	Dissociative Amnesia

<sup>1</sup> Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Included Diagnoses List - by DSM-5 Name  
(Crossed out diagnoses are not allowed. Always use ICD-10 codes)

ACBHCS Inpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F44.1	Dissociative Amnesia, With Dissociative Fugue
F44.81	Dissociative Identity Disorder
F98.1	Encopresis, With constipation and overflow incontinence
F98.1	Encopresis, Without constipation and overflow incontinence
F98.0	Enuresis
F42.4	Excoriation (Skin Picking) Disorder
F41.1	Generalized Anxiety Disorder
F16.183	<b>Hallucinogen Abuse With Hallucinogen Persisting Perception Disorder (Flashbacks)</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Hallucinogen Abuse, pg. 252 & Hallucinogen Persisting Perception Disorder (Flashbacks), pg. 253. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F16.150	<b>Hallucinogen Abuse With Hallucinogen-Induced Psychotic Disorder With Delusions</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Hallucinogen Abuse, pg. 252 & Hallucinogen-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F16.151	<b>Hallucinogen Abuse With Hallucinogen-Induced Psychotic Disorder With Hallucinations</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Hallucinogen Abuse, pg. 252 & Hallucinogen-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F16.283	<b>Hallucinogen Dependence With Hallucinogen Persisting Perception Disorder (Flashbacks)</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Hallucinogen Dependence, pg. 251 & Hallucinogen Persisting Perception Disorder (Flashbacks), pg. 253. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F16.250	<b>Hallucinogen Dependence With Hallucinogen-Induced Psychotic Disorder With Delusions</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Hallucinogen Dependence, pg. 251 & Hallucinogen-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F16.251	<b>Hallucinogen Dependence With Hallucinogen-Induced Psychotic Disorder With Hallucinations</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Hallucinogen Dependence, pg. 251 & Hallucinogen-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F16.983	Hallucinogen Persisting Perception Disorder
F60.4	Histrionic Personality Disorder
F42.3	Hoarding Disorder
F45.21	Illness Anxiety Disorder
<del>R15.0</del>	<del>Incomplete Defecation (Use ICD-10 Bluebook Criteria)<sup>3</sup></del>
F18.150	<b>Inhalant Abuse With Inhalant-Induced Psychotic Disorder With Delusions</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Inhalant Abuse, pg. 259 & Inhalant-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F18.151	<b>Inhalant Abuse With Inhalant-Induced Psychotic Disorder With Hallucinations</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Inhalant Abuse, pg. 259 & Inhalant-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F18.250	<b>Inhalant Dependence With Inhalant-Induced Psychotic Disorder With Delusions</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Inhalant Dependence, pg. 258 & Inhalant-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F18.251	<b>Inhalant Dependence With Inhalant-Induced Psychotic Disorder With Hallucinations</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Inhalant Dependence, pg. 258 & Inhalant-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F18.180	Inhalant-Induced Anxiety Disorder, With Mild Use Disorder
F18.280	Inhalant-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F18.980	Inhalant-Induced Anxiety Disorder, Without Use Disorder
F18.14	Inhalant-Induced Depressive Disorder, With Mild Use Disorder
F18.24	Inhalant-Induced Depressive Disorder, With Moderate or Severe Use Disorder

<sup>1</sup> Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Included Diagnoses List - by DSM-5 Name  
(Crossed out diagnoses are not allowed. Always use ICD-10 codes)

ACBHCS Inpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F18.94	<b>Inhalant-Induced Depressive Disorder, Without Use Disorder</b>
F63.81	Intermittent Explosive Disorder
F33.41	Major Depressive Disorder, Recurrent Episode, In Partial Remission
F33.0	Major Depressive Disorder, Recurrent Episode, Mild
F33.1	Major Depressive Disorder, Recurrent Episode, Moderate
F33.2	Major Depressive Disorder, Recurrent Episode, Severe
F33.9	Major Depressive Disorder, Recurrent Episode, Unspecified
F33.3	Major Depressive Disorder, Recurrent Episode, With Psychotic Features
F32.4	Major Depressive Disorder, Single Episode, In Partial Remission
F32.0	Major Depressive Disorder, Single Episode, Mild
F32.1	Major Depressive Disorder, Single Episode, Moderate
F32.2	Major Depressive Disorder, Single Episode, Severe
F32.9	Major Depressive Disorder, Single Episode, Unspecified
F32.3	Major Depressive Disorder, Single Episode, With Psychotic Features
F60.81	Narcissistic Personality Disorder
Z03.89	<b>No Diagnosis</b> (A beneficiary may be given No Diagnosis at intake, however once the assessment is completed, no claiming can be made with this diagnosis.)
F42.2	Obsessive-Compulsive Disorder
F60.5	Obsessive-Compulsive Personality Disorder
F11.150	<b>Opioid Abuse With Opioid-Induced Psychotic Disorder With Delusions</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Opioid Abuse, pg. 271 & Opioid-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F11.151	<b>Opioid Abuse With Opioid-Induced Psychotic Disorder With Hallucinations</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Opioid Abuse, pg. 271 & Opioid-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup> ; OR
F11.250	<b>Opioid Dependence With Opioid-Induced Psychotic Disorder With Delusions</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Opioid Dependence, pg. 270 & Opioid-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F11.251	<b>Opioid Dependence With Opioid-Induced Psychotic Disorder With Hallucinations</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria for both Opioid Dependence, pg. 270 & Opioid-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F11.988	Opioid-Induced Anxiety Disorder, Without Use Disorder
F11.14	Opioid-Induced Depressive Disorder, With Mild Use Disorder
F11.24	Opioid-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F11.94	Opioid-Induced Depressive Disorder, Without Use Disorder
F91.3	Oppositional Defiant Disorder
F19.180	Other (or Unknown) Substance-Induced Anxiety Disorder, With Mild Use Disorder
F19.280	Other (or Unknown) Substance-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F19.980	Other (or Unknown) Substance-Induced Anxiety Disorder, Without Use Disorder
F19.14	Other (or Unknown) Substance-Induced Bipolar and Related Disorder, With Mild Use Disorder
F19.24	Other (or Unknown) Substance-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F19.94	Other (or Unknown) Substance-Induced Bipolar and Related Disorder, Without Use Disorder
F19.14	Other (or Unknown) Substance-Induced Depressive Disorder, With Mild Use Disorder
F19.24	Other (or Unknown) Substance-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F19.94	Other (or Unknown) Substance-Induced Depressive Disorder, Without Use Disorder

<sup>1</sup> Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Included Diagnoses List - by DSM-5 Name  
(Crossed out diagnoses are not allowed. Always use ICD-10 codes)

ACBHCS Inpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F84.3	<b>Other Childhood Disintegrative Disorder</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 77, for Child Disintegrative Disorder. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F93.8	<b>Other Childhood Emotional Disorders</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS). Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F93.8	<b>Other Childhood Emotional Disorders</b> (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F93.8	<b>Other Childhood Emotional Disorders</b> (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F98.29	<b>Other Feeding Disorders of Infancy and Early Childhood</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 107, for Feeding Disorder of Infancy or Early Childhood. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F16.180	Other Hallucinogen-Induced Anxiety Disorder, With Mild Use Disorder
F16.280	Other Hallucinogen-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F16.980	Other Hallucinogen-Induced Anxiety Disorder, Without Use Disorder
F16.14	Other Hallucinogen-Induced Bipolar and Related Disorder, With Mild Use Disorder
F16.24	Other Hallucinogen-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F16.94	Other Hallucinogen-Induced Bipolar and Related Disorder, Without Use Disorder
F16.14	Other Hallucinogen-Induced Depressive Disorder, With Mild Use Disorder
F16.24	Other Hallucinogen-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F16.94	Other Hallucinogen-Induced Depressive Disorder, Without Use Disorder
F84.8	<b>Other Pervasive Developmental Disorders</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 84, for Pervasive Developmental Disorder NOS. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F19.150	<b>Other Psychoactive Substance Abuse With Psychoactive Substance-Induced Psychotic Disorder With Delusions</b> (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Other (or Unknown) Substance Abuse, pg. 198 & Other (or Unknown) Substance-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F19.151	<b>Other Psychoactive Substance Abuse With Psychoactive Substance-Induced Psychotic Disorder With Hallucinations</b> (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Other (or Unknown) Substance Abuse, pg. 198 & Other (or Unknown) Substance-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F19.250	<b>Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Psychotic Disorder With Delusions</b> (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Other (or Unknown) Substance Dependence, pg. 192 & Other (or Unknown) Substance-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F19.251	<b>Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Psychotic Disorder With Hallucinations</b> (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Other (or Unknown) Substance Dependence, pg. 192 & Other (or Unknown) Substance-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F41.8	Other Specified Anxiety Disorder
F90.8	Other Specified Attention-Deficit/Hyperactivity Disorder
F31.89	Other Specified Bipolar and Related Disorder
F91.8	Other Specified Disruptive, Impulse-Control, and Conduct Disorder
F44.89	Other Specified Dissociative Disorder
R15.9	Other Specified Elimination Disorder, With Fecal Symptoms <sup>3</sup>
F50.89	Other Specified Feed or Eating Disorder
F42.8	Other Specified Obsessive-Compulsive and Related Disorder
F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder

<sup>1</sup> Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Included Diagnoses List - by DSM-5 Name  
(Crossed out diagnoses are not allowed. Always use ICD-10 codes)

ACBHCS Inpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F45.8	<b>Other Specified Somatic Symptom and Related Disorder</b>
F95.8	Other Specified Tic Disorder
F43.8	<b>Other Specified Trauma- and Stressor-Related Disorder</b>
F15.150	<b>Other Stimulant Abuse With Stimulant-Induced Psychotic Disorder With Delusions</b> (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Amphetamine Abuse, pg. 225 & Amphetamine-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F15.151	<b>Other Stimulant Abuse With Stimulant-Induced Psychotic Disorder With Hallucinations</b> (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Amphetamine Abuse, pg. 225 & Amphetamine-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F15.250	<b>Other Stimulant Dependence with Stimulant-Induced Psychotic Disorder With Delusions</b> (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Amphetamine Dependence, pg. 224 & Amphetamine-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F15.251	<b>Other Stimulant Dependence With Stimulant-Induced Psychotic Disorder With Hallucinations</b> (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Amphetamine Dependence, pg. 224 & Amphetamine-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F45.41	<b>Pain Disorder Exclusively Related to Psychological Factors</b> (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, on pg. 499, for Pain Disorder Associated With Psychological Factors. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F45.42	<b>Pain Disorder With Related Psychological Factors</b> (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, on pg. 499, for Pain Disorder Associated With Psychological Factors. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F41.0	Panic Disorder
F60.0	Paranoid Personality Disorder
F95.1	Persistent (chronic) Motor or Vocal Tic Disorder
F34.1	Persistent Depressive Disorder (Dysthymia)
F84.9	<b>Pervasive Developmental Disorder, Unspecified</b> (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 84, for Pervasive Developmental Disorder NOS. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F16.180	Phencyclidine-Induced Anxiety Disorder, With Mild Use Disorder
F16.280	Phencyclidine-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F16.980	Phencyclidine-Induced Anxiety Disorder, Without Use Disorder
F16.14	Phencyclidine-Induced Bipolar and Related Disorder, With Mild Use Disorder
F16.24	Phencyclidine-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F16.94	Phencyclidine-Induced Bipolar and Related Disorder, Without Use Disorder
F16.14	Phencyclidine-Induced Depressive Disorder, With Mild Use Disorder
F16.24	Phencyclidine-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F16.94	Phencyclidine-Induced Depressive Disorder, Without Use Disorder
F50.89	<b>Pica, In Adults</b>
F98.3	Pica, In Children
F43.10	Posttraumatic Stress Disorder
F01.51	Probable Major Vascular Neurocognitive Disorder, With Behavioral Disturbance
F95.0	<b>Provisional Tic Disorder</b>
F63.1	Pyromania
F94.1	Reactive Attachment Disorder (Inhibited Type) - For Disinhibited Type see Disinhibited Social Engagement Disorder (F94.2)
F84.2	<b>Rett's Syndrome</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) <sup>1</sup>

<sup>1</sup> Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Included Diagnoses List - by DSM-5 Name  
(Crossed out diagnoses are not allowed. Always use ICD-10 codes)

ACBHCS Inpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F98.21	Rumination Disorder
F25.0	Schizoaffective Disorder, Bipolar Type
F25.1	Schizoaffective Disorder, Depressive Type
F60.1	Schizoid Personality Disorder
F20.9	Schizophrenia
F20.81	Schizophreniform Disorder
F21	Schizotypal Personality Disorder
F13.150	<b>Sedative, Hypnotic, or Anxiolytic Abuse with Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Delusions</b> (In medical record use this ICD-10 Code/Name with DSM-IV criteria for both Sedative, Hypnotic, or Anxiolytic Abuse, pg. 286 & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F13.151	<b>Sedative, Hypnotic, or Anxiolytic Abuse With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Hallucinations</b> (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Sedative, Hypnotic, or Anxiolytic Abuse, pg. 286 & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F13.250	<b>Sedative, Hypnotic, or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Delusions</b> (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Sedative, Hypnotic, or Anxiolytic Dependence, pg. 285 & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F13.251	<b>Sedative, Hypnotic, or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder with Hallucinations</b> (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Sedative, Hypnotic, or Anxiolytic Dependence, pg. 285 & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F13.180	Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder, With Mild Use Disorder
F13.280	Sedative-, Hypnotic, or Anxiolytic-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F13.980	Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder, Without Use Disorder
F13.14	Sedative-, Hypnotic-, or Anxiolytic-Induced Bipolar and Related Disorder, With Mild Use Disorder
F13.24	Sedative-, Hypnotic, or Anxiolytic-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F13.94	Sedative-, Hypnotic-, or Anxiolytic-Induced Bipolar and Related Disorder, Without Use Disorder
F13.14	Sedative-, Hypnotic-, or Anxiolytic-Induced Depressive Disorder, With Mild Use Disorder
F13.24	Sedative-, Hypnotic-, or Anxiolytic-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F13.94	Sedative-, Hypnotic-, or Anxiolytic-Induced Depressive Disorder, Without Use Disorder
F94.0	Selective Mutism
F93.0	Separation Anxiety Disorder
F40.10	Social Anxiety Disorder (Social Phobia)
F45.1	Somatic Symptom Disorder
F45.0	<b>Somatization Disorder</b> (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 486, for Somatization Disorder. Do not use DSM-IV-TR Code/Name.) <sup>1</sup>
F40.218	Specific Phobia, Animal
F40.230	Specific Phobia, Fear Of Blood
F40.231	Specific Phobia, Fear Of Injections and Transfusions
F40.233	Specific Phobia, Fear Of Injury
F40.232	Specific Phobia, Fear Of Other Medical Care
F40.228	Specific Phobia, Natural Environment
F40.248	Specific Phobia, Situational
F98.4	Stereotypic Movement Disorder

<sup>1</sup> Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

10-1-18 ACBHCS Mental Health Inpatient Medi-Cal Included Diagnoses List - by DSM-5 Name  
 (Crossed out diagnoses are not allowed. Always use ICD-10 codes)

ACBHCS Inpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F95.2	Tourette's Disorder
F41.9	Unspecified Anxiety Disorder
F90.9	Unspecified Attention-Deficit/Hyperactivity Disorder
F31.9	Unspecified Bipolar and Related Disorder
F32.9	Unspecified Depressive Disorder
F91.9	Unspecified Disruptive, Impulse-Control, and Conduct Disorder
F44.9	Unspecified Dissociative Disorder
<del>R15.9</del>	<del>Unspecified Elimination Disorder, With Fecal Symptoms<sup>3</sup></del>
F50.9	Unspecified Feeding or Eating Disorder
F42.9	Unspecified Obsessive-Compulsive and Related Disorder
F60.9	Unspecified Personality Disorder
F29	Unspecified Schizophrenia Spectrum and Other Psychotic Disorder
F45.9	<b>Unspecified Somatic Symptom and Related Disorder</b>
F95.9	Unspecified Tic Disorder
F43.9	<b>Unspecified Trauma-and Stressor-Related Disorder</b>

<sup>1</sup> Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

<sup>3</sup>Diagnosis pending, cannot currently be used.