

4-5-17 ACBHCS SUD Included DSM-IV to DSM-5 Crosswalk

Use as a guide only, physician/LPHA must rediagnose client using criteria specified in DSM-5

DSM-IV Code	Previous DHCS <u>SUD</u> Included DSM-IV Diagnoses	ICD-10 Code	DSM-5 Diagnosis Name
303.90 305.00	Alcohol Dependence Alcohol Abuse	F10.10	Alcohol use disorder, Mild
		F10.129	Alcohol intoxication, With mild use disorder
		F10.20	Alcohol use disorder, Moderate
		F10.20	Alcohol use disorder, Severe
		F10.229	Alcohol intoxication, With moderate or severe use disorder
		F10.239	Alcohol withdrawal, Without perceptual disturbances
		F10.239	Alcohol withdrawal, Without perceptual disturbances
		F10.929	Alcohol intoxication, Without use disorder
304.00 305.50	Opioid Dependence Opioid Abuse	F11.129	Opioid intoxication, Without perceptual disturbances, With mild use disorder
		F11.20	Opioid use disorder, Moderate
		F11.20	Opioid use disorder, Severe
		F11.229	Opioid intoxication, Without perceptual disturbances, With moderate or severe use disorder
		F11.23	Opioid withdrawal
		F11.929	Opioid intoxication, Without perceptual disturbances, Without use disorder
304.30 305.20	Cannabis Dependence Cannabis Abuse	F12.10	Cannabis use disorder, Mild
		F12.20	Cannabis use disorder, Moderate
		F12.20	Cannabis use disorder, Severe
		F12.229	Cannabis intoxication, Without perceptual disturbances, With moderate or severe use disorder
		F12.929	Cannabis intoxication, Without perceptual disturbances, Without use disorder
304.10 305.40	Barbiturate or similarly acting sedative dependence ¹ Barbiturate or similarly acting sedative abuse ¹	F13.10	Sedative, hypnotic, or anxiolytic use disorder, Mild
		F13.129	Sedative, hypnotic, or anxiolytic intoxication, With mild use disorder
		F13.20	Sedative, hypnotic, or anxiolytic use disorder, Moderate
		F13.20	Sedative, hypnotic, or anxiolytic use disorder, Severe
		F13.229	Sedative, hypnotic, or anxiolytic intoxication, With moderate or severe use disorder
		F13.239	Sedative, hypnotic, or anxiolytic withdrawal, Without perceptual disturbances
		F13.239	Sedative, hypnotic, or anxiolytic withdrawal, Without perceptual disturbances
		F13.921	Sedative, hypnotic, or anxiolytic intoxication delirium, Without use disorder
		F13.921	Sedative-, hypnotic-, or anxiolytic-induced delirium
		F13.929	Sedative, hypnotic, or anxiolytic intoxication, Without use disorder

4-5-17 ACBHCS SUD Included DSM-IV to DSM-5 Crosswalk

Use as a guide only, physician/LPHA must rediagnose client using criteria specified in DSM-5

DSM-IV Code	Previous DHCS <u>SUD</u> Included DSM-IV Diagnoses	ICD-10 Code	DSM-5 Diagnosis Name
304.20 305.60	Cocaine Dependence Cocaine Abuse	F14.10	Cocaine use disorder, Mild
		F14.129	Cocaine intoxication, Without perceptual disturbances, With mild use disorder
		F14.20	Cocaine use disorder, Moderate
		F14.20	Cocaine use disorder, Severe
		F14.229	Cocaine intoxication, Without perceptual disturbances, With moderate or severe use disorder
		F14.23	Cocaine withdrawal
		F14.929	Cocaine intoxication, Without perceptual disturbances, Without use disorder
304.40 305.70	Amphetamine Dependence Amphetamine Abuse	F15.10	Amphetamine-type substance use disorder, Mild
		F15.10	Other or unspecified stimulant use disorder, Mild
		F15.20	Amphetamine-type substance use disorder, Moderate
		F15.20	Amphetamine-type substance use disorder, Severe
		F15.20	Other or unspecified stimulant use disorder, Moderate
		F15.20	Other or unspecified stimulant use disorder, Severe
		F15.229	Amphetamine or other stimulant intoxication, Without perceptual disturbances, With moderate or severe use disorder
305.30 305.90 304.50	Hallucinogen Abuse PCP Abuse/Psychoactive Substance Abuse NOS PCP/Hallucinogen Dependence	F15.23	Amphetamine or other stimulant withdrawal
		F15.929	Amphetamine or other stimulant intoxication, Without perceptual disturbances, Without use disorder
		F16.10	Phencyclidine use disorder, Mild
		F16.10	Other hallucinogen use disorder, Mild
		F16.129	Phencyclidine intoxication, With mild use disorder
		F16.129	Other hallucinogen intoxication, With mild use disorder
		F16.20	Phencyclidine use disorder, Moderate
		F16.20	Phencyclidine use disorder, Severe
		F16.20	Other hallucinogen use disorder, Moderate
		F16.20	Other hallucinogen use disorder, Severe
		F16.229	Phencyclidine intoxication, With moderate or severe use disorder
		F16.229	Other hallucinogen intoxication, With moderate or severe use disorder
		F16.929	Phencyclidine intoxication, Without use disorder
		F16.929	Other hallucinogen intoxication, Without use disorder

4-5-17 ACBHCS SUD Included DSM-IV to DSM-5 Crosswalk

Use as a guide only, physician/LPHA must rediagnose client using criteria specified in DSM-5

DSM-IV Code	Previous DHCS <u>SUD</u> Included DSM-IV Diagnoses	ICD-10 Code	DSM-5 Diagnosis Name
304.60 305.90	Inhalant Dependence Inhalant Abuse	F18.10	Inhalant use disorder, Mild
		F18.129	Inhalant intoxication, With mild use disorder
		F18.20	Inhalant use disorder, Moderate
		F18.20	Inhalant use disorder, Severe
		F18.229	Inhalant intoxication, With moderate or severe use disorder
		F18.929	Inhalant intoxication, Without use disorder
304.90	Polysubstance Dependence/Psychoactive Substance Dependence	Diagnose each substance use disorder separately	
	Any DHCS Included SUD DSM-IV diagnoses	F19.10	Other (or unknown) substance use disorder, Mild
		F19.129	Other (or unknown) substance intoxication, With mild use disorder
		F19.20	Other (or unknown) substance use disorder, Moderate
		F19.20	Other (or unknown) substance use disorder, Severe
		F19.229	Other (or unknown) substance intoxication, With moderate or severe use disorder
		F19.239	Other (or unknown) substance withdrawal
		F19.929	Other (or unknown) substance intoxication, Without use disorder
799.9	Deferred Diagnosis	R69	Deferred (can only be used until assessment is completed)
V71.09	No Diagnosis	Z03.89	No Diagnosis (no Medical Necessity)