Instructions: DHCS publishes the list of diagnoses covered by Medi-Cal in ICD-10 format. The DSM is used because ICD-10 does not provide specific diagnostic criteria. Providers must always use DSM-5 first and whenever possible. A few allowable diagnoses do not have a better or equivalent DSM-5 diagnosis and DSM-IV-TR criteria may be used for these ICD-10 diagnoses. For these diagnoses, shaded in green, providers must use the ICD-10 code and name in the medical record; **Do not use the DSM-IV-TR name or code**. Crossed out diagnoses may not be used at this time. Z03.89, No Diagnosis may be used during the assessment period, but once an assessment determines that the client does not have a diagnosis, or has a non-included diagnosis, no additional claiming can be made until medical necessity is established for that client. ICD-10 codes are repeated when there are different diagnoses that use the same code. Nothing in this list supersedes DSM-5 diagnostic criteria.

Specifiers: DSM-5 diagnoses have uncoded specifiers to refine diagnoses. The clients' medical record must include the ICD-10 code, DSM-5 name (or ICD-10 name), and **all** relevant specifiers.

	ACBHCS Outpatient Included List	
ICD-10 DSM-5 Name/Descriptor - ICD-10 Name in Bold		
F43.0	Acute Stress Disorder	
F43.20	Adjustment Disorders, Unspecified	
F43.22	Adjustment Disorders, With Anxiety	
F43.21	Adjustment Disorders, With Depressed Mood	
F43.24	Adjustment Disorders, With Disturbance Of Conduct	
F43.23	Adjustment Disorders, With Mixed Anxiety and Depressed Mood	
F43.25	Adjustment Disorders, With Mixed Disturbance Of Emotions and Conduct	
F40.00	Agoraphobia	
F50.02	Anorexia Nervosa, Binge-Eating/Purging Type	
F50.01	Anorexia Nervosa, Restricting Type	
	Asperger's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 80,	
F84.5	for Asperger's Disorder. Do not use DSM-IV-TR code/name.) ¹	
F90.2	Attention-Deficit/Hyperactivity Disorder, Combined Presentation	
F90.1	Attention-Deficit/Hyperactivity Disorder, Predominately Hyperactive/Impulsive Presentation	
F90.0	Attention-Deficit/Hyperactivity Disorder, Predominately Inattentive Presentation	
F60.6	Avoidant Personality Disorder	
F50.82	Avoidant/Restrictive Food Intake Disorder	
F50.81	Binge Eating Disorder	
F31.76	Bipolar I Disorder, Current or Most Recent Episode Depressed, In Full Remission	
F31.75	Bipolar I Disorder, Current or Most Recent Episode Depressed, In Partial Remission	
F31.31	Bipolar I Disorder, Current or Most Recent Episode Depressed, Mild	
F31.32	Bipolar I Disorder, Current or Most Recent Episode Depressed, Moderate	
F31.4	Bipolar I Disorder, Current or Most Recent Episode Depressed, Severe	
F31.9	Bipolar I Disorder, Current or Most Recent Episode Depressed, Unspecified	
F31.5	Bipolar I Disorder, Current or Most Recent Episode Depressed, With Psychotic Features	
F31.0	Bipolar I Disorder, Current or Most Recent Episode Hypomanic	
F31.72	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, In Full Remission	
F31.71	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, In Partial Remission	
F31.9	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, Unspecified	
F31.74	Bipolar I Disorder, Current or Most Recent Episode Manic, In Full Remission	
F31.73	Bipolar I Disorder, Current or Most Recent Episode Manic, In Partial Remission	
F31.11	Bipolar I Disorder, Current or Most Recent Episode Manic, Mild	
F31.12	Bipolar I Disorder, Current or Most Recent Episode Manic, Moderate	
F31.13	Bipolar I Disorder, Current or Most Recent Episode Manic, Severe	
F31.9	Bipolar I Disorder, Current or Most Recent Episode Manic, Unspecified	
F31.2	Bipolar I Disorder, Current or Most Recent Episode Manic, With Psychotic Features	
F31.9	Bipolar I Disorder, Current or Most Recent Episode Unspecified	
F31.81	Bipolar II Disorder	
F45.22	Body Dysmorphic Disorder	
F60.3	Borderline Personality Disorder	

	ACBHCS Outpatient Included List
ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold
F23	Brief Psychotic Disorder
F23	Brief Psychotic Disorder, With peripartum onset
F50.2	Bulimia Nervosa
F93.9	Childhood Emotional Disorder, Unspecified (In medical record use this ICD-10 code/name with
	DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-
	TR code/name.) ¹
F91.2	Conduct Disorder, Adolescent-Onset Type
F91.1	Conduct Disorder, Childhood-Onset Type
F91.9	Conduct Disorder, Unspecified Onset
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Abnormal Movement
F44.6	Conversion Disorder (Functional Neurological Symptom Disorder), With Anesthesia or Sensory Loss
F44.5	Conversion Disorder (Functional Neurological Symptom Disorder), With Attacks or Seizures
F44.7	Conversion Disorder (Functional Neurological Symptom Disorder), With Attacks of Seizures
F44.6	Conversion Disorder (Functional Neurological Symptom Disorder), With Special Sensory Symptoms
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Speech Symptoms
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Swallowing Symptoms
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Weakness/Paralysis
F34.0	Cyclothymic Disorder
F22	Delusional Disorder
F60.7	Dependent Personality Disorder
F48.1	Depersonalization/Derealization Disorder
R69	Diagnosis Deferred (A beneficiary may be given Diagnosis Deferred at intake, however once the assessment is completed, no claiming can be made with this diagnosis.)
F94.2	Disinhibited Social Engagement Disorder
F34.81	Disruptive Mood Dysregulation Disorder
F44.0	Dissociative Amnesia
F44.1	Dissociative Amnesia, With Dissociative Fugue
F44.81	Dissociative Identity Disorder
G25.70	Drug Induced Movement Disorder, Unspecified (Use ICD-10 Bluebook Criteria) ³
020110	Drug-Induced Movement Disorder, Unspecified (In medical record use this ICD-10 code/name with
G25.70	DSM-IV-TR criteria, pg. 736, for Medication Induced Movement Disorder NOS. Do not use DSM-IV-TR
020.70	code/name.) ⁴
F98.1	Encopresis
F98.0	Enuresis
F42.4	Excoriation (Skin-Picking) Disorder
F65.2	Exhibitionistic Disorder
	Extrapyramidal and Movement Disorder, Unspecified (In medical record use this ICD-10 code/name
G25.9	with DSM-IV-TR criteria, pg. 736, for Medication Induced Movement Disorder NOS. Do not use DSM-IV-
02010	TR code/name.) ¹
G25.9	Extrapyramidal and Movement Disorder, Unspecified ³
F68.A	Factitious Disorder Imposed on Another
F68.10	Factitious Disorder Imposed on Self
F65.0	Fetishistic Disorder
F65.81	Frotteuristic Disorder
F63.0	Gambling Disorder
F64.0	Gender Dysphoria In Adolescents and Adults
F64.2	Gender Dysphoria In Children
F41.1	Generalized Anxiety Disorder
F60.4	Histrionic Personality Disorder
F42.3	Hoarding Disorder
1 72.0	

	ACBHCS Outpatient Included List
ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold
G24.4	Idiopathic Orofacial Dystonia (In medical record use this ICD-10 code/name with DSM-IV-TR criteria,
021	pg. 736, for Neuroleptic-Induced Tardive Dyskinesia. Do not use DSM-IV-TR code/name.) ⁴ : OR
G24.4	Idiopathic Orofacial Dystonia (Use ICD-10 Bluebook Criteria) ³
F45.21	Illness Anxiety Disorder
R15.0	Incomplete Defecation (Use ICD-10 Bluebook Criteria) ³
F63.81	Intermittent Explosive Disorder
F63.2	Kleptomania
F33.42	Major Depressive Disorder, Recurrent Episode, In Full Remission
F33.41	Major Depressive Disorder, Recurrent Episode, In Partial Remission
F33.0	Major Depressive Disorder, Recurrent Episode, Mild
F33.1	Major Depressive Disorder, Recurrent Episode, Moderate
F33.2	Major Depressive Disorder, Recurrent Episode, Severe
F33.9	Major Depressive Disorder, Recurrent Episode, Unspecified
F33.3	Major Depressive Disorder, Recurrent Episode, With Psychotic Features
F32.5	Major Depressive Disorder, Single Episode, In Full Remission
F32.4	Major Depressive Disorder, Single Episode, In Partial Remission
F32.0	Major Depressive Disorder, Single Episode, Mild
F32.1	Major Depressive Disorder, Single Episode, Moderate
F32.2	Major Depressive Disorder, Single Episode, Severe
F32.9	Major Depressive Disorder, Single Episode, Unspecified
F32.3	Major Depressive Disorder, Single Episode, With Psychotic Features
G25.71	Medication-Induced Acute Akathisia ³
G25.1	Medication-Induced Postural Tremor ³
F60.81	Narcissistic Personality Disorder
G21.0	Neuroleptic Malignant Syndrome ³
G21.11	Neuroleptic-Induced Parkinsonism ³
Z03.89	No Diagnosis (A beneficiary may be given No Diagnosis at intake, however once the assessment is
	completed, no claiming can be made with this diagnosis.)
F42.2	Obsessive-Compulsive Disorder
F60.5	Obsessive-Compulsive Personality Disorder
F91.3	Oppositional Defiant Disorder
	Other Childhood Disintegrative Disorder (In medical record use this ICD-10 code/name with DSM-IV-
F84.3	TR criteria, pg. 77, for Child Disintegrative Disorder. Do not use DSM-IV-TR code/name.) ¹
	Other Childhood Emotional Disorders (In medical record use this ICD-10 code/name with DSM-IV-
F93.8	TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR
	code/name.) ¹
	Other Feeding Disorders of Infancy and Early Childhood (In medical record use this ICD-10
F98.29	code/name with DSM-IV-TR criteria, pg. 107, for Feeding Disorder of Infancy or Early Childhood. Do not
	use DSM-IV-TR code/name.) ¹
	Other Pervasive Developmental Disorders (In medical record use this ICD-10 code/name with DSM-
F84.8	IV-TR criteria, pg. 84, for Pervasive Developmental Disorder NOS. Do not use DSM-IV-TR
	code/name.) ¹
F41.8	Other Specified Anxiety Disorder
F90.8	Other Specified Attention-Deficit/Hyperactivity Disorder
F31.89	Other Specified Bipolar and Related Disorder
F32.89	Other Specified Depressive Disorder
F91.8	Other Specified Disruptive, Impulse-Control, and Conduct Disorder
F44.89	Other Specified Dissociative Disorder
R15.9	Other Specified Elimination Disorder, With Fecal Symptoms ³

	ACBHCS Outpatient Included List
ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold
F50.89	Other Specified Feeding or Eating Disorder
F64.8	Other Specified Gender Dysphoria
F42.8	Other Specified Obsessive-Compulsive and Related Disorder
F65.89	Other Specified Paraphilic Disorder
F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder
F45.8	Other Specified Somatic Symptom and Related Disorder
F95.8	Other Specified Tic Disorder
F43.8	Other Specified Trauma- and Stressor-Related Disorder
F45.41	Pain Disorder Exclusively Related to Psychological Factors (In medical record use this ICD-10
	code/name with DSM-IV-TR criteria, pg. 499, for Pain Disorder Associated With Psychological Factors.
	Do not use DSM-IV-TR code/name.) ¹
	Pain Disorder With Related Psychological Factors (In medical record use this ICD-10 code/name
F45.42	with DSM-IV-TR criteria, pg. 499, for Pain Disorder Associated With Psychological Factors. Do not use
F40.4Z	DSM-IV-TR code/name.) ¹
F41.0	Panic Disorder
F60.0	Paranoid Personality Disorder
F60.0 F65.4	Paranoid Personality Disorder Pedophilic Disorder
F05.4 F95.1	Persistent (Chronic) Motor or Vocal Tic Disorder
F34.1	Persistent Depressive Disorder (Dysthymia)
1 34.1	Pervasive Developmental Disorder, Unspecified (In medical record use this ICD-10 code/name with
F84.9	DSM-IV-TR criteria, pg. 84, for Pervasive Developmental Disorder NOS. Do not use DSM-IV-TR
го4.9	
	code/name.) ¹
F50.89	Pica, In Adults
F98.3 F43.10	Pica, In Children Posttraumatic Stress Disorder
	Provisional Tic Disordor
F95.0	Provisional Tic Disorder
F63.1	Pyromania
	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive
F63.1	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood
F63.1 F94.1	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with
F63.1	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV-
F63.1 F94.1	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹
F63.1 F94.1	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹ Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for
F63.1 F94.1 F94.1 F84.2	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹ Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹
F63.1 F94.1 F94.1 F84.2 F98.21	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹ Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹ Rumination Disorder
F63.1 F94.1 F94.1 F84.2 F98.21 F25.0	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹ Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹ Rumination Disorder Schizoaffective Disorder, Bipolar Type
F63.1 F94.1 F94.1 F84.2 F98.21 F25.0 F25.1	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹ Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹ Rumination Disorder Schizoaffective Disorder, Bipolar Type Schizoaffective Disorder, Depressive Type
F63.1 F94.1 F94.1 F84.2 F98.21 F25.0 F25.1 F60.1	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹ Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹ Rumination Disorder Schizoaffective Disorder, Bipolar Type Schizoaffective Disorder, Depressive Type Schizoid Personality Disorder
F63.1 F94.1 F94.1 F84.2 F98.21 F25.0 F25.1 F60.1 F20.9	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹ Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹ Rumination Disorder Schizoaffective Disorder, Bipolar Type Schizoaffective Disorder, Depressive Type Schizoid Personality Disorder Schizophrenia
F63.1 F94.1 F94.1 F94.2 F98.21 F25.0 F25.1 F60.1 F20.9 F20.81	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹ Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹ Rumination Disorder Schizoaffective Disorder, Bipolar Type Schizoaffective Disorder, Depressive Type Schizoid Personality Disorder Schizophrenia Schizophreniform Disorder
F63.1 F94.1 F94.1 F84.2 F98.21 F25.0 F25.1 F60.1 F20.9 F20.81 F21	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹ Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹ Rumination Disorder Schizoaffective Disorder, Bipolar Type Schizoaffective Disorder, Depressive Type Schizoid Personality Disorder Schizophrenia Schizophreniform Disorder
F63.1 F94.1 F94.1 F84.2 F98.21 F25.0 F25.1 F60.1 F20.9 F20.81 F21 F94.0	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹ Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹ Rumination Disorder Schizoaffective Disorder, Bipolar Type Schizoaffective Disorder, Depressive Type Schizoid Personality Disorder Schizophrenia Schizophrenia Schizophreniform Disorder Schizotypal Personality Disorder Selective Mutism
F63.1 F94.1 F94.1 F94.1 F84.2 F98.21 F25.0 F25.1 F60.1 F20.9 F20.81 F21 F21 F94.0 F93.0	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹ Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹ Rumination Disorder Schizoaffective Disorder, Bipolar Type Schizoaffective Disorder, Depressive Type Schizoid Personality Disorder Schizophrenia Schizophrenia Schizophreniform Disorder Schizotypal Personality Disorder Selective Mutism Separation Anxiety Disorder
F63.1 F94.1 F94.1 F94.1 F84.2 F98.21 F25.0 F25.1 F60.1 F20.9 F20.81 F21 F94.0 F93.0 F65.51	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹ Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹ Rumination Disorder Schizoaffective Disorder, Bipolar Type Schizoaffective Disorder, Depressive Type Schizophrenia Schizophrenia Schizophrenia Schizophrenia Schizophrenia Schizophrenia Schizophreniform Disorder Schizotypal Personality Disorder Selective Mutism Separation Anxiety Disorder Sexual Masochism Disorder
F63.1 F94.1 F94.1 F94.1 F84.2 F98.21 F25.0 F25.1 F60.1 F20.9 F20.81 F21 F94.0 F93.0 F65.51 F65.52	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹ Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹ Rumination Disorder Schizoaffective Disorder, Bipolar Type Schizoaffective Disorder, Depressive Type Schizoid Personality Disorder Schizophrenia Schizophrenia Schizophreniform Disorder Schizotypal Personality Disorder Selective Mutism Separation Anxiety Disorder Sexual Masochism Disorder
F63.1 F94.1 F94.1 F94.1 F84.2 F98.21 F25.1 F60.1 F20.9 F20.81 F21 F94.0 F93.0 F65.51 F65.52 F80.82	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹ Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹ Rumination Disorder Schizoaffective Disorder, Bipolar Type Schizoaffective Disorder, Depressive Type Schizophrenia Schizophrenia Schizophrenia Schizophrenia Schizophrenia Separation Anxiety Disorder Sexual Masochism Disorder Sexual Sadism Disorder Social (Pragmatic) Communication Disorder
F63.1 F94.1 F94.1 F94.1 F98.21 F25.0 F25.1 F60.1 F20.81 F21 F94.0 F93.0 F65.51 F65.52 F80.82 F40.10	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹ Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹ Rumination Disorder Schizoaffective Disorder, Bipolar Type Schizoaffective Disorder, Depressive Type Schizoid Personality Disorder Schizotypal Personality Disorder Selective Mutism Separation Anxiety Disorder Sexual Masochism Disorder Social (Pragmatic) Communication Disorder Social Anxiety Disorder (Social Phobia)
F63.1 F94.1 F94.1 F94.1 F84.2 F98.21 F25.1 F25.1 F20.9 F20.81 F21 F20.9 F20.81 F21 F94.0 F93.0 F65.51 F65.52 F80.82 F40.10 F45.1	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.)1 Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.)1 Rumination Disorder Schizoaffective Disorder, Bipolar Type Schizoaffective Disorder, Depressive Type Schizoaffective Disorder Schizophrenia Schizophrenia Separation Anxiety Disorder Sexual Masochism Disorder Social (Pragmatic) Communication Disorder Social Anxiety Disorder (Social Phobia) Somatic Symptom Disorder
F63.1 F94.1 F94.1 F94.1 F98.21 F25.0 F25.1 F60.1 F20.81 F21 F94.0 F93.0 F65.51 F65.52 F80.82 F40.10	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹ Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹ Rumination Disorder Schizoaffective Disorder, Depressive Type Schizoaffective Disorder, Depressive Type Schizoaffective Disorder Schizotypal Personality Disorder Separation Anxiety Disorder Sexual Masochism Disorder Social (Pragmatic) Communication Disorder Social (Pragmatic) Communication Disorder Social (Pragmatic) Communication Disorder Social Symptom Disorder Somatic Symptom Disorder Somatization Disorder (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg.
F63.1 F94.1 F94.1 F94.1 F84.2 F98.21 F25.1 F60.1 F25.1 F60.1 F25.1 F60.1 F25.1 F60.1 F20.9 F20.81 F21 F94.0 F93.0 F65.51 F65.52 F80.82 F40.10 F45.1 F45.0	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹ Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹ Rumination Disorder Schizoaffective Disorder, Bipolar Type Schizoaffective Disorder, Depressive Type Schizod Personality Disorder Schizotypal Personality Disorder Separation Anxiety Disorder Sexual Masochism Disorder Social (Pragmatic) Communication Disorder Social Anxiety Disorder (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 486, for Somatization Disorder. Do not use DSM-IV-TR code/name.) ¹
F63.1 F94.1 F94.1 F94.1 F98.21 F25.1 F60.1 F25.1 F60.1 F25.1 F60.1 F25.1 F60.1 F25.1 F60.1 F20.9 F20.81 F21 F94.0 F93.0 F65.51 F65.52 F80.82 F40.10 F45.1 F45.0 F40.218	Pyromania Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type use ICD-10 F94.1, Reactive Attachment Disorder of Childhood Reactive Attachment Disorder of Childhood (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 127, for Reactive Attachment Disorder, Disinhibited Type. Do not use DSM-IV- TR code/name.) ¹ Rett's Syndrome (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 76, for Rett's Disorder. Do not use DSM-IV-TR code/name.) ¹ Rumination Disorder Schizoaffective Disorder, Depressive Type Schizoaffective Disorder, Depressive Type Schizoaffective Disorder Schizotypal Personality Disorder Separation Anxiety Disorder Sexual Masochism Disorder Social (Pragmatic) Communication Disorder Social (Pragmatic) Communication Disorder Social (Pragmatic) Communication Disorder Social Symptom Disorder Somatic Symptom Disorder Somatization Disorder (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg.

ACBHCS Outpatient Included List		
ICD-10	DSM-5 Name/Descriptor - ICD-10 Name in Bold	
F40.231	Specific Phobia, Fear Of Injections and Transfusions	
F40.233	Specific Phobia, Fear Of Injury	
F40.232	Specific Phobia, Fear Of Other Medical Care	
F40.228	Specific Phobia, Natural Environment	
F40.248	Specific Phobia, Situational	
F98.4	Stereotypic Movement Disorder	
G25.71	Tardive Akathisia ³	
F95.2	Tourette's Disorder	
F65.1	Transvestic Disorder	
F63.3	Trichotillomania (Hair-Pulling Disorder)	
F41.9	Unspecified Anxiety Disorder	
F90.9	Unspecified Attention-Deficit/Hyperactivity Disorder	
F31.9	Unspecified Bipolar and Related Disorder	
F80.9	Unspecified Communication Disorder	
F32.9	Unspecified Depressive Disorder	
F91.9	Unspecified Disruptive, Impulse-Control, and Conduct Disorder	
F44.9	Unspecified Dissociative Disorder	
R15.9	Unspecified Elimination Disorder, With Fecal Symptoms ³	
F50.9	Unspecified Feeding or Eating Disorder	
F64.9	Unspecified Gender Dysphoria	
F42.9	Unspecified Obsessive-Compulsive and Related Disorder	
F65.9	Unspecified Paraphilic Disorder	
F60.9	Unspecified Personality Disorder	
F29	Unspecified Schizophrenia Spectrum and Other Psychotic Disorder	
F45.9	Unspecified Somatic Symptom and Related Disorder	
F95.9	Unspecified Tic Disorder	
F43.9	Unspecified Trauma- and Stressor-Related Disorder	
F65.3	Voyeuristic Disorder	