Instructions: Crossed out diagnoses are not recommended for ACBHCS Medi-Cal claiming. The left column is the complete 10/13/2017 DHCS Inpatient Included list (with a few additional diagnoses indicated by "superscript<sup>2</sup>"), however, not all ICD-10 codes on the DHCS list are recommended by Alameda County BHCS. It is highly recommended that providers use the ACBHCS list in the right column. Whenever possible, ICD-10 diagnoses that are also DSM-5 diagnoses should be used (as indicated). Available DSM-IV-TR diagnoses are listed if no DSM-5 diagnosis exists for an allowed ICD-10 code. Diagnoses are repeated when there are multiple potential cross walked diagnoses or different diagnoses with the same code and indicated by {brackets}.

Specifiers: Both DSM-IV-TR and DSM-5 diagnoses have uncoded specifiers that refine diagnoses. Clients' medical record must include the ICD-10 code and ICD-10 name (with DSM-IV/DSM-5 name preferred), and all relevant specifiers. A few specifiers are included below to indicate accurate cross walked diagnoses; however this is not an exhaustive list.

Substance Use Disorders: Per DSM-5, use the ICD-10 code with the specific substance name, not necessarily the category name of the diagnosis.

DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name/Descriptor (Unless Otherwise Indicated)
	DHCS Inpatient Included List (except as noted <sup>2</sup> )		ACBHCS Inpatient Included List
F40.241	Acrophobia	F40.248	Specific Phobia, Situational
F43.0	Acute Stress Reaction	F43.0	Acute Stress Disorder
F43.22	Adjustment Disorder With Anxiety	F43.22	Adjustment Disorders, With Anxiety
F43.21	Adjustment Disorder With Depressed Mood	F43.21	Adjustment Disorders, With Depressed Mood
F43.24	Adjustment Disorder With Disturbance of Conduct	F43.24	Adjustment Disorders, With Disturbance Of Conduct
F43.23	Adjustment Disorder With Mixed Anxiety and Depressed Mood	F43.23	Adjustment Disorders, With Mixed Anxiety and Depressed Mood
F43.25	Adjustment Disorder With Mixed Disturbance of Emotions and Conduct	F43.25	Adjustment Disorders, With Mixed Disturbance Of Emotions and Conduct
F43.29	Adjustment Disorder with Other Symptoms	F43.20	Adjustment Disorders, Unspecified; <u>OR</u>
F43.29	Adjustment Disorder with Other Symptoms	F43.10	Posttraumatic Stress Disorder
F43.20	Adjustment Disorder, Unspecified	F43.20	Adjustment Disorders, Unspecified
F40.01	Agoraphobia With Panic Disorder	F40.00 + F41.0	Agoraphobia (F40.00) and Panic Disorder (F41.0) - Use both diagnoses
F40.02	Agoraphobia Without Panic Disorder	F40.00	Agoraphobia
F40.00	Agoraphobia, Unspecified	F40.00	Agoraphobia
F10.180	Alcohol Abuse With Alcohol-Induced Anxiety Disorder	F10.180	Alcohol-Induced Anxiety Disorder, With Mild Use Disorder
F10.14	Alcohol Abuse With Alcohol-Induced Mood Disorder	F10.14	Alcohol-Induced Bipolar and Related Disorder, With Mild Use Disorder
F10.14	Alcohol Abuse With Alcohol-Induced Mood Disorder	F10.14	Alcohol-Induced Depressive Disorder, With Mild Use Disorder

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

F10.150	Alcohol Abuse With Alcohol-Induced Psychotic Disorder With Delusions	F10.150	Alcohol Abuse (Use DSM-IV-TR criterianot code on pg. 214) & Alcohol-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F10.151	Alcohol Abuse With Alcohol-Induced Psychotic Disorder With Hallucinations	F10.151	Alcohol Abuse (Use DSM-IV-TR criterianot code on pg. 214) & Alcohol-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F10.280	Alcohol Dependence With Alcohol-Induced Anxiety Disorder	F10.280	Alcohol-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F10.24	Alcohol Dependence With Alcohol-Induced Mood Disorder	F10.24	Alcohol-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F10.24	Alcohol Dependence With Alcohol-Induced Mood Disorder	F10.24	Alcohol-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F10.250	Alcohol Dependence With Alcohol-Induced Psychotic Disorder With Delusions	F10.250	Alcohol Dependence (Use DSM-IV-TR criterianot code on pg. 213) & Alcohol-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F10.251	Alcohol Dependence With Alcohol-Induced Psychotic Disorder With Hallucinations	F10.251	Alcohol Dependence (Use DSM-IV-TR criterianot code on pg. 213) & Alcohol-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F10.288	Alcohol Dependence With Other Alcohol-Induced Disorder	F10.288	Alcohol-Induced Mild Neurocognitive Disorder, With Moderate or Severe Use Disorder
F10.94	Alcohol Use, Unspecified, With Alcohol-Induced Mood Disorder	F10.94	Alcohol-Induced Bipolar and Related Disorder, Without Use Disorder
F10.94	Alcohol Use, Unspecified, With Alcohol-Induced Mood Disorder	F10.94	Alcohol-Induced Depressive Disorder, Without Use Disorder
F10.950	Alcohol Use, Unspecified, With Alcohol Induced Psychotic Disorder- With Delusions	F10.150	Alcohol Abuse (Use DSM-IV-TR criterianot code on pg. 214) & Alcohol-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup> ; OR
F10.950	Alcohol Use, Unspecified, With Alcohol Induced Psychotic Disorder- With Delusions	F10.250	Alcohol Dependence (Use DSM-IV-TR criterianot code on pg. 213) & Alcohol-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F10.951	Alcohol Use, Unspecified, With Alcohol Induced Psychotic Disorder- With Hallucinations	F10.151	Alcohol Abuse (Use DSM-IV-TR criterianot code on pg. 214) & Alcohol-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup> ; OR
F10.951	Alcohol Use, Unspecified, With Alcohol Induced Psychotic Disorder- With Hallucinations	F10.251	Alcohol Dependence (Use DSM-IV-TR criterianot code on pg. 213) & Alcohol-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F40.290	Androphobia	F41.8	Other Specified Anxiety Disorder
F50.02	Anorexia Nervosa, Binge Eating/Purging Type	F50.02	Anorexia Nervosa, Binge-Eating/Purging Type

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

F50.01	Anorexia Nervosa, Restricting type	F50.01	Anorexia Nervosa, Restricting Type
F50.00	Anorexia Nervosa, Unspecified	F50.9	Unspecified Feeding or Eating Disorder
F60.2	Antisocial Personality Disorder	F60.2	Antisocial Personality Disorder
F41.9	Anxiety Disorder, Unspecified	F41.9	Unspecified Anxiety Disorder
F40.210	<del>Arachnophobia</del>	F40.218	Specific Phobia, Animal
F84.5	Asperger's Syndrome	F84.5	Asperger's Disorder (Use DSM-IV-TR criterianot code on pg. 80) <sup>1</sup>
F90.2	Attention-Deficit/Hyperactivity Disorder, Combined Type	F90.2	Attention-Deficit/Hyperactivity Disorder, Combined Presentation
F90.8	Attention-Deficit/Hyperactivity Disorder, Other Type	F90.8	Other Specified Attention-Deficit/Hyperactivity Disorder
F90.1	Attention-Deficit/Hyperactivity Disorder, Predominantly Hyperactive type	F90.1	Attention-Deficit/Hyperactivity Disorder, Predominately Hyperactive/Impulsive Presentation
F90.0	Attention-Deficit/Hyperactivity Disorder, Predominantly Inattentive Type	F90.0	Attention-Deficit/Hyperactivity Disorder, Predominately Inattentive Presentation
F90.9	Attention-Deficit/Hyperactivity Disorder, Unspecified Type	F90.9	Unspecified Attention-Deficit/Hyperactivity Disorder
F84.0	Autistic Disorder	F84.0	Autism Spectrum Disorder
F60.6	Avoidant Personality Disorder	F60.6	Avoidant Personality Disorder
F50.82	Avoidant/Restrictive Food Intake Disorder	F50.9	Unspecified Feeding or Eating Disorder
F50.81	Binge Eating Disorder	F50.81	Binge Eating Disorder
F31.31	Bipolar Disorder, Current Episode Depressed, Mild	F31.31	Bipolar I Disorder, Current or Most Recent Episode Depressed, Mild
F31.30	Bipolar Disorder, Current Episode Depressed, Mild or Moderate Severity, Unspecified	F31.9	Unspecified Bipolar and Related Disorder
F31.32	Bipolar Disorder, Current Episode Depressed, Moderate	F31.32	Bipolar I Disorder, Current or Most Recent Episode Depressed, Moderate
F31.5	Bipolar Disorder, Current Episode Depressed, Severe, With Psychotic Features	F31.5	Bipolar I Disorder, Current or Most Recent Episode Depressed, With Psychotic Features + Severe specifier
F31.4	Bipolar Disorder, Current Episode Depressed, Severe, Without Psychotic Features	F31.4	Bipolar I Disorder, Current or Most Recent Episode Depressed, Severe
F31.0	Bipolar Disorder, Current Episode Hypomanic	F31.0	Bipolar I Disorder, Current or Most Recent Episode Hypomanic
F31.10	Bipolar Disorder, Current Episode Manic Without  Psychotic Features, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Manic, Unspecified
F31.2	Bipolar Disorder, Current Episode Manic, Severe, With Psychotic Features	F31.2	Bipolar I Disorder, Current or Most Recent Episode Manic, With Psychotic Features + Severe specifier
F31.11	Bipolar Disorder, Current Episode Manic, Without Psychotic Features, Mild	F31.11	Bipolar I Disorder, Current or Most Recent Episode Manic, Mild

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

F31	l.12	Bipolar Disorder, Current Episode Manic, Without Psychotic Features, Moderate	F31.12	Bipolar I Disorder, Current or Most Recent Episode Manic, Moderate
F31	1.13	Bipolar Disorder, Current Episode Manic, Without Psychotic Features, Severe	F31.13	Bipolar I Disorder, Current or Most Recent Episode Manic, Severe
F31	<del>l.61</del>	Bipolar Disorder, Current Episode Mixed, Mild		Bipolar Disorder, Mixed Episode is not in DSM-5. Instead, DSM-5 has a <i>With Mixed Features</i> specifier for the Bipolar I diagnosis.
F31	<del>1.62</del>	Bipolar Disorder, Current Episode Mixed, Moderate		For these diagnoses, consider an Included Bipolar Disorder diagnosis + With
F31	L.63	Bipolar Disorder, Current Episode Mixed, Severe, Without Psychotic- Features	-	mixed features specifier; OR
F24		Bipolar Disorder, Current Episode Mixed, Severe, With Psychotic-		F31.89 - Other Specified Bipolar and Related Disorder + With mixed features specifier; OR
<del>F31</del>	L.64	<del>Features</del>		F31.9 - Unspecified Bipolar and Related Disorder + With mixed features specifier
F31	L.60	Bipolar Disorder, Current Episode Mixed, Unspecified	F31.9	Unspecified Bipolar and Related Disorder + With mixed features specifier
F31	L.75	Bipolar Disorder, in Partial Remission, Most Recent Episode Depressed	F31.75	Bipolar I Disorder, Current or Most Recent Episode Depressed, In Partial Remission
F31	L.71	Bipolar Disorder, in Partial Remission, Most Recent Episode Hypomanic	F31.71	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, In Partial Remission
F31	L.73	Bipolar Disorder, in Partial Remission, Most Recent Episode Manic	F31.73	Bipolar I Disorder, Current or Most Recent Episode Manic, In Partial Remission
F31	L.77	Bipolar Disorder, in Partial Remission, Most Recent  Episode Mixed	-	Bipolar Disorder, Mixed Episode is not in DSM-5. For these diagnoses, consider an Included Bipolar Disorder diagnosis + With mixed features and In partial remission specifier; OR  F31.89 - Other Specified Bipolar and Related Disorder + With mixed features and In partial remission specifier; OR  F31.9 - Unspecified Bipolar and Related Disorder + With mixed features and In
				nartial remission specifier =
F3:	1.9	Bipolar Disorder, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Depressed, Unspecified; <u>OR</u>
F3:	1.9	Bipolar Disorder, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, Unspecified; OR
F3:	1.9	Bipolar Disorder, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Manic, Unspecified; <u>OR</u>

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

v.1.4.18 4 of 20

F31	.9 Bipolar Disorder, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Unspecified; OR
F31	.9 Bipolar Disorder, Unspecified	F31.9	Unspecified Bipolar and Related Disorder
F31	81 Bipolar II Disorder	F31.81	Bipolar II Disorder
F45	22 Body Dysmorphic Disorder	F45.22	Body Dysmorphic Disorder
F60	.3 Borderline Personality Disorder	F60.3	Borderline Personality Disorder
F2	Brief Psychotic Disorder	F23	Brief Psychotic Disorder
F50	.2 Bulimia Nervosa	F50.2	Bulimia Nervosa
F12.	Cannabis Abuse With Cannabis-Induced Anxiety Disorder	F12.180	Cannabis-Induced Anxiety Disorder, With Mild Use Disorder
F12.	Cannabis Abuse With Cannabis-Induced Psychotic Disorder With Hallucinations	F12.151	Cannabis Abuse (Use DSM-IV-TR criterianot code on pg. 236) & Cannabis-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F12.	Cannabis Abuse With Psychotic Disorder With Delusions	F12.150	Cannabis Abuse (Use DSM-IV-TR criterianot code on pg. 236) & Cannabis-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code-on pg. 338) <sup>1</sup>
F12.	Cannabis Dependence With Cannabis-Induced Anxiety Disorder	F12.280	Cannabis-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F12.	Cannabis Dependence With Cannabis-Induced Psychotic Disorder With Hallucinations	F12.251	Cannabis Dependence (Use DSM-IV-TR criterianot code on pg. 236) & Cannabis-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F12.	Cannabis Dependence With Psychotic Disorder With Delusions	F12.250	Cannabis Dependence (Use DSM-IV-TR criterianot code on pg. 236) & Cannabis-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F12.	Cannabis Use, Unspecified With Cannabis Induced Psychotic Disorder With Hallucinations	F12.151	Cannabis Abuse (Use DSM-IV-TR criterianot code on pg. 236) & Cannabis-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup> ; <u>OR</u>
<del>F12.</del>	Cannabis Use, Unspecified With Cannabis Induced Psychotic Disorder-With Hallucinations	F12.251	Cannabis Dependence (Use DSM-IV-TR criterianot code on pg. 236) & Cannabis-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F12.	Cannabis Use, Unspecified, With Cannabis-Induced Anxiety Disorder	F12.980	Cannabis-Induced Anxiety Disorder, Without Use Disorder
F12.	Cannabis Use, Unspecified, With Psychotic Disorder With Delusions	F12.150	Cannabis Abuse (Use DSM-IV-TR criterianot code on pg. 236) & Cannabis-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup> ; OR
F12.	Cannabis Use, Unspecified, With Psychotic Disorder With Delusions	F12.250	Cannabis Dependence (Use DSM-IV-TR criterianot code on pg. 236) & Cannabis-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

	F20.2	Catatonic Schizophrenia	F20.9	Schizophrenia
	F93.9	Childhood Emotional Disorder, Unspecified	F93.9	Disorders of Infancy, Child, or Adolescence, NOS (Use DSM-IV-TR criterianot
				code on pg. 134) <sup>1</sup>
	F95.1	Chronic Motor or Vocal Tic Disorder	F95.1	Persistent (chronic) Motor or Vocal Tic Disorder
	F40.240	Claustrophobia	F40.248	Specific Phobia, Situational
_	F14.180	Cocaine Abuse With Cocaine-Induced Anxiety Disorder	F14.180	Cocaine-Induced Anxiety Disorder, With Mild Use Disorder
	F14.14	Cocaine Abuse With Cocaine-Induced Mood Disorder	F14.14	Cocaine-Induced Bipolar and Related Disorder, With Mild Use Disorder
	F14.14	Cocaine Abuse With Cocaine-Induced Mood Disorder	F14.14	Cocaine-Induced Depressive Disorder, With Mild Use Disorder
	F14.150	Cocaine Abuse With Cocaine-Induced Psychotic Disorder With Delusions	F14.150	Cocaine Abuse (Use DSM-IV-TR criterianot code on pg. 243) & Cocaine-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
	F14.151	Cocaine Abuse With Cocaine-Induced Psychotic Disorder With Hallucinations	F14.151	Cocaine Abuse (Use DSM-IV-TR criterianot code on pg. 243) & Cocaine-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
	F14.280	Cocaine Dependence With Cocaine-Induced Anxiety Disorder	F14.280	Cocaine-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
	F14.24	Cocaine Dependence With Cocaine-Induced Mood Disorder	F14.24	Cocaine-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
	F14.24	Cocaine Dependence With Cocaine-Induced Mood Disorder	F14.24	Cocaine-Induced Depressive Disorder, With Moderate or Severe Use Disorder
	F14.250	Cocaine Dependence With Cocaine-Induced Psychotic Disorder With Delusions	F14.250	Cocaine Dependence (Use DSM-IV-TR criterianot code on pg. 242) & Cocaine-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
	F14.251	Cocaine Dependence With Cocaine-Induced Psychotic Disorder With Hallucinations	F14.251	Cocaine Dependence (Use DSM-IV-TR criterianot code on pg. 242) & Cocaine-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
	F14.980	Cocaine Use, Unspecified, With Cocaine-Induced Anxiety Disorder	F14.980	Cocaine-Induced Anxiety Disorder, Without Use Disorder
	F14.94	Cocaine Use, Unspecified, With Cocaine-Induced Mood Disorder	F14.94	Cocaine-Induced Bipolar and Related Disorder, Without Use Disorder
	F14.94	Cocaine Use, Unspecified, With Cocaine-Induced Mood Disorder	F14.94	Cocaine-Induced Depressive Disorder, Without Use Disorder
)	F14.950	Cocaine Use, Unspecified, With Cocaine Induced Psychotic Disorder- With Delusions	F14.150	Cocaine Abuse (Use DSM-IV-TR criterianot code on pg. 243) & Cocaine-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup> ; OR

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

<del>F14.950</del>	Cocaine Use, Unspecified, With Cocaine Induced Psychotic Disorder- With Delusions	F14.250	Cocaine Dependence (Use DSM-IV-TR criterianot code on pg. 242) & Cocaine-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F14.951	Cocaine Use, Unspecified, With Cocaine Induced Psychotic Disorder- With Hallucinations	F14.151	Cocaine Abuse (Use DSM-IV-TR criterianot code on pg. 243) & Cocaine-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup> ; OR
F14.951	Cocaine Use, Unspecified, With Cocaine Induced Psychotic Disorder- With Hallucinations	F14.251	Cocaine Dependence (Use DSM-IV-TR criterianot code on pg. 242) & Cocaine-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F91.2	Conduct Disorder, Adolescent-Onset Type	F91.2	Conduct Disorder, Adolescent-Onset Type
F91.1	Conduct Disorder, Childhood-Onset Type	F91.1	Conduct Disorder, Childhood-Onset Type
F91.9	Conduct Disorder, Unspecified	F91.9	Conduct Disorder, Unspecified Onset; <u>OR</u>
F91.9	Conduct Disorder, Unspecified	F91.9	Unspecified Disruptive, Impulse-Control, and Conduct Disorder
F44.7	Conversion Disorder With Mixed Symptom Presentation	F44.7	Conversion Disorder (Functional Neurological Symptom Disorder), With Mixed Symptoms
F44.4	Conversion Disorder With Motor Symptom or Deficit	F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Abnormal Movement; OR
F44.4	Conversion Disorder With Motor Symptom or Deficit	F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Speech Symptoms; OR
F44.4	Conversion Disorder With Motor Symptom or Deficit	F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Swallowing Symptoms; OR
F44.4	Conversion Disorder With Motor Symptom or Deficit	F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Weakness/Paralysis
F44.5	Conversion Disorder With Seizures or Convulsions	F44.5	Conversion Disorder (Functional Neurological Symptom Disorder), With Attacks or Seizures
F44.6	Conversion Disorder With Sensory Symptom or Deficit	F44.6	Conversion Disorder (Functional Neurological Symptom Disorder), With Anesthesia or Sensory Loss; <u>OR</u>
F44.6	Conversion Disorder With Sensory Symptom or Deficit	F44.6	Conversion Disorder (Functional Neurological Symptom Disorder), With Special Sensory Symptoms
F34.0	Cyclothymic Disorder	F34.0	Cyclothymic Disorder
F22	Delusional Disorders	F22	Delusional Disorder
F60.7	Dependent Personality Disorder	F60.7	Dependent Personality Disorder
F48.1	Depersonalization-Derealization Syndrome	F48.1	Depersonalization/Derealization Disorder
R69	Diagnosis Deferred	R69	Diagnosis Deferred
F94.2	Disinhibited Attachment Disorder of Childhood	F94.2	Disinhibited Social Engagement Disorder
F20.1	<del>Disorganized Schizophrenia</del>	F20.9	Schizophrenia

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

	F34.81	Disruptive Mood Dysregulation Disorder	F34.81	Disruptive Mood Dysregulation Disorder	
	F44.0	Dissociative Amnesia	F44.0	Dissociative Amnesia	l
	F44.9	Dissociative and Conversion Disorder, Unspecified	F44.9	Unspecified Dissociative Disorder	l
Ī	F44.1	Dissociative Fugue	F44.1	Dissociative Amnesia, With Dissociative Fugue	l
	F44.81	Dissociative Identity Disorder	F44.81	Dissociative Identity Disorder	l
	F34.1	Dysthymic Disorder	F34.1	Persistent Depressive Disorder (Dysthymia)	l
	F50.9	Eating Disorder, Unspecified	F50.9	Unspecified Feeding or Eating Disorder	l
	F98.1	Encopresis Not Due to a Substance or Known Physiological Condition	F98.1	Encopresis + specifiers required by DSM-5	
	F98.0	Enuresis Not Due to a Substance or Known Physiological Condition	F98.0	Enuresis	
	F42.4	Excoriation Disorder	F42.4	Excoriation (Skin Picking) Disorder	l
	F40.230	Fear of Blood	F40.230	Specific Phobia, Fear Of Blood	l
	F40.242	Fear of Bridges	F40.248	Specific Phobia, Situational	
	F40.243	Fear of Flying	F40.248	Specific Phobia, Situational	را
	F40.231	Fear of Injections and Transfusions	F40.231	Specific Phobia, Fear Of Injections and Transfusions	l
	F40.233	Fear of Injury	F40.233	Specific Phobia, Fear Of Injury	l
	F40.232	Fear of Other Medical Care	F40.232	Specific Phobia, Fear Of Other Medical Care	l
	F40.220	Fear of Thunderstorms	F40.228	Specific Phobia, Natural Environment	l
	R15.9	Full Incontinence of Feces <sup>3</sup>	R15.9	Other Specified Elimination Disorder, With Fecal Symptoms <sup>3</sup>	
	R15.9	Full Incontinence of Feces <sup>3</sup>	R15.9	Unspecified Elimination Disorder, With Fecal Symptoms <sup>3</sup>	
	F41.1	Generalized Anxiety Disorder	F41.1	Generalized Anxiety Disorder	l
	F40.291	<del>Gynophobia</del>	F41.8	Other Specified Anxiety Disorder	l
	F16.183	Hallucinogen Abuse With Hallucinogen Persisting Perception Disorder (Flashbacks)	F16.183	Hallucinogen Abuse (Use DSM-IV-TR criterianot code on pg. 252) & Hallucinogen Persisting Perception Disorder (Flashbacks) (Use DSM-IV-TR criteria -not code on pg. 253) <sup>1</sup>	
	F16.180	Hallucinogen Abuse With Hallucinogen-Induced Anxiety Disorder	F16.180	Other Hallucinogen-Induced Anxiety Disorder, With Mild Use Disorder	
	F16.180	Hallucinogen Abuse With Hallucinogen-Induced Anxiety Disorder	F16.180	Phencyclidine-Induced Anxiety Disorder, With Mild Use Disorder	
	F16.14	Hallucinogen Abuse With Hallucinogen-Induced Mood Disorder	F16.14	Other Hallucinogen-Induced Bipolar and Related Disorder, With Mild Use Disorder	
	F16.14	Hallucinogen Abuse With Hallucinogen-Induced Mood Disorder	F16.14	Other Hallucinogen-Induced Depressive Disorder, With Mild Use Disorder	

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

F16.14	Hallucinogen Abuse With Hallucinogen-Induced Mood Disorder	F16.14	Phencyclidine-Induced Bipolar and Related Disorder, With Mild Use Disorder
F16.14	Hallucinogen Abuse With Hallucinogen-Induced Mood Disorder	F16.14	Phencyclidine-Induced Depressive Disorder, With Mild Use Disorder
F16.150	Hallucinogen Abuse With Hallucinogen-Induced Psychotic Disorder With Delusions	F16.150	Hallucinogen Abuse (Use DSM-IV-TR criterianot code on pg. 252) & Hallucinogen-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F16.151	Hallucinogen Abuse With Hallucinogen-Induced Psychotic Disorder With Hallucinations	F16.151	Hallucinogen Abuse (Use DSM-IV-TR criterianot code on pg. 252) & Hallucinogen-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F16.283	Hallucinogen Dependence With Hallucinogen Persisting Perception Disorder (Flashbacks)	F16.283	Hallucinogen Dependence (Use DSM-IV-TR criterianot code on pg. 251) & Hallucinogen Persisting Perception Disorder (Flashbacks) (Use DSM-IV-TR criteria -not code on pg. 253) <sup>1</sup>
F16.280	Hallucinogen Dependence With Hallucinogen-Induced Anxiety Disorder	F16.280	Other Hallucinogen-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F16.280	Hallucinogen Dependence With Hallucinogen-Induced Anxiety Disorder	F16.280	Phencyclidine-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F16.24	Hallucinogen Dependence With Hallucinogen-Induced Mood Disorder	F16.24	Other Hallucinogen-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F16.24	Hallucinogen Dependence With Hallucinogen-Induced Mood Disorder	F16.24	Other Hallucinogen-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F16.24	Hallucinogen Dependence With Hallucinogen-Induced Mood Disorder	F16.24	Phencyclidine-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F16.24	Hallucinogen Dependence With Hallucinogen-Induced Mood Disorder	F16.24	Phencyclidine-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F16.250	Hallucinogen Dependence With Hallucinogen-Induced Psychotic Disorder With Delusions	F16.250	Hallucinogen Dependence (Use DSM-IV-TR criterianot code on pg. 251) & Hallucinogen-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F16.251	Hallucinogen Dependence With Hallucinogen-Induced Psychotic Disorder With Hallucinations	F16.251	Hallucinogen Dependence (Use DSM-IV-TR criterianot code on pg. 251) & Hallucinogen-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F16.980	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Anxiety Disorder	F16.980	Other Hallucinogen-Induced Anxiety Disorder, Without Use Disorder
F16.980	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Anxiety Disorder	F16.980	Phencyclidine-Induced Anxiety Disorder, Without Use Disorder
F16.94	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Mood Disorder	F16.94	Other Hallucinogen-Induced Bipolar and Related Disorder, Without Use Disorder

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

v.1.4.18

F16.94	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Mood Disorder	F16.94	Other Hallucinogen-Induced Depressive Disorder, Without Use Disorder
F16.94	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Mood Disorder	F16.94	Phencyclidine-Induced Bipolar and Related Disorder, Without Use Disorder
F16.94	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Mood Disorder	F16.94	Phencyclidine-Induced Depressive Disorder, Without Use Disorder
F16.950	Hallucinogen Use, Unspecified, With Hallucinogen Induced Psychotic- Disorder With Delusions	F16.150	Hallucinogen Abuse (Use DSM-IV-TR criterianot code on pg. 252) & Hallucinogen-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup> ; <u>OR</u>
<del>F16.950</del>	Hallucinogen Use, Unspecified, With Hallucinogen Induced Psychotic- Disorder With Delusions	F16.250	Hallucinogen Dependence (Use DSM-IV-TR criterianot code on pg. 251) & Hallucinogen-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
<del>F16.951</del>	Hallucinogen Use, Unspecified, With Hallucinogen Induced Psychotic- Disorder With Hallucinations	F16.151	Hallucinogen Abuse (Use DSM-IV-TR criterianot code on pg. 252) & Hallucinogen-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup> ; <u>OR</u>
<del>F16.951</del>	Hallucinogen Use, Unspecified, With Hallucinogen Induced Psychotic- Disorder With Hallucinations	F16.251	Hallucinogen Dependence (Use DSM-IV-TR criterianot code on pg. 251) & Hallucinogen-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F16.983	Hallucinogen Use, Unspecified, With Hallucinogen Persisting Perception Disorder (Flashbacks)	F16.983	Hallucinogen Persisting Perception Disorder
F60.4	Histrionic Personality Disorder	F60.4	Histrionic Personality Disorder
F42.3	Hoarding Disorder	F42.3	Hoarding Disorder
F45.21	Hypochondriasis	F45.21	Illness Anxiety Disorder
R15.0	Incomplete Defecation <sup>3</sup>	R15.0	Incomplete Defecation (Use ICD-10 Bluebook Criteria) <sup>3</sup>
F18.14	Inhalant Abuse With Inhalant-Induced Mood Disorder	F18.14	Inhalant-Induced Depressive Disorder, With Mild Use Disorder
F18.150	Inhalant Abuse With Inhalant-Induced Psychotic Disorder With Delusions	F18.150	Inhalant Abuse (Use DSM-IV-TR criterianot code on pg. 259) & Inhalant-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code-on pg. 338) <sup>1</sup>
F18.151	Inhalant Abuse With Inhalant-Induced Psychotic Disorder With Hallucinations	F18.151	Inhalant Abuse (Use DSM-IV-TR criterianot code on pg. 259) & Inhalant-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F18.188	Inhalant Abuse With Other Inhalant-Induced Disorder	F18.188	Inhalant- Induced Mild Neurocognitive Disorder, With Mild Use Disorder
F18.24	Inhalant Dependence With Inhalant-Induced Mood Disorder	F18.24	Inhalant-Induced Depressive Disorder, With Moderate or Severe Use Disorder

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

F18.250	Inhalant Dependence With Inhalant-Induced Psychotic Disorder With Delusions	F18.250	Inhalant Dependence (Use DSM-IV-TR criterianot code on pg. 258) & Inhalant-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F18.251	Inhalant Dependence With Inhalant-Induced Psychotic Disorder With Hallucinations	F18.251	Inhalant Dependence (Use DSM-IV-TR criterianot code on pg. 258) & Inhalant-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F18.288	Inhalant Dependence With Other Inhalant-Induced Disorder	F18.288	Inhalant-Induced Mild Neurocognitive Disorder, With Moderate or Severe Use Disorder
F18.950	Inhalant Use, Unspecified, With Inhalant Induced Psychotic Disorder- With Delusions	F18.150	Inhalant Abuse (Use DSM-IV-TR criterianot code on pg. 259) & Inhalant-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup> ; OR
F18.950	Inhalant Use, Unspecified, With Inhalant Induced Psychotic Disorder- With Delusions	F18.250	Inhalant Dependence (Use DSM-IV-TR criterianot code on pg. 258) & Inhalant-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F18.951	Inhalant Use, Unspecified, With Inhalant Induced Psychotic Disorder- With Hallucinations	F18.151	Inhalant Abuse (Use DSM-IV-TR criterianot code on pg. 259) & Inhalant-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup> ; OR
F18.951	Inhalant Use, Unspecified, With Inhalant Induced Psychotic Disorder- With Hallucinations	F18.251	Inhalant Dependence (Use DSM-IV-TR criterianot code on pg. 258) & Inhalant-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F18.988	Inhalant Use, Unspecified, With Other Inhalant-Induced Disorder	F18.988	Inhalant-Induced Mild Neurocognitive Disorder, Without Use Disorder
F63.81	Intermittent Explosive Disorder	F63.81	Intermittent Explosive Disorder
F33.41	Major Depressive Disorder, Recurrent, in Partial Remission	F33.41	Major Depressive Disorder, Recurrent Episode, In Partial Remission
F33.0	Major Depressive Disorder, Recurrent, Mild	F33.0	Major Depressive Disorder, Recurrent Episode, Mild
F33.1	Major Depressive Disorder, Recurrent, Moderate	F33.1	Major Depressive Disorder, Recurrent Episode, Moderate
F33.3	Major Depressive Disorder, Recurrent, Severe, With Psychotic Symptoms	F33.3	Major Depressive Disorder, Recurrent Episode, With Psychotic Features + Severe specifier
F33.2	Major Depressive Disorder, Recurrent, Severe, Without Psychotic Features	F33.2	Major Depressive Disorder, Recurrent Episode, Severe
F33.9	Major Depressive Disorder, Recurrent, Unspecified	F33.9	Major Depressive Disorder, Recurrent Episode, Unspecified
F32.4	Major Depressive Disorder, Single Episode, in Partial Remission	F32.4	Major Depressive Disorder, Single Episode, In Partial Remission
F32.0	Major Depressive Disorder, Single Episode, Mild	F32.0	Major Depressive Disorder, Single Episode, Mild
F32.1	Major Depressive Disorder, Single Episode, Moderate	F32.1	Major Depressive Disorder, Single Episode, Moderate

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

<sup>&</sup>lt;sup>3</sup>Diagnosis pending, cannot currently be used

F32.3	Major Depressive Disorder, Single Episode, Severe, With Psychotic Features	F32.3	Major Depressive Disorder, Single Episode, With Psychotic Features + Severe specifier
F32.2	Major Depressive Disorder, Single Episode, Severe, Without Psychotic Features	F32.2	Major Depressive Disorder, Single Episode, Severe
F32.9	Major Depressive Disorder, Single Episode, Unspecified	F32.9	Major Depressive Disorder, Single Episode, Unspecified; OR
F32.9	Major Depressive Disorder, Single Episode, Unspecified	F32.9	Unspecified Depressive Disorder
F30.3	Manic Episode in Partial Remission	F31.73	Bipolar I Disorder, Current or Most Recent Episode Manic, In Partial Remission
F30.11	Manic Episode Without Psychotic Symptoms, Mild	F31.11	Bipolar I Disorder, Current or Most Recent Episode Manic, Mild
F30.12	Manic Episode Without Psychotic Symptoms, Moderate	F31.12	Bipolar I Disorder, Current or Most Recent Episode Manic, Moderate
F30.13	Manic Episode Without Psychotic Symptoms, Severe	F31.13	Bipolar I Disorder, Current or Most Recent Episode Manic, Severe
F30.10	Manic Episode Without Psychotic Symptoms, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Unspecified
F30.2	Manic Episode, Severe, With Psychotic Symptoms	F31.2	Bipolar I Disorder, Current or Most Recent Episode Manic, With Psychotic Features + Severe specifier
F30.9	Manic Episode, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Unspecified
F42.2	Mixed Obsessional Thoughts and Acts	F42.2	Obsessive-Compulsive Disorder
F60.81	Narcissistic Personality Disorder	F60.81	Narcissistic Personality Disorder
Z03.89	No Diagnosis	Z03.89	No Diagnosis
F42.9	Obsessive-Compulsive Disorder, Unspecified	F42.9	Unspecified Obsessive-Compulsive and Related Disorder
F60.5	Obsessive-Compulsive Personality Disorder	F60.5	Obsessive-Compulsive Personality Disorder
F11.14	Opioid Abuse With Opioid-Induced Mood Disorder	F11.14	Opioid-Induced Depressive Disorder, With Mild Use Disorder
F11.150	Opioid Abuse With Opioid-Induced Psychotic Disorder With Delusions	F11.150	Opioid Abuse (Use DSM-IV-TR criterianot code on pg. 271) & Opioid-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F11.151	Opioid Abuse With Opioid-Induced Psychotic Disorder With Hallucinations	F11.151	Opioid Abuse (Use DSM-IV-TR criterianot code on pg. 271) & Opioid-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F11.24	Opioid Dependence With Opioid-Induced Mood Disorder	F11.24	Opioid-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F11.250	Opioid Dependence With Opioid-Induced Psychotic Disorder With Delusions	F11.250	Opioid Dependence (Use DSM-IV-TR criterianot code on pg. 270) & Opioid-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code-on pg. 338) <sup>1</sup>
F11.251	Opioid Dependence With Opioid-Induced Psychotic Disorder With Hallucinations	F11.251	Opioid Dependence (Use DSM-IV-TR criterianot code on pg. 270) & Opioid-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

<sup>&</sup>lt;sup>3</sup>Diagnosis pending, cannot currently be used

	F11.94	Opioid Use, Unspecified With Opioid-Induced Mood Disorder	F11.94	Opioid-Induced Depressive Disorder, Without Use Disorder
	F11.950	Opioid Use, Unspecified, With Opioid-Induced Psychotic Disorder With- Delusions	F11.150	Opioid Abuse (Use DSM-IV-TR criterianot code on pg. 271) & Opioid-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup> ; OR
	F11.950	Opioid Use, Unspecified, With Opioid-Induced Psychotic Disorder With- Delusions	F11.250	Opioid Dependence (Use DSM-IV-TR criterianot code on pg. 270) & Opioid-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
	F11.951	Opioid Use, Unspecified, With Opioid Induced Psychotic Disorder With Hallucinations	F11.151	Opioid Abuse (Use DSM-IV-TR criterianot code on pg. 271) & Opioid-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup> ; OR
	<del>F11.951</del>	Opioid Use, Unspecified, With Opioid-Induced Psychotic Disorder With-Hallucinations	F11.251	Opioid Dependence (Use DSM-IV-TR criterianot code on pg. 270) & Opioid-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
	F11.188	Opioid-Induced Anxiety Disorder With Opioid Use Disorder, Mild	F11.188	Opioid-Induced Anxiety Disorder, With Mild Use Disorder
	F11.288	Opioid-Induced Anxiety Disorder With Opioid Use Disorder, Moderate or Severe	F11.288	Opioid-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
	F11.988	Opioid-Induced Anxiety Disorder Without Opioid Use Disorder	F11.988	Opioid-Induced Anxiety Disorder, Without Use Disorder
ı	F91.3	Oppositional Defiant Disorder	F91.3	Oppositional Defiant Disorder
	F19.982	Other (or Unknown) Stimulant-Induced Sleep Disorder Without Other (or Unknown) Substance Use Disorder	F19.982	Other (or Unknown) Substance-Induced Sleep Disorder, Without Use Disorder
	F40.218	Other Animal Type Phobia	F40.218	Specific Phobia, Animal
Ī	F31.89	Other Bipolar Disorder	F31.89	Other Specified Bipolar and Related Disorder
	F84.3	Other Childhood Disintegrative Disorder	F84.3	Childhood Disintegrative Disorder (Use DSM-IV-TR criterianot code on pg. 77) <sup>1</sup>
	F93.8	Other Childhood Emotional Disorders	F93.8	Disorders of Infancy, Child, or Adolescence, NOS (Use DSM-IV-TR criterianot code on pg. 134) <sup>1</sup>
	F91.8	Other Conduct Disorder	F91.8	Other Specified Disruptive, Impulse-Control, and Conduct Disorder
	F98.29	Other Feeding Disorders of Infancy and Early Childhood	F50.9	Unspecified Feeding or Eating Disorder; OR
1	F98.29	Other Feeding Disorders of Infancy and Early Childhood	F98.29	Feeding Disorder of Infancy or Early Childhood (Use DSM-IV-TR criterianot code on pg. 107) <sup>1</sup>
	F40.228	Other Natural Environment Type Phobia	F40.228	Specific Phobia, Natural Environment
Ī	F42.8	Other Obsessive-Compulsive Disorder	F42.8	Other Specified Obsessive-Compulsive and Related Disorder
	F84.8	Other Pervasive Developmental Disorder	F84.8	Pervasive Developmental Disorder, NOS (Use DSM-IV-TR criterianot code on pg. 84) <sup>1</sup>

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

F40.8	Other Phobic Anxiety Disorders	F41.8	Other Specified Anxiety Disorder
F19.180	Other Psychoactive Substance Abuse With Psychoactive Substance- Induced Anxiety Disorder	F19.180	Other (or Unknown) Substance-Induced Anxiety Disorder, With Mild Use Disorder
F19.14	Other Psychoactive Substance Abuse With Psychoactive Substance- Induced Mood Disorder	F19.14	Other (or Unknown) Substance-Induced Bipolar and Related Disorder, With Mild Use Disorder
F19.14	Other Psychoactive Substance Abuse With Psychoactive Substance- Induced Mood Disorder	F19.14	Other (or Unknown) Substance-Induced Depressive Disorder, With Mild Use Disorder
F19.150	Other Psychoactive Substance Abuse With Psychoactive Substance- Induced Psychotic Disorder With Delusions	F19.150	Other (or Unknown) Substance Abuse (Use DSM-IV-TR criterianot code on pg. 198) & Other (or Unknown) Substance-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F19.151	Other Psychoactive Substance Abuse With Psychoactive Substance- Induced Psychotic Disorder With Hallucinations	F19.151	Other (or Unknown) Substance Abuse (Use DSM-IV-TR criterianot code on pg. 198) & Other (or Unknown) Substance-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F19.19	Other Psychoactive Substance Abuse With Unspecified Psychoactive Substance-Induced Disorder	F19.19	Other (or Unknown) Substance Abuse (Use DSM-IV-TR criterianot code on pg. 198) & Other (or Unknown) Substance-Related Disorder NOS (Use DSM-IV-TR criterianot code on pg. 295)
F19.280	Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Anxiety Disorder	F19.280	Other (or Unknown) Substance-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F19.24	Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Mood Disorder	F19.24	Other (or Unknown) Substance-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F19.24	Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Mood Disorder	F19.24	Other (or Unknown) Substance-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F19.250	Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Psychotic Disorder With Delusions	F19.250	Other (or Unknown) Substance Dependence (Use DSM-IV-TR criterianot codeon pg. 192) & Other (or Unknown) Substance-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F19.251	Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Psychotic Disorder With Hallucinations	F19.251	Other (or Unknown) Substance Dependence (Use DSM-IV-TR criterianot codeon pg. 192) & Other (or Unknown) Substance-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F19.980	Other Psychoactive Substance Use, Unspecified, With Psychoactive Substance-Induced Anxiety Disorder	F19.980	Other (or Unknown) Substance-Induced Anxiety Disorder, Without Use Disorder
F19.94	Other Psychoactive Substance Use, Unspecified, With Psychoactive Substance-Induced Mood Disorder	F19.94	Other (or Unknown) Substance-Induced Bipolar and Related Disorder, Without Use Disorder
F19.94	Other Psychoactive Substance Use, Unspecified, With Psychoactive Substance-Induced Mood Disorder	F19.94	Other (or Unknown) Substance-Induced Depressive Disorder, Without Use Disorder

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

F19.950	Other Psychoactive Substance Use, Unspecified, With Psychoactive- Substance Induced Psychotic Disorder With Delusions	F19.150	Other (or Unknown) Substance Abuse (Use DSM-IV-TR criterianot code on pg. 198) & Other (or Unknown) Substance-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup> ; OR
F19.950	Other Psychoactive Substance Use, Unspecified, With Psychoactive Substance Induced Psychotic Disorder With Delusions	F19.250	Other (or Unknown) Substance Dependence (Use DSM-IV-TR criterianot code on pg. 192) & Other (or Unknown) Substance-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
<del>F19.951</del>	Other Psychoactive Substance Use, Unspecified, With Psychoactive Substance Induced Psychotic Disorder With Hallucinations	F19.151	Other (or Unknown) Substance Abuse (Use DSM-IV-TR criterianot code on pg. 198) & Other (or Unknown) Substance-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup> ; <u>OR</u>
F19.951	Other Psychoactive Substance Use, Unspecified, With Psychoactive Substance Induced Psychotic Disorder With Hallucinations	F19.251	Other (or Unknown) Substance Dependence (Use DSM-IV-TR criterianot code on pg. 192) & Other (or Unknown) Substance-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F28	Other Psychotic Disorder Not Due to a Substance or Known Physiological Condition	F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder
F33.8	Other Recurrent Depressive Disorders	F33.0	Major Depressive Disorder, Recurrent Episode, Mild; <u>OR</u>
F33.8	Other Recurrent Depressive Disorders	F33.1	Major Depressive Disorder, Recurrent Episode, Moderate; OR
F33.8	Other Recurrent Depressive Disorders	F33.2	Major Depressive Disorder, Recurrent Episode, Severe; <u>OR</u>
F33.8	Other Recurrent Depressive Disorders	F33.3	Major Depressive Disorder, Recurrent Episode, With Psychotic Features + <i>Severe</i> specifier; <u>OR</u>
F33.8	Other Recurrent Depressive Disorders	F33.41	Major Depressive Disorder, Recurrent Episode, In Partial Remission
F25.8	Other Schizoaffective Disorders	F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder
F20.89	Other Schizophrenia	F20.9	Schizophrenia; <u>OR</u>
F20.89	Other Schizophrenia	F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder
F40.248	Other Situational Type Phobia	F40.248	Specific Phobia, Situational
F50.89	Other Specified Feeding or Eating Disorder <sup>2</sup>	F50.9	Unspecified Feeding or Eating Disorder
F88	Other Specified Neurodevelopmental Disorder <sup>2</sup>	F93.8	Disorders of Infancy, Child, or Adolescence, NOS (Use DSM-IV-TR criterianot code on pg. 134) <sup>1</sup>
F34.89	Other Specified Persistent Mood Disorder	-	Use a Mood Disorder diagnosis allowed by ACBHCS; OR
F34.89	Other Specified Persistent Mood Disorder	F31.89	Other Specified Bipolar and Related Disorder; <u>OR</u>
F34.89	Other Specified Persistent Mood Disorder	F32.9	Unspecified Depressive Disorder
F40.298	Other Specified Phobia	F41.8	Other Specified Anxiety Disorder

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

F43.8	Other Specified Trauma and Stressor-Related Disorder <sup>2</sup>	F43.10	Anxiety Disorder NOS (includes Trauma NOS) (Use DSM-IV-TR criterianot code-on pg. 484) <sup>1</sup>
F43.8	Other Specified Trauma- and Stressor-Related Disorder <sup>2</sup>	F43.10	Posttraumatic Stress Disorder
F15.180	Other Stimulant Abuse With Stimulant-Induced Anxiety Disorder	F15.180	Amphetamine (or Other Stimulant)- Induced Anxiety Disorder, With Mild Use Disorder
F15.14	Other Stimulant Abuse With Stimulant-Induced Mood Disorder	F15.14	Amphetamine (or Other Stimulant)-Induced Bipolar and Related Disorder, With Mild Use Disorder
F15.14	Other Stimulant Abuse With Stimulant-Induced Mood Disorder	F15.14	Amphetamine (or Other Stimulant)- Induced Depressive Disorder, With Mild Use Disorder
F15.150	Other Stimulant Abuse With Stimulant-Induced Psychotic Disorder With Delusions	F15.150	Amphetamine Abuse (Use DSM-IV-TR criterianot code on pg. 225) & Amphetamine-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F15.151	Other Stimulant Abuse With Stimulant-Induced Psychotic Disorder With Hallucinations	F15.151	Amphetamine Abuse (Use DSM-IV-TR criterianot code on pg. 225) & Amphetamine-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F15.280	Other Stimulant Dependence With Stimulant-Induced Anxiety Disorder	F15.280	Amphetamine (or Other Stimulant)-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F15.24	Other Stimulant Dependence With Stimulant-Induced Mood Disorder	F15.24	Amphetamine (or Other Stimulant)-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
F15.24	Other Stimulant Dependence With Stimulant-Induced Mood Disorder	F15.24	Amphetamine (or Other-Stimulant)-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F15.250	Other Stimulant Dependence with Stimulant-Induced Psychotic Disorder With Delusions	F15.250	Amphetamine Dependence (Use DSM-IV-TR criterianot code on pg. 224) & Amphetamine-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F15.251	Other Stimulant Dependence With Stimulant-Induced Psychotic Disorder With Hallucinations	F15.251	Amphetamine Dependence (Use DSM-IV-TR criterianot code on pg. 224) & Amphetamine-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F15.950	Other Stimulant Use, Stimulant-Induced Psychotic Disorder With- Delusions	F15.150	Amphetamine Abuse (Use DSM-IV-TR criterianot code on pg. 225) & Amphetamine-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup> ; OR
F15.950	Other Stimulant Use, Stimulant Induced Psychotic Disorder With- Delusions	F15.250	Amphetamine Dependence (Use DSM-IV-TR criterianot code on pg. 224) & Amphetamine-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F15.980	Other Stimulant Use, Unspecified, With Stimulant- Induced Anxiety Disorder	F15.980	Amphetamine (or Other Stimulant)-Induced Anxiety Disorder, Without Use Disorder
F15.94	Other Stimulant Use, Unspecified, With Stimulant- Induced Mood Disorder	F15.94	Amphetamine (or Other Stimulant)-Induced Bipolar and Related Disorder, Without Use Disorder

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

	F15.94	Other Stimulant Use, Unspecified, With Stimulant- Induced Mood Disorder	F15.94	Amphetamine (or Other Stimulant)-Induced Depressive Disorder, Without Use Disorder
	F15.951	Other Stimulant Use, Unspecified, With Stimulant Induced Psychotic Disorder With Hallucinations	F15.151	Amphetamine Abuse (Use DSM-IV-TR criterianot code on pg. 225) & Amphetamine-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup> ; OR
	F15.951	Other Stimulant Use, Unspecified, With Stimulant Induced Psychotic Disorder With Hallucinations	F15.251	Amphetamine Dependence (Use DSM-IV-TR criterianot code on pg. 224) & Amphetamine-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
	F95.8	Other Tic Disorders	F95.8	Other Specified Tic Disorder
	F45.41	Pain Disorder Exclusively Related to Psychological Factors	F45.1	Somatic Symptom Disorder + <i>Predominant pain</i> specifier; <u>OR</u>
	F45.41	Pain Disorder Exclusively Related to Psychological Factors	F45.41	Pain Disorder Associated With Psychological Factors (Use DSM-IV-TR criteria not code on pg. 499) <sup>1</sup>
	F45.42	Pain Disorder With Related Psychological Factors	F45.42	Consider DSM-5: F45.1 - Somatic Symptom Disorder + <i>Predominant Pain</i> specifier; <u>OR</u>
	F45.42	Pain Disorder With Related Psychological Factors	F45.42	Pain Disorder Associated With Psychological Factors (Use DSM-IV-TR criteria not code on pg. 499) <sup>1</sup>
	F41.0	Panic Disorder Without Agoraphobia	F41.0	Panic Disorder
	F60.0	Paranoid Personality Disorder	F60.0	Paranoid Personality Disorder
	F20.0	Paranoid Schizophrenia	F20.9	Schizophrenia
	F34.9	Persistent Mood [Affective] Disorder, Unspecified	-	Use a Mood Disorder diagnosis allowed by ACBHCS; OR
4	F34.9	Persistent Mood [Affective] Disorder, Unspecified	F31.9	See F31.9; <u>OR</u>
	F34.9	Persistent Mood [Affective] Disorder, Unspecified	F32.9	See F32.9
	F60.9	Personality Disorder, Unspecified	F60.9	Unspecified Personality Disorder
	F84.9	Pervasive Developmental Disorder, Unspecified	F84.9	Pervasive Developmental Disorder, NOS (Use DSM-IV-TR criterianot code on pg. 84) <sup>1</sup>
	F98.3	Pica of Infancy and Childhood	F98.3	Pica, In Children
	F50.89	<del>Pica, In Adults<sup>2</sup></del>	F50.9	Unspecified Feeding or Eating Disorder
	F43.11	Post Traumatic Stress Disorder, Acute	F43.10	Posttraumatic Stress Disorder
	F43.12	Post-Traumatic Stress Disorder, Chronic	F43.10	Posttraumatic Stress Disorder
	F43.10	Post-Traumatic Stress Disorder, Unspecified	F43.10	Posttraumatic Stress Disorder; <u>OR</u>
	F43.10	Post-Traumatic Stress Disorder, Unspecified	F43.10	Anxiety Disorder NOS (includes Trauma NOS) (Use DSM-IV-TR criterianot code-on pg. $484$ ) $^1$
	F63.1	Pyromania	F63.1	Pyromania

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

	F94.1	Reactive Attachment Disorder of Childhood	F94.1	Reactive Attachment Disorder (Inhibited Type) - For Disinhibited Type see Disinihibited Social Engagement Disorder (F94.2)
	F20.5	Residual Schizophrenia	F20.9	Schizophrenia
	F98.21	Rumination Disorder of Infancy	F98.21	Rumination Disorder
	F25.0	Schizoaffective Disorder, Bipolar Type	F25.0	Schizoaffective Disorder, Bipolar Type
	F25.1	Schizoaffective Disorder, Depressive Type	F25.1	Schizoaffective Disorder, Depressive Type
	F25.9	Schizoaffective Disorder, Unspecified	F28	Unspecified Schizophrenia Spectrum and Other Psychotic Disorder
	F60.1	Schizoid Personality Disorder	F60.1	Schizoid Personality Disorder
	F20.9	Schizophrenia, Unspecified	F20.9	Schizophrenia; <u>OR</u>
	F20.9	Schizophrenia, Unspecified	F29	Unspecified Schizophrenia Spectrum and Other Psychotic Disorder
	F20.81	Schizophreniform Disorder	F20.81	Schizophreniform Disorder
	F21	Schizotypal Disorder	F21	Schizotypal Personality Disorder
	F13.180	Sedative, Hypnotic or Anxiolytic Abuse With Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder	F13.180	Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder, With Mild Use Disorder
	F13.14	Sedative, Hypnotic or Anxiolytic Abuse with Sedative-, Hypnotic-, or Anxiolytic-Induced Mood Disorder	F13.14	Sedative-, Hypnotic-, or Anxiolytic-Induced Bipolar and Related Disorder, With Mild Use Disorder
	F13.14	Sedative, Hypnotic or Anxiolytic Abuse with Sedative-, Hypnotic-, or Anxiolytic-Induced Mood Disorder	F13.14	Sedative-, Hypnotic-, or Anxiolytic-Induced Depressive Disorder, With Mild Use Disorder
	F13.280	Sedative, Hypnotic or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder	F13.280	Sedative-, Hypnotic, or Anxiolytic-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
	F13.24	Sedative, Hypnotic or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Mood Disorder	F13.24	Sedative-, Hypnotic, or Anxiolytic-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
	F13.24	Sedative, Hypnotic or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Mood Disorder	F13.24	Sedative-, Hypnotic-, or Anxiolytic-Induced Depressive Disorder, With Moderate or Severe Use Disorder
,	F13.980	Sedative, Hypnotic or Anxiolytic Use, Unspecified, With Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder	F13.980	Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder, Without Use Disorder
	F13.94	Sedative, Hypnotic or Anxiolytic Use, Unspecified, With Sedative-, Hypnotic-, or Anxiolytic-Induced Mood Disorder	F13.94	Sedative-, Hypnotic-, or Anxiolytic-Induced Bipolar and Related Disorder, Without Use Disorder
	F13.94	Sedative, Hypnotic or Anxiolytic Use, Unspecified, With Sedative-, Hypnotic-, or Anxiolytic-Induced Mood Disorder	F13.94	Sedative-, Hypnotic-, or Anxiolytic-Induced Depressive Disorder, Without Use Disorder
	F13.150	Sedative, Hypnotic, or Anxiolytic Abuse with Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Delusions	F13.150	Sedative, Hypnotic, or Anxiolytic Abuse (Use DSM-IV-TR criterianot code on pg. 286) & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>

 $<sup>^{1}</sup>$  No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code  $^{2}$ DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

F13.151	Sedative, Hypnotic, or Anxiolytic Abuse With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Hallucinations	F13.151	Sedative, Hypnotic, or Anxiolytic Abuse (Use DSM-IV-TR criterianot code on pg. 286) & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F13.250	Sedative, Hypnotic, or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Delusions	F13.250	Sedative, Hypnotic, or Anxiolytic Dependence (Use DSM-IV-TR criterianot codeon pg. 285) & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F13.251	Sedative, Hypnotic, or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder with Hallucinations	F13.251	Sedative, Hypnotic, or Anxiolytic Dependence (Use DSM-IV-TR criterianot codeon pg. 285) & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F13.950	Sedative, Hypnotic, or Anxiolytic Use, Unspecified, With Sedative , Hypnotic , or Anxiolytic Induced Psychotic Disorder With Delusions	F13.150	Sedative, Hypnotic, or Anxiolytic Abuse (Use DSM-IV-TR criterianot code on pg. 286) & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup> ; OR
F13.950	Sedative, Hypnotic, or Anxiolytic Use, Unspecified, With Sedative, Hypnotic, or Anxiolytic Induced Psychotic Disorder With Delusions	F13.250	Sedative, Hypnotic, or Anxiolytic Dependence (Use DSM-IV-TR criterianot code- on pg. 285) & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Delusions (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F13.951	Sedative, Hypnotic, or Anxiolytic Use, Unspecified, With Sedative, Hypnotic, or Anxiolytic Induced Psychotic Disorder With Hallucinations	F13.151	Sedative, Hypnotic, or Anxiolytic Abuse (Use DSM-IV-TR criterianot code on pg. 286) & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup> ; OR
F13.951	Sedative, Hypnotic, or Anxiolytic Use, Unspecified, With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Hallucinations	F13.251	Sedative, Hypnotic, or Anxiolytic Dependence (Use DSM-IV-TR criterianot code- on pg. 285) & Sedative, Hypnotic, or Anxiolytic-Induced Psychotic Disorder, With Hallucinations (Use DSM-IV-TR criterianot code on pg. 338) <sup>1</sup>
F94.0	Selective Mutism	F94.0	Selective Mutism
F93.0	Separation Anxiety Disorder of Childhood	F93.0	Separation Anxiety Disorder
F24	Shared Psychotic Disorder	F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder
F40.11	Social Phobia, Generalized	F40.10	Social Anxiety Disorder (Social Phobia)
F40.10	Social Phobia, Unspecified	F40.10	Social Anxiety Disorder (Social Phobia)
F45.0	Somatization Disorder	F44.81	Dissociative Identity Disorder; OR
F45.0	Somatization Disorder	F44.9	Unspecified Dissociative Disorder; OR
F45.0	Somatization Disorder	F45.0	Somatization Disorder (Use DSM-IV-TR criterianot code on pg. 486) <sup>1</sup>

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses

	F98.4	Stereotyped Movement Disorders	F98.4	Stereotypic Movement Disorder	
	F95.9	Tic Disorder, Unspecified	F95.9	Unspecified Tic Disorder	
	F95.2	Tourette's Disorder	F95.2	Tourette's Disorder	
	F20.3	Undifferentiated Schizophrenia	F20.9	Schizophrenia	
	F45.1	Undifferentiated Somatoform Disorder	F45.1	Somatic Symptom Disorder	
	F39	Unspecified Mood [Affective] Disorder	-	Use a Mood Disorder diagnosis allowed by ACBHCS; OR	
4 [	F39	Unspecified Mood [Affective] Disorder	F31.9	See F31.9; <u>OR</u>	-
	F39	Unspecified Mood [Affective] Disorder	F32.9	See F32.9	
	F88	Unspecified Neurodevelopmental Disorder <sup>2</sup>	F93.8	Disorders of Infancy, Child, or Adolescence, NOS (Use DSM-IV-TR criterianot code on pg. 134) <sup>1</sup>	
	F29	Unspecified Psychosis Not Due to a Substance or Known Physiological Condition	F29	Unspecified Schizophrenia Spectrum and Other Psychotic Disorder	
	F43.9	Unspecified Trauma- and Stressor-Related Disorder <sup>2</sup>	F43.10	Anxiety Disorder NOS (includes Trauma NOS) (Use DSM-IV-TR criterianot code-on pg. 484) <sup>1</sup>	-
	F43.9	Unspecified Trauma- and Stressor-Related Disorder <sup>2</sup>	F43.10	Posttraumatic Stress Disorder	
	F01.51	Vascular Dementia With Behavioral Disturbance	F01.51	Probable Major Vascular Neurocognitive Disorder, With Behavioral Disturbance	

1	_	
r	C	У

strikethrough = diagnosis not allowed				
no fill	Straight cross, just use the same diagnosis		Use the DSM-5 diagnosis listed	
	On DHCS list, but no direct cross. See row immediately to right		Consider the provided DSM-5 diagnosis(es) listed	
	Approved by DHCS, pending technological upgrades		No viable DSM-5 diagnosis, use this ICD-10 code with DSM-IV-TR criteria	

v.1.4.18 20 of 20 3Diagnosis pending, cannot currently be used

<sup>&</sup>lt;sup>1</sup> No comparable DSM-5 diagnosis, may use DSM-IV criteria with ICD-10 code <sup>2</sup>DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses